

PHARMA MACHINERIES



AUTIMATIC AUGER FILLER 2 HEAD



AUTIMATIC AUGER FILLER







SEMI AUTOMATIC AUGER FILLER



SEMI AUTOMATIC AUGER FILLER

Powder Filling Range: 01 Gm To 25 Gms. Motor H.p.: 0.5 Hp lii Phase Electric Motor, Electro Magnatic Cluth Brake System With Plc Based Presettable Counter Output: Speed Of 20 To 40 Fills Min. Accuracy Of 1.5%-2%.

AUTOMATIC SINGLE HEAD AUGER FILLER

Powder Filling Range: 01 gm to 25 gms. The Contact Parts In S.s.316 Quality. The Machine Consists Of Single Trake Slate Conveyor, Filling Head With Hopper, Electro Magnetic Control Cum Star Wheel Drive With Plc Based Operating System. The Washed Container/bottle Mode In A Linear Motion On The Conveyor Will Be Sensed By Sensor, Which Gives Signal To The Magnetic Clutch To Rotate The Augur For Output Of 20 To 35 Bottles/min.having 1.5% To 2% Accuracy.

AUTOMATIC DOUBLE HEAD AUGER FILLER

Powder Filling Range: 01 gm to 25 gms. The Contact Parts In S.s.316 Quality. The Machine Consists Of Single Trake Slate Conveyor, Filling Head With Hopper, Electro Magnetic Control Cum Star Wheel Drive With Plc Based Operating System. The Washed Container/bottle Mode In A Linear Motion On The Conveyor Will Be Sensed By Sensor, Which Gives Signal To The Magnetic Clutch To Rotate The Augur For Output Of 40 To 50 Bottles/min.1.5%-2% Accuracy



AUTOMATIC SINGLE HEAD AUGER FILLER FOR CANS





RIDDHI PHARMA MACHINERY LTD.

CIN: U33112GJ1995PLC028504

Manufacturer & Exporters of Pharmaceutical Machineries

