

## SPECIALIST IN

SS 316 , ALLOY STEEL AND SUPER  
ALLOY FASTENERS & ENGINEERED  
PRODUCTS

### OUR MISSION

At Kadiwala Group, We focus on the value of the Quality Products to ensure satisfaction of the customer and make them feel like an extended partner for future growth with hand in hand.

### OUR VISION

Developing long lasting relationship with external as well as internal customers and expanding our network all over the world to create benchmarking environment for the growth and wellbeing of the human being keeping Innovation and Traditional values in the center of the journey.

### OUR MEMBER



### ABOUT US

Since 1983 with the name of 'KADIWALA INDUSTRIES' in Mumbai we are serving the Indian and global Industry with high quality and precision SS316 , Alloy Steel and Super Alloy(Exotic material) Fasteners, Tube fitting products , Anti rotation Pins and manyengineered products. We also do the trading for standard fasteners. Now we are expanding our capacity at GIDC-Sidhpur with the name of 'KADIWALA ENGINEERING INDIA' with the aim to focus on other segments of the industry and create state of art manufacturing facility.

We are reputed and well known to Mechanical Seal and supply system, Valve and Pump manufacturer since our beginning in 1983 for our quality and commitment. We are supplying our products to textile as well as Automobile industries. Our team members are enriched with technical and business experience in industry more than 45 years.

We are manufacturing all our fasteners as per DIN, ISO, JIS, ASME and other international standards. We are also manufacturing Fasteners, anti-rotation Pins and other engineered products as per customer design/ requirements.


We are well known for manufacturing components with the material like SS316, Super Duplex, SS 316 TI, SS 329, Hastelloy, Alloy 20, Inconel, Titanium and many more exotic materials (Super Alloy).

'Learning is the key of Growth', this is our core culture of the business policy, We have enriched experience in industry but still we are learning the new technologies and innovations, so we are open to take any challenge in new segments of the industry like Oil and Gas, Refinery, Chemical Process plant, Nuclear power, steam and wind energy generation, Hydro power plant, Mining Industry, Pharmaceutical, Food industry, etc.

## OUR PRODUCT



**BOLTS**



**NUTS**



**PINS**



**PLUGS**



**SCREWS**



**STUDS**



**WASHERS**



**OTHER**

## MATERIAL

SS 316

SS 316L

SS 304

SS 410

SS 420

Duplex 2205

Super Duplex 2205

Hastelloy-C

Inconel 625

Inconel 718

Monel 400

Monel k-500

Alloy 20

Titanium

## OUR VALUABLE CUSTOMERS

**EagleBurgmann.**  
a member of **EMX** and **FREUDENBERG**

**RELIABILITY**  
MECHANICAL SEALING

**HI-FAB**  
MECHANICAL SEALS  
Dedicated Design. Outstanding Performance.

**GENERAL SEAL**  
COMPANY PVT. LTD.

**investa**  
Performance in everything

**Excelock**

**sealmatic**

**Fluorolined**  
Equipment Pvt. Ltd.

**Super**  
MECHANICAL SEALS

**SIGMA SEALS**

**SEALEXCEL**

**CHEM SEALS**  
SIC SYSTEM

**FATCOALS**  
(INDIA) PVT. LTD.

**HYDROVITE**  
**TEIKOKU**

**LP**  
SINCE 1973

📍 Plot no.185, GIDC- Sidhpur, Taluka - Sidhpur, Dist.- Patan, North Gujarat - 384151, India

📍 7-A Bachu singh compound, opp. Jyoti Box, Near Ajit Glass, S.V. Road, Jogeshwari (W), Mumbai-400102, India







**COMPANY PROFILE**

CATEGORY				KADIWALA GROUP CAPACITY			
Main Category	Sub Category	DIN	ISO	Imperial (Inches)		Metric (MM)	
				DIA	LENGTH	DIA	LENGTH
BOLTS	1 HEX BOLT						
	a Hexagon Head Bolts Part Thread	931	4014	#4-40" - 1"	1/4"-10"	M3 - M24	5 - 250 MM
	b Hexagon Head Bolts Full Thread	933	4017	#4-40" - 1"	1/4"-10"	M3 - M24	5 - 250 MM
	2 HEXAGON SOCKET HEAD CAP SCREW						
	a Hexagon Socket Head Cap Screw	912	4762	#4-40" - 1"	1/4"-10"	M3 - M24	5 - 250 MM
b Hexagon Low Socket Cap Screw with Pilot Hole	6912	3506	#4-40" - 1"	1/4"-10"	M3 - M24	5 - 250 MM	
3 SHOULDER SCREWS WITH HEXAGON SOCKET			7379	#4-40" - 1"	1/4"-10"	M3 - M24	5 - 250 MM
4 HEXAGON SOCKET CAP SCREW WITH FLAT COUNTERSUNK HEAD			7991	#5-40" - 1"	AS PER STANDARD	M3 - M24	AS PER STANDARD
SCREWS	1 SET SCREW						
	a Hexagon Socket Set Screws with Flat Point	913	4026	#5-40" - 1"	AS PER STANDARD	M3 - M24	AS PER STANDARD
	b Hexagon Socket Set Screws with Cone Point	914	4027	#5-40" - 1"	AS PER STANDARD	M3 - M24	AS PER STANDARD
	c Hexagon Socket Set Screws with Dog Point	915	4028	#5-40" - 1"	AS PER STANDARD	M3 - M24	AS PER STANDARD
	d Hexagon Socket Set Screws with Cup Point	916	4029	#5-40" - 1"	AS PER STANDARD	M3 - M24	AS PER STANDARD
	e Slotted Set Screw with Flat Point	551	4766	#5-40" - 1"	AS PER STANDARD	M3 - M24	AS PER STANDARD
	f Slotted Set Screw with Cone Point	553	7434	#5-40" - 1"	AS PER STANDARD	M3 - M24	AS PER STANDARD
PLUGS	1 HEXAGON SOCKET PIPE PLUG	DIN 906		1/16" - 1"	AS PER STANDARD	M8 - M24	AS PER STANDARD
	2 HEXAGON SOCKET SCREW PLUG WITH COLLAR	DIN 908		1/16" - 1"	AS PER STANDARD	M10 - M24	AS PER STANDARD
	3 HEXAGON HEAD PIPE PLUG	DIN 909		1/16" - 1"	AS PER STANDARD	M10 - M24	AS PER STANDARD
	4 HEXAGON HEAD SCREW PLUG WITH COLLAR	DIN 910		1/16" - 1"	AS PER STANDARD	M10 - M24	AS PER STANDARD
	5 HEXAGON HEAD SCREW PLUG WITH COLLAR & VENT	DIN 5586		1/16" - 1"	AS PER STANDARD	M10 - M24	AS PER STANDARD
	6 HEX HEAD PLUG	ASME B16.11		1/16" - 1"	AS PER STANDARD	M8 - M24	AS PER STANDARD
NUTS	1 HEX NUT	934	4032	1/8" - 1"	AS PER STANDARD	M3 - M24	AS PER STANDARD
	2 HEXAGON PIPE NUT	431		1/8" - 1"	AS PER STANDARD	M3 - M24	AS PER STANDARD
	3 DOME NUT	1587		1/8" - 1"	AS PER STANDARD	M3 - M24	AS PER STANDARD
	4 HEX HALF NUT (THIN HEX JAM NUT)	439		1/8" - 1"	AS PER STANDARD	M3 - M24	AS PER STANDARD
	5 LOCK NUT (LOW PROFILE THIN HEX NUT/CHECK NUT)	936	4035	1/8" - 1"	AS PER STANDARD	M3 - M24	AS PER STANDARD
WASHERS	1 FLAT WASHERS						
	a Medium Flat Washer	1440	8738	1/8" - 2"	AS PER STANDARD	M3 - M50	AS PER STANDARD
	b Coarse Flat Washer	1441	8738	1/8" - 2"	AS PER STANDARD	M3 - M50	AS PER STANDARD
	c Oversize Flat Washer	1052		1/8" - 2"	AS PER STANDARD	M3 - M50	AS PER STANDARD
	2 SPRING WASHERS						
a Helical Split Lock Washers	127		1/8" - 2"	AS PER STANDARD	M3 - M50	AS PER STANDARD	
b Curved & Waved Spring Lock Washers	128		1/8" - 2"	AS PER STANDARD	M3 - M50	AS PER STANDARD	
STUDS	1 BOTH SIDE THREADED STUD						
	a Engagement length equal to about 1*D	938		1/8" - 1"	M4 - M20	M3 - M24	10 - 350 MM
	b Engagement length equal to about 1.25*D	939		1/8" - 1"	M4 - M20	M3 - M24	10 - 350 MM
	c Engagement length equal to about 2.5*D	940		1/8" - 1"	M4 - M20	M3 - M24	10 - 350 MM
	2 FULLY THREADED STUD	976		1/8" - 1"	M4 - M20	M3 - M24	10 - 350 MM
3 SINGLE END STUD BOLT			1/8" - 1"	M4 - M20	M3 - M24	10 - 350 MM	
PINS	1 DOWEL PINS	7	2338	1/16" - 2"	AS PER REQUIREMENT	1.5 - 50 MM	AS PER REQUIREMENT
	2 DOWEL PINS	6325	8734	1/16" - 2"	AS PER REQUIREMENT	1.5 - 50 MM	AS PER REQUIREMENT
	3 PARALLEL PINS WITH INTERNAL THREAD	7979	8735	1/4" - 2"	AS PER REQUIREMENT	4 - 50 MM	AS PER REQUIREMENT
	4 SLOTTED SPRING PINS	1481	8752			3 MM - 15 MM	AS PER STANDARD
	5 SQUARE/RECTANGULAR HEAD PINS (ANTI ROTATION PINS)			1/8" - 1/2"	AS PER REQUIREMENT	SQ 3 - 10 MM	AS PER REQUIREMENT
ENGINEERED PRODUCTS	1 SPRING SLEEVE (SPRING CAP)					3 - 25 MM	AS PER REQUIREMENT
	2 TUBE FITTING COMPONENTS			1/8" - 1"	AS PER STANDARD	M3 - M24	AS PER STANDARD
	3 RIVETS (FLAT HEAD)			1/16" - 3/4"	1.5 - 15 MM	1.5 - 15 MM	AS PER REQUIREMENT
	4 LOCK SCREW			1/16" - 1"	1/4" - 6"	M3 - M24	5 - 150 MM
	5 PRECISION MACHINED COMPONENTS			1/8" - 8"	1" - 6"	5 - 200 MM	25 - 150 MM






## Types of Bolts

Tentative Photo / 3D image	Standard	Type of Thread	Manufacturing Capacity
	<p>DIN 931 / ISO 4014 (HEXAGON HEAD BOLTS - PART THREAD)</p>	<p>Metric / BSW - BSF / UNC – UNF or as per customized Drawing</p>	<p>#4” – 1” (M3 - M24)</p>
	<p>DIN 933 / ISO 4017 (HEXAGON HEAD BOLTS - FULL THREAD)</p>	<p>Metric / BSW - BSF / UNC – UNF or as per customized Drawing</p>	<p>#4” – 1” (M3 - M24)</p>
	<p>DIN 912 / ISO 4762 (HEXAGON SOCKET HEAD CAP SCREW)</p>	<p>Metric / BSW - BSF / UNC – UNF or as per customized Drawing</p>	<p>#4” – 1” (M3 - M24)</p>
	<p>DIN 6912 / ISO 3506 (HEXAGON LOW SOCKET CAP SCREW WITH PILOT HOLE)</p>	<p>Metric / BSW - BSF / UNC – UNF or as per customized Drawing</p>	<p>#4” – 1” (M3 - M24)</p>
	<p>ISO 7379 (SHOULDER SCREWS WITH HEXAGON SOCKET)</p>	<p>Metric / BSW - BSF / UNC – UNF or as per customized Drawing</p>	<p>#4” – 1” (M3 - M24)</p>
	<p>DIN 7991 HEXAGON SOCKET CAP SCREW WITH FLAT COUNTERSUNK HEAD)</p>	<p>Metric / BSW - BSF / UNC – UNF or as per customized Drawing</p>	<p>#5” – 1” (M3 - M24)</p>






## Types of Set Screw

Tentative Photo / 3D image	Standard	Type of Thread	Manufacturing Capacity
	<p>DIN 913 / ISO 4026 (HEXAGON SOCKET SET SCREWS WITH FLAT POINT)</p>	<p>Metric / BSW - BSF / UNC – UNF or as per customized Drawing</p>	<p>#5” – 1” (M3 - M24)</p>
	<p>DIN 914 / ISO 4027 (HEXAGON SOCKET SET SCREWS WITH CONE POINT)</p>	<p>Metric / BSW - BSF / UNC – UNF or as per customized Drawing</p>	<p>#5” – 1” (M3 - M24)</p>
	<p>DIN 915 / ISO 4028 (HEXAGON SOCKET SET SCREWS WITH DOG POINT)</p>	<p>Metric / BSW - BSF / UNC – UNF or as per customized Drawing</p>	<p>#5” – 1” (M3 - M24)</p>
	<p>DIN 916 / ISO 4029 (HEXAGON SOCKET SET SCREWS WITH CUP POINT)</p>	<p>Metric / BSW - BSF / UNC – UNF or as per customized Drawing</p>	<p>#5” – 1” (M3 - M24)</p>
	<p>DIN 551 / ISO 4766 (SLOTTED SET SCREW WITH FLAT POINT)</p>	<p>Metric / BSW - BSF / UNC – UNF or as per customized Drawing</p>	<p>#5” – 1” (M3 - M24)</p>
	<p>DIN 553 / ISO 7434 (SLOTTED SET SCREW WITH CONE POINT)</p>	<p>Metric / BSW - BSF / UNC – UNF or as per customized Drawing</p>	<p>#5” – 1” (M3 - M24)</p>






## Types of Pressure Plugs

Tentative Photo / 3D image	Standard	Type of Thread	Manufacturing Capacity
	<p>DIN 906 (HEXAGON SOCKET PIPE PLUG)</p>	<p>NPT/BSPT or as per customized Drawing</p>	<p>1/16" – 1" (M8 - M24)</p>
	<p>DIN 908 (HEXAGON SOCKET SCREW PLUG WITH COLLAR)</p>	<p>BSP/Metric or as per customized Drawing</p>	<p>1/16" – 1" (M10 - M24)</p>
	<p>DIN 909 (HEXAGON HEAD PIPE PLUG)</p>	<p>NPT/BSPT or as per customized Drawing</p>	<p>1/16" – 1" (M10 - M24)</p>
	<p>DIN 910 (HEXAGON HEAD SCREW PLUG WITH COLLAR)</p>	<p>BSP/Metric or as per customized Drawing</p>	<p>1/16" – 1" (M10 - M24)</p>
	<p>DIN 5586 (HEXAGON HEAD SCREW PLUG WITH COLLAR &amp; VENT)</p>	<p>BSP/Metric or as per customized Drawing</p>	<p>1/16" – 1" (M10 - M24)</p>
	<p>ASME B16.11 (HEX HEAD PLUG)</p>	<p>NPT/NPTF/BSP/BSPT or as per customized Drawing</p>	<p>1/16" – 1" (M8 - M24)</p>






## Types of Nuts

Tentative Photo / 3D image	Standard	Type of Thread	Manufacturing Capacity
	<p>DIN 934 / ISO 4032 (HEX NUT)</p>	<p>Metric / BSW - BSF / UNC – UNF or as per customized Drawing</p>	<p>1/8" – 1" (M3 - M24)</p>
	<p>DIN 431 (HEXAGON PIPE NUT)</p>	<p>Metric / BSW - BSF / UNC – UNF or as per customized Drawing</p>	<p>1/8" – 1" (M3 - M24)</p>
	<p>DIN 1587 (DOME NUT)</p>	<p>Metric / BSW - BSF / UNC – UNF or as per customized Drawing</p>	<p>1/8" – 1" (M3 - M24)</p>
	<p>DIN 439 [HEX HALF NUT (THIN HEX JAM NUT)]</p>	<p>Metric / BSW - BSF / UNC – UNF or as per customized Drawing</p>	<p>1/8" – 1" (M3 - M24)</p>
	<p>DIN 936 / ISO 4035 [LOCK NUT (LOW PROFILE THIN HEX NUT / CHECK NUT)]</p>	<p>Metric / BSW - BSF / UNC – UNF or as per customized Drawing</p>	<p>1/8" – 1" (M3 - M24)</p>




## Types of Washers

Tentative Photo / 3D image	Standard	Size	Manufacturing Capacity
	<p>DIN 1440 / ISO 8738 (MEDIUM FLAT WASHER)</p>	<p>As per Standard or As per Customized Drawing</p>	<p>1/8" – 2" (3 – 50mm)</p>
	<p>DIN 1441 / ISO 8738 (COARSE FLAT WASHER)</p>	<p>As per Standard or As per Customized Drawing</p>	<p>1/8" – 2" (3 – 50mm)</p>
	<p>DIN 1052 (OVERSIZE FLAT WASHER)</p>	<p>As per Standard or As per Customized Drawing</p>	<p>1/8" – 2" (3 – 50mm)</p>
	<p>DIN 127 (HELICAL SPLIT LOCK WASHERS)</p>	<p>As per Standard or As per Customized Drawing</p>	<p>1/8" – 2" (3 – 50mm)</p>
	<p>DIN 128 (CURVED &amp; WAVED SPRING LOCK WASHERS)</p>	<p>As per Standard or As per Customized Drawing</p>	<p>1/8" – 2" (3 – 50mm)</p>

## Types of Studs

Tentative Photo / 3D image	Standard	Type of Thread	Manufacturing Capacity
	<p>DIN 938 (ENGAGEMENT LENGTH EQUAL TO ABOUT 1*D)</p>	<p>Metric / BSW - BSF / UNC – UNF or as per customized Drawing</p>	<p>1/8" – 1" (M3 - M24)</p>
	<p>DIN 939 (ENGAGEMENT LENGTH EQUAL TO ABOUT 1.25*D)</p>	<p>Metric / BSW - BSF / UNC – UNF or as per customized Drawing</p>	<p>1/8" – 1" (M3 - M24)</p>
	<p>DIN 940 (ENGAGEMENT LENGTH EQUAL TO ABOUT 2.5*D)</p>	<p>Metric / BSW - BSF / UNC – UNF or as per customized Drawing</p>	<p>1/8" – 1" (M3 - M24)</p>
	<p>DIN 976 (FULLY THREADED STUD)</p>	<p>Metric / BSW - BSF / UNC – UNF or as per customized Drawing</p>	<p>1/8" – 1" (M3 - M24)</p>
	<p>SINGLE END STUD BOLT</p>	<p>Metric / BSW - BSF / UNC – UNF or as per customized Drawing</p>	<p>1/8" – 1" (M3 - M24)</p>

## Types of Pins

Tentative Photo / 3D image	Standard	Size	Manufacturing Capacity
	<p style="text-align: center;"><b>DIN 7 / ISO 2338 (DOWEL PINS)</b></p>	<p style="text-align: center;"><b>As per Standard or As per Customized Drawing</b></p>	<p style="text-align: center;"><b>1/16" – 2" (1.5 – 50mm)</b></p>
	<p style="text-align: center;"><b>DIN 6325 / ISO 8734 (DOWEL PINS)</b></p>	<p style="text-align: center;"><b>As per Standard or As per Customized Drawing</b></p>	<p style="text-align: center;"><b>1/16" – 2" (1.5 – 50mm)</b></p>
	<p style="text-align: center;"><b>DIN 7979 / ISO 8735 (PARALLEL PINS WITH INTERNAL THREAD)</b></p>	<p style="text-align: center;"><b>As per Standard or As per Customized Drawing</b></p>	<p style="text-align: center;"><b>1/4" – 2" (4 – 50mm)</b></p>
	<p style="text-align: center;"><b>DIN 1481 / ISO 8752 (SLOTTED SPRING PIN)</b></p>	<p style="text-align: center;"><b>As per Standard or As per Customized Drawing</b></p>	<p style="text-align: center;"><b>3 – 15mm</b></p>
	<p style="text-align: center;"><b>SQUARE / RECTANGULAR HEAD PINS (ANTI ROTATION PINS)</b></p>	<p style="text-align: center;"><b>As per Customized Drawing</b></p>	<p style="text-align: center;"><b>1/8" – 1/2" (SQ 3 – 15mm )</b></p>

## Other Engineered Products

Tentative Photo / 3D image	Items	Size	Manufacturing Capacity
	<p style="text-align: center;"><b>SPRING SLEEVE (SPRING CAP)</b></p>	<p style="text-align: center;">As per Customized Drawing</p>	<p style="text-align: center;">3 – 25 mm</p>
	<p style="text-align: center;"><b>TUBE FITTING COMPONENTS</b></p>	<p style="text-align: center;">As per Standard or As per Customized Drawing</p>	<p style="text-align: center;">1/8" – 1" (M3 - M24)</p>
	<p style="text-align: center;"><b>RIVETS (FLAT HEAD)</b></p>	<p style="text-align: center;">As per Customized Drawing</p>	<p style="text-align: center;">1/16" – 3/4" (1.5 – 15mm)</p>
	<p style="text-align: center;"><b>LOCK SCREW</b></p>	<p style="text-align: center;">Metric / BSW - BSF / UNC – UNF or as per customized Drawing</p>	<p style="text-align: center;">1/16" – 1" (M3 - M24)</p>
	<p style="text-align: center;"><b>PRECISION MACHINED COMPONENTS</b></p>	<p style="text-align: center;">As per Customized Drawing</p>	<p style="text-align: center;">1/8" – 8" (5 – 200mm)</p>