

Shree Hari Weighing Systems



☎ 74054 02928

✉ shreehariweighing@gmail.com

✉ sales.shreehariweighing@gmail.com

📍 **Workshop :** 52, Paavan Industrial Park, Opp. Kalupur Co.Op.Bank,
Gate No.1, Bakrol, Ahmedabad - 382430.

☎ 9510004183, 9722273114



TABLETOP SCALE >>>

EASY TO VIEW .56" LED DISPLAY
RED/GREEN (FRONT/BACK)
KG/LTR/PIECES COUNT FUNCTION OPTIONAL
LONG BATTERY BACKUP
M.S. HANDMADE/M.S. MOULD/S.S. MOULD BODY SCALE
CAPACITY : 1 KG TO 20 KG



PAN SIZE : 175 X 225MM

1 KG / 100 MG

3 KG / 200 MG

5 KG / 500 MG

10 / 20 KG / 1,2 GM

PAN SIZE : 250 X 300MM

10 KG / 1 GM

20 KG / 2 GM

30 KG / 5 GM

PLATFORM SCALE MOBILE TYPE >>>

EASY TO VIEW .56" & .8" LED DISPLAY RED/GREEN
KG/LTR/PIECES COUNT FUNCTION OPTIONAL
LONG BATTERY BACKUP
M.S. PIPE STRUCTURE WITH M.S. / S.S. TOP

CAPACITY :

50KG / 5 GM

100KG / 10 GM


200KG / 10 / 20 GM

SIZE :

300 X 300 MM

400 X 400 MM

500 X 500 MM



PLATFORM SCALE >>>

EASY TO VIEW .56" & .8" LED DISPLAY RED/GREEN
KG/LTR/PIECES COUNT FUNCTION OPTIONAL
LONG BATTERY BACKUP
M.S. PIPE STRUCTURE WITH M.S. / S.S. TOP
HEAVY DUTY ANGLE / CHANNEL STRUCTURE AVAILABLE

CAPACITY :

50 KG / 5 GM

100 KG / 10 GM

200KG/10/20GM

300KG/50GM

500KG/50GM

SIZE :

300 X 300 MM

400 X 400 MM

500 X 500 MM

600 X 600 MM

750 X 750 MM




SUPER (HEAVY DUTY) PLATFORM SCALE >>>

C CHANNEL STRUCTURE, M.S. CHAKARD PLATE

CAPACITY 1,2,3,5,10 TON AS PER REQUIREMENT

HEAVY STRUCTURE FOR RUGGED AND DURABLE WEIGHING

OPTIONAL : R.S. 232 INTERFACE, EXTRA DISPLAY, FLAMPROOF INDICATOR, SET POINT, PRINTING FACILITY



Capacity :

1 Ton 5 Ton

2 Ton 10 Ton

3 Ton

CRANE SCALE >>>

HEAVY DUTY CRANE SCALE

1" & 2" LED DISPLAY

ALLUMINIUM DIE CAST BODY

HEAT PROOF CRANE SCALE ALSO AVAILABLE

OPTIONAL : WIRELESS DISPLAY & PRINTER, FLAMPROOF INDICATOR , SET POINT



ANALYTICAL & PRECISION BALANCE >>>

FEATURES :

The New Price & Best in Performance Class Analytical & Precision Balance.

- ☞ Single Touch Key External calibration, ensures the highest accuracy at the press of a key.
- ☞ Support : Weighing, Counting, Percentage, Animal Weighing. Optional : Density measurement
- ☞ 18 standard units, with all-character mark.
- ☞ Strong anti-shaking monolithic electromagnetic for highest accuracy.
- ☞ Standard 1500V isolation USB Port, ease to connect with PC.
- ☞ User selectable filter, stability indicator and auto-zero tracking for use in difficult environment.
- ☞ Large, sturdy and nearly frameless, all-glass draft shield chamber for
- ☞ optimal viewing of weighing chamber.
- ☞ The draft shield doors and all stainless steel parts of the weighing chamber base are easy to remove in just a few steps for cleaning.
- ☞ Backlit, high-contrast display with 15 mm digits; exceptionally easy to read under any room lighting conditions.



