



STEAM SOLUTIONS

Steam Bath and Accessories



COMPANY PROFILE



Multitechnicaa was formed in 2004 by renowned for various type of fabrication job professionals in Mumbai. Our primary objective is to provide steam bath & sauna bath products use for gym, spa, beauty parlor, hotels, resorts, naturopathy and home services.

Mr. Kirit Parmar has good knowledge and innovative individual who have the necessary skills and years of experience at abroad to respond to today's, challenges & needs. Exceeding client satisfaction motivates Multitechnicaa team of staff.





OUR CLIENT



Radisson 

NOVOTEL
HOTELS & RESORTS

WESTIN
HOTELS & RESORTS


Reliance
Industries Limited
Growth is Life

JERAI
TNESST LTD.

 LODHA
BUILDING A BETTER LIFE

HYATT


Hilton
HOTELS & RESORTS


THE LEELA
PALACES ~ HOTELS ~ RESORTS
The Essence of India

enrich
Salon & Spa

DHARANA
AT SHILLIM

 VLCC
SALON

 Kohinoor
Continental


yash raj films

 ORCHID
REWARDS
LOYALTY PROGRAM

VITHAL
kamat®

ECONOMICA STEAMER



- Touch pad LED display (controller)
- Time satting
- Temperature satting
- Auto water refill
- Censor for heater sefty
- Auto stop after completing time
- Manual drain



Model no	Area cu. ft.	Room size	Supply	Amps	Price
MT-S.S 3	45 to 65	3'x3'x7'	Single	13.6	24,000+18% GST
MT-S.S 4.5	85 to 115	4'x4'x7'	Single	20.4	27,000+18% GST
MT-S.S 6	125 to 145	4'x5'x7'	Single	27.2	30,000+18% GST
MT-S.S 7.5	160 to 195	5'x5'x7'	Single	34	33,000+18% GST
MT-S.S. 9	210 to 245	6'x5'x7'	Three	12	40,000+18% GST
MT-S.S 12	260 to 300	6'x6'x7'	Three	16	45,000+18% GST
MT-S.S 15	390 to 425	7'x8'x7'	Three	20	50,000+18% GST
MT-S.S 18	490 to 525	8'x9'x7'	Three	24	60,000+18% GST

PRIMA STEAMER



- Touch pad panel LCD display (controller)
- Time satting
- Temperature satting
- Auto refill water
- Censor for heater sefty
- Alarm
- Auto stop after completing time
- Auto drain
- Panik switch on demand



Model no	Area cu. ft.	Room size	Supply	Amps	Price
MT-S.S 4.5	85 to 115	4'x4'x7'	Single	20.4	33,000+18% GST
MT-S.S 6	125 to 145	4'x5'x7'	Single	27.2	35,000+18% GST
MT-S.S 7.5	160 to 195	5'x5'x7'	Single	34	38,000+18% GST
MT-S.S. 9	210 to 245	6'x5'x7'	Three	12	45,000+18% GST
MT-S.S 12	260 to 300	6'x6'x7'	Three	16	50,000+18% GST
MT-S.S 15	390 to 425	7'x8'x7'	Three	20	60,000+18% GST
MT-S.S 18	490 to 525	8'x9'x7'	Three	24	65,000+18% GST
MT-S.S 22	600 to 660	10'x9'x7'	Three	30	80,000+18% GST
MT-S.S 27	750 to 825	10'x11'x7'	Three	36	90,000+18% GST



SUPRIMA STEAMER



- Touch screen LCD display (controller)
- Time satting
- Temperature satting
- Auto refill water
- Auto cutoff when water empty
- Censor for heater sefty
- Alarm
- Auto stop after completing time
- Auto drain after completing cycle
- Panik switch on demand



Model no	Area cu. ft.	Room size	Supply	Amps	Price
MT-S.S 4.5	85 to 115	4'x4'x7'	Single	20.4	40,000+18% GST
MT-S.S 6	125 to 145	4'x5'x7'	Single	27.2	42,000+18% GST
MT-S.S 7.5	160 to 195	5'x5'x7'	Single	34	45,000+18% GST
MT-S.S. 9	210 to 245	6'x5'x7'	Three	12	52,000+18% GST
MT-S.S 12	260 to 300	6'x6'x7'	Three	16	57,000+18% GST
MT-S.S 15	390 to 425	7'x8'x7'	Three	20	67,000+18% GST
MT-S.S 18	490 to 525	8'x9'x7'	Three	24	72,000+18% GST
MT-S.S 22	600 to 660	10'x9'x7'	Three	30	95,000+18% GST
MT-S.S 27	750 to 825	10'x11'x7'	Three	36	1,00,000+18% GST

TECHNICAL DETAILS



- Outer body powder coated
- Inner body SS 304
- Censor SS 316 with teflon
- Safety Valve (Brass)
- Solenoid Valve (Solid aluminum)
- Heater SS 304 element
- Heater Wire (Teflon)
- Contactor (L&T)
- Wires (polycab)
- Steam outlet hose pipe (R-1)
- Inlet water pipe rubber (Dunlop)
- Non return valve (Brass)
- Lugs copper (Braco)
- Other parts SS 304 and brass
- Water consumption 5 liter per 1 kw per hour
- Power consumption 1.2 units per 1 kw per hour


Wiring and Plumbing Specification Chart

Model no	Inlet	Outlet (Numbers)	Drain	Supply	MCB (Amps)	Wire
MT-S.S 4	1/2" with valve	1/2"=1no	1/2"=1no	Single	25-2- poll	4 mm-3 core
MT-S.S 6	1/2" with valve	1/2"=1no	1/2"=1no	Single	32-2- poll	6 mm-3 core
MT-S.S 7.5	1/2" with valve	1/2"=1no	1/2"=1no	Single	40-2- poll	6 mm-3 core
MT-S.S 9	1/2" with valve	1/2"=1 or 2nos	1/2"=1no	Three	32-4- poll	6 mm-4 core
MT-S.S 12	1/2" with valve	3/4"=1 or 2nos	1/2"=1no	Three	32-4- poll	6 mm-4 core
MT-S.S 15	1/2" with valve	3/4"=2 or 2nos	1/2"=1no	Three	32-4- poll	6 mm-4 core
MT-S.S 18	1/2" with valve	3/4"=2 or 2nos	1/2"=1no	Three	32-4- poll	6 mm-4 core
MT-S.S 22	1/2" with valve	3/4"=2 or 2nos	1/2"=1no	Three	40-4- poll	10 mm-4 core
MT-S.S 27	1/2" with valve	3/4"=2 or 2nos	1/2"=1no	Three	40-4- poll	10 mm-4 core


PLANNING FOR PLUMBING & WIRING



Plumbing wiring planning for capacity of
1) 3 kw, 2) 4.5 kw, 3) 6 kw, 4) 7.5 kw, 5) 9 kw



Plumbing wiring planning for capacity of
1) 12 kw, 2) 15 kw, 3) 18 kw, 4) 22.5 kw, 5) 27 kw





Office Address:

F-1, 101 Shiv bhakti CHS, Lodha Complex, Near Gao devi temple,
Navghar Village, Behind S.N. Collage, Bhyander (E), Thane-401105

Email: multitechnicaa@gmail.com | Call or Whatsapp: + 91 9869462689