



AN ISO 9001 : 2015 COMPANY

EICHER

Borewell & Openwell Submersible Pumpsets



हर कदम, हर डगर...

क़िशानो का हमसफ़र



COMPANY PROFILE

INDIAN Pumps is established in 2004 under the Brand name of “ ” with a goal to Provide Agriculture and Domestic Submersible Pumps with wonderful mechanical device to cater the customer need of water solution.

Creative Research, Core Competence of technical team and above all the care for our customer needs make leader above competitive brands by offering cutting edge economy, very high efficiency and excellent performance. The most modern Equipment, advance technology with Professionally experienced team is continuously engaged in manufacturing Quality Products as well as new developments. The Special features are high Performance at low voltage, very low electricity consumption, sand resistance make it very special and essential for effective pumping solution.

We also comitted to give our customer full saisfaction and value for their money.



INDEX

Sr. No.	CONTENT	Page No.
1	V6 Submersible Pumpsets - Radial Flow Series	2 - 3
2	V6 Submersible Pumpsets - Mixed Flow Series	4
3	V6 Submersible Only Motor & Pump, Vertical Series	5
4	V6 Submersible Pumpsets - Radial Flow - 50 Feet Series	6 - 7
5	V4 Submersible Pumpsets	8 - 9
6	Openwell Submersible Pumpsets - Premium Series	10 - 11
7	V7/Janta Submersible Pumpsets	12



Radial Flow



V6 Submersible Pumpset

SUITABLE FOR 150mm BOREWELL OR ABOVE (Min. Bore Dia. 150mm)
Approximate Performance chart at 2880 RPM, 380-415 V Three Phase, 50 Hz, AC supply



MODEL IP-100			
MODEL	HP	Stage	Out Let Size mm
IP-100	3.0	3	50
IP-100	4.0	4	50
IP-100	5.0	5	50
IP-100	6.0	6	50
IP-100	7.5	8	50
IP-100	10.0	10	50
IP-100	12.5	12	50
IP-100	15.0	15	50
IP-100	17.5	18	50
IP-100	20.0	20	50

Head in Meter

Discharge in LPM						Price(Rs.) PUMP SET
250	300	330	360	375	415	
33	28	25	24	20	17	16335
44	38	35	32	28	24	17590
55	48	44	40	35	30	18950
66	57	53	48	42	36	21380
88	80	70	64	55	45	24740
110	95	88	80	70	60	28460
132	112	105	96	84	72	33820
165	140	132	120	105	90	40610
198	175	160	144	126	108	47285
215	190	175	160	140	120	53375

MODEL IP-80			
MODEL	HP	Stage	Out Let Size mm
IP-80	4.0	5	50
IP-80	5.0	6	50
IP-80	7.5	10	50
IP-80	10.0	12	50
IP-80	12.5	15	50

Head in Meter

Discharge in LPM						Price(Rs.) PUMP SET
170	200	250	275	300	330	
55	48	44	40	35	30	18090
62	58	52	48	42	36	19805
110	94	88	80	70	60	26025
132	112	104	96	84	72	29750
165	140	130	120	105	90	35825

MODEL IP-70			
MODEL	HP	Stage	Out Let Size mm
IP-70	3.0	4	50
IP-70	5.0	7	50
IP-70	6.0	8	50
IP-70	10.0	14	50
IP-70	12.5	16	50
IP-70	15.0	20	50

Head in Meter

Discharge in LPM						Price(Rs.) PUMP SET
150	180	230	250	270	340	
44	38	35	32	28	24	16800
77	66	61	56	49	42	20240
88	77	70	64	56	48	22310
154	130	122	112	98	84	31030
170	152	140	128	112	96	36400
220	210	180	160	136	115	43760

MODEL IP-60			
MODEL	HP	Stage	Out Let Size mm
IP-60	3.0	5	50
IP-60	4.0	6	50
IP-60	5.0	8	50
IP-60	6.0	10	50
IP-60	7.5	12	50
IP-60	10.0	16	50
IP-60	12.5	20	50
IP-60	15.0	24	50

Head in Meter

Discharge in LPM						Price(Rs.) PUMP SET
135	175	200	225	250	275	
52	47	44	40	35	30	17300
63	56	53	48	42	36	18950
84	75	70	64	56	48	20735
105	93	86	80	70	60	23595
126	110	105	96	84	72	27315
168	143	140	128	112	96	32320
210	200	180	160	140	120	38960
250	240	216	132	164	144	46330

Radial Flow

V6 Submersible Pumpset

SUITABLE FOR 150mm BOREWELL OR ABOVE (Min. Bore Dia. 150mm)
 Approximate Performance chart at 2880 RPM, 380-415 V Three Phase, 50 Hz, AC supply



MODEL IP-50			
MODEL	HP	Stage	Out Let Size mm
IP-50	3.0	6	50
IP-50	4.0	8	50
IP-50	5.0	10	50
IP-50	6.0	12	50
IP-50	7.5	14	50
IP-50	7.5	16	50
IP-50	10.0	20	50
IP-50	12.5	24	50
IP-50	15.0	30	50

Head in Meter	Discharge in LPM						Price(Rs.) PUMP SET
	100	160	180	200	230	250	
64	58	53	48	40	34	18160	
85	77	70	64	54	46	19880	
108	99	90	80	68	58	22020	
128	116	106	96	81	69	24880	
149	135	123	112	95	80	28600	
170	154	140	128	109	92	29890	
212	193	176	160	136	115	34890	
254	232	211	192	163	138	41535	
319	290	264	240	204	173	50190	

MODEL IP-40			
MODEL	HP	Stage	Out Let Size mm
IP-40	3.0	8	50
IP-40	4.0	10	50
IP-40	5.0	12	50
IP-40	6.0	14	50
IP-40	6.0	15	50
IP-40	7.5	18	50
IP-40	10.0	22	50
IP-40	10.0	24	50

Head in Meter	Discharge in LPM						Price(Rs.) PUMP SET
	80	130	150	175	200	225	
79	72	66	60	51	43	19090	
99	90	82	75	64	54	21170	
119	108	99	90	76	65	23310	
139	127	115	105	89	75	26170	
149	135	123	112	95	80	27460	
179	163	148	135	115	97	31320	
219	199	181	165	140	118	36195	
239	217	198	180	153	130	37470	

MODEL IP-30			
MODEL	HP	Stage	Out Let Size mm
IP-30	3.0	10	50
IP-30	4.0	12	50
IP-30	5.0	14	50
IP-30	6.0	18	50
IP-30	7.5	20	50

Head in Meter	Discharge in LPM						Price(Rs.) PUMP SET
	60	110	120	130	150	170	
93	84	77	70	60	50	20380	
111	101	92	84	71	60	22450	
130	118	108	98	83	70	24595	
167	152	138	126	107	91	28745	
186	169	154	140	119	101	32460	



Mixed Flow

V6 Submersible Pumpset

SUITABLE FOR 150mm BOREWELL OR ABOVE (Min. Bore Dia. 150mm)
 Approximate Performance chart at 2880 RPM, 380-415 V Three Phase, 50 Hz, AC supply



MODEL IP-262 A			
MODEL	HP	Stage	Out Let Size mm
IP-262 A	3.0	3	65
IP-262 A	4.0	4	65
IP-262 A	5.0	5	65
IP-262 A	6.0	6	65
IP-262 A	7.5	7	65
IP-262 A	7.5	8	65
IP-262 A	10.0	10	65
IP-262 A	12.5	12	65
IP-262 A	15.0	15	65

Head in Meter	Discharge in LPM						Price(Rs.) PUMP SET
	200	250	310	380	435	500	
30		27	24	21	18	15	16990
40		36	32	28	24	20	18595
50		45	40	35	30	25	20450
60		54	48	42	36	30	22910
70		63	56	49	42	35	26390
80		72	64	56	48	40	27320
100		90	80	70	60	50	31675
120		108	96	84	72	60	37680
150		120	180	105	90	75	45475

MODEL IP-262			
MODEL	HP	Stage	Out Let Size mm
IP-262	4.0	3	65
IP-262	5.0	4	65
IP-262	6.0	5	65
IP-262	7.5	6	65
IP-262	10.0	8	65
IP-262	12.5	10	65
IP-262	15.0	12	65
IP-262	17.5	14	65
IP-262	20.0	16	65

Head in Meter	Discharge in LPM						Price(Rs.) PUMP SET
	250	300	360	425	500	600	
28		25	23	21	17	15	17765
37		34	31	28	24	21	19450
46		42	38	35	30	24	22020
56		51	46	42	36	30	25380
75		67	61	56	48	41	29750
93		84	77	70	59	50	35750
111		101	92	84	72	60	42470
132		118	108	98	84	70	49200
150		135	122	112	96	80	55930

MODEL IP-271			
MODEL	HP	Stage	Out Let Size mm
IP-271	5.0	3	65
IP-271	6.0	4	65
IP-271	7.5	5	65
IP-271	10.0	6	65
IP-271	10.0	7	65
IP-271	12.5	8	65
IP-271	15.0	10	65
IP-271	17.5	12	65
IP-271	20.0	14	65

Head in Meter	Discharge in LPM						Price(Rs.) PUMP SET
	300	400	500	550	650	700	
30		26	23	21	17	16	18950
40		35	30	28	23	21	21660
50		43	38	35	29	26	25240
60		52	45	42	34	31	28775
70		65	58	52	37	35	29890
80		59	60	56	46	42	35110
100		87	75	70	57	52	42185
120		105	90	84	70	62	49275
140		122	105	98	82	72	56360

MODEL IP-302			
MODEL	HP	Stage	Out Let Size mm
IP-302	5.0	2	75
IP-302	6.0	3	75
IP-302	7.5	4	75
IP-302	10.0	4	75
IP-302	10.0	5	75
IP-302	12.5	6	75
IP-302	15.0	7	75
IP-302	17.5	8	75
IP-302	20.0	10	75

Head in Meter	Discharge in LPM						Price(Rs.) PUMP SET
	500	600	700	800	850	1000	
20		17	16	15	13	11	19160
30		26	24	22	20	15	20735
40		35	32	28	25	20	24240
45		37	33	31	29	22	26670
50		43	40	35	30	25	27820
60		52	49	42	40	30	33030
70		60	57	49	46	35	38930
80		68	65	56	53	40	44880
100		85	81	70	66	50	52075



Price For V6 Submersible Only Motor

MOTOR	3 HP	4 HP	5 HP	6 HP	7.5 HP	10 HP	12.5 HP	15 HP	17.5 HP	20 HP
RATE	12940	13730	14590	16160	18590	21020	25090	29890	34690	39490

Price For V6 Submersible Only PUMP (40 Feet)

K TYPE PUMP	PRICE	K TYPE PUMP	PRICE	262 TYPE PUMP	PRICE	271 TYPE PUMP	PRICE	302 TYPE PUMP	PRICE
3 Stage	3400	14 Stage	10015	3 Stage	4040	3 Stage	4360	3 Stage	4575
4 Stage	3880	15 Stage	10660	4 Stage	4870	4 Stage	5505	4 Stage	5650
5 Stage	4360	16 Stage	11305	5 Stage	5860	5 Stage	6650	5 Stage	6790
6 Stage	5225	18 Stage	12595	6 Stage	6790	6 Stage	7755	6 Stage	7940
7 Stage	5650	20 Stage	13885	7 Stage	7790	7 Stage	8865	7 Stage	9050
8 Stage	6150	22 Stage	15175	8 Stage	8725	8 Stage	10010	8 Stage	10190
10 Stage	7440	24 Stage	16465	10 Stage	10650	10 Stage	12300	10 Stage	12585
12 Stage	8725	26 Stage	17755	12 Stage	12585	12 Stage	14585	12 Stage	14875

V9 Vertical Openwell Submersible Pumpset

Approximate Performance Chart at 2880 RPM 380-415 Volt Three Phase, 50 Hz AC Supply

Motor Rating				Discharge in L.P.M	Head in Meter													Allu. Rotor	Copper Rotor
MODEL	HP	STAGE	Out Let Size mm		25	30	35	40	45	50	55	60	65	70	75	80	Price(Rs.)	Price(Rs.)	
													PUMP SET	PUMP SET					
IPV32	3.0	2	65	410	320	250											20350	22550	
IPV52	5.0	2	65	600	550	440	200										21450	23815	
IPV53	5.0	3	65	500	460	420	380	330	270	210							22880	25245	
IPV753	7.5	3	65			620	570	550	480	420	200						26510	29480	
IPV754	7.5	4	65						410	365	320	270	250				27940	30910	
IPV104	10.0	4	65						600	570	550	500	440	300	150		33660	37620	



V6 Submersible Pumpset

Radial Flow

SUITABLE FOR 150mm BOREWELL OR ABOVE (Min. Bore Dia. 150mm)
Approximate Performance chart at 2880 RPM, 380-415 V Three Phase, 50 Hz, AC supply



MODEL IP-60			
MODEL	HP	Stage	Out Let Size mm
IP-6058	5.0	8	50
IP-60610	6.0	10	50
IP-607512	7.5	12	50
IP-601016	10.0	16	50
IP-6012520	12.5	20	50
IP-601524	15.0	24	50

Head in Meter	Discharge in LPM							Price(Rs.) ONLY PUMP	Price(Rs.) PUMP SET
	225	200	180	160	145	110	90		
48	64	80	96	104	112	120	12830	28970	
60	80	100	120	130	140	150	15145	33055	
72	96	120	144	156	168	180	17655	38270	
96	128	160	192	208	224	240	23215	46665	
120	160	200	240	260	280	300	27815	55805	
144	192	240	288	312	336	360	32675	65995	

MODEL IP-80			
MODEL	HP	Stage	Out Let Size mm
IP-8045	4.0	5	50
IP-8056	5.0	6	50
IP-6068	6.0	8	50
IP-807510	7.5	10	50
IP-801012	10.0	12	50
IP-8012515	12.5	15	50
IP-801518	15.0	18	50

Head in Meter	Discharge in LPM							Price(Rs.) ONLY PUMP	Price(Rs.) PUMP SET
	310	275	255	240	205	160	125		
30	40	50	60	65	70	75	9460	24550	
36	48	60	72	78	84	90	10630	26675	
48	64	80	96	104	112	120	12975	30080	
60	80	100	120	130	140	150	15330	35855	
72	96	120	144	156	168	180	18050	41300	
90	120	150	180	195	210	225	22150	49910	
108	144	180	216	234	252	270	25665	58700	

MODEL IP-100			
MODEL	HP	Stage	Out Let Size mm
IP-10044	4.0	4	50
IP-10055	5.0	5	50
IP-10066	6.0	6	50
IP-100758	7.5	8	50
IP-1001010	10.0	10	50
IP-10012512	12.5	12	50
IP-1001515	15.0	15	50

Head in Meter	Discharge in LPM							Price(Rs.) ONLY PUMP	Price(Rs.) PUMP SET
	390	360	310	275	245	190	140		
24	32	40	48	52	56	60	8355	23400	
30	40	50	60	65	70	75	9545	25550	
36	48	60	72	78	84	90	10750	28485	
48	64	80	96	104	112	120	13125	33575	
60	80	100	120	130	140	150	15515	38650	
72	96	120	144	156	168	180	18655	46285	
90	120	150	180	195	210	225	22790	55715	



V6 Submersible Pumpset

Radial Flow

SUITABLE FOR 150mm BOREWELL OR ABOVE (Min. Bore Dia. 150mm)
Approximate Performance chart at 2880 RPM, 380-415 V Three Phase, 50 Hz, AC supply



MODEL IP-125			
MODEL	HP	Stage	Out Let Size mm
IP-12554	5.0	4	65
IP-12565	6.0	5	65
IP-125756	7.5	6	65
IP-125108	10.0	8	65
IP-12512510	12.5	10	65
IP-1251512	15.0	12	65

Head in Meter	Discharge in LPM							Price(Rs.) ONLY PUMP	Price(Rs.) PUMP SET
	500	450	425	380	340	290	220		
24	32	40	48	52	56	60	8585	24550	
30	40	50	60	65	70	75	9830	27535	
36	48	60	72	78	84	90	11075	31435	
48	64	80	96	104	112	120	13580	36640	
60	80	100	120	130	140	150	16190	43715	
72	96	120	144	156	168	180	19515	52310	

MODEL IP-150			
MODEL	HP	Stage	Out Let Size mm
IP-15053	5.0	3	65
IP-15064	6.0	4	65
IP-150755	7.5	5	65
IP-150107	10.0	7	65
IP-1501258	12.5	8	65
IP-1501510	15.0	10	65

Head in Meter	Discharge in LPM							Price(Rs.) ONLY PUMP	Price(Rs.) PUMP SET
	580	565	490	450	400	310	240		
18	24	30	36	39	42	45	7390	23310	
24	32	40	48	52	56	60	8660	26310	
30	40	50	60	65	70	75	9925	30240	
42	56	70	84	91	98	105	12460	35480	
48	64	80	96	104	112	120	13840	41275	
60	80	100	120	130	140	150	16375	49045	

MODEL IP-200			
MODEL	HP	Stage	Out Let Size mm
IP-20042	4.0	2	65
IP-20063	6.0	3	65
IP-200754	7.5	4	65
IP-200105	10.0	5	65
IP-2001256	12.5	6	65
IP-200158	15.0	8	65

Head in Meter	Discharge in LPM							Price(Rs.) ONLY PUMP	Price(Rs.) PUMP SET
	750	700	650	520	480	370	300		
12	16	20	24	26	28	30	6345	21310	
18	24	30	36	39	42	45	7730	25350	
24	32	40	48	52	56	60	9100	29385	
30	40	50	60	65	70	75	10480	33415	
36	48	60	72	78	84	90	11870	38045	
48	64	80	96	104	112	120	14730	47335	

Price For V6 Submersible 50 Feet Only Motor

MOTOR	5 HP	6 HP	7.5 HP	10 HP	12.5 HP	15 HP	17.5 HP	20 HP
RATE	16040	17780	20450	23120	27600	32870	38160	43440



V4 Submersible Pumpset

SUITABLE FOR 100mm BOREWELL OR ABOVE (Min. Bore Dia. 100mm)
 Approximate Performance chart at 2880 RPM, 200-240 V Single Phase, 380-415 V Three Phase,
 50 Hz, AC supply



MODEL IP-1					
MODEL	HP	STAGE	PHASE		Out Let Size mm
			SINGLE	THREE	
IP-41058	0.5	8	1	-	32
IP-410510	0.5	10	1	-	32
IP-417512	0.75	12	1	-	32
IP-411015	1.0	15	1	3	32
IP-411016	1.0	16	1	3	32
IP-411522	1.5	22	1	3	32
IP-411525	1.5	25	1	3	32
IP-412030	2.0	30	1	3	32

Head in Meter	Discharge in LPM							Price(Rs.) PUMP SET
	15	20	28	35	45	55	65	
48	43	37	32	24	18	14	7800	
60	53	46	40	30	22	17	8000	
72	63	55	48	36	27	20	9300	
90	78	68	60	45	33	25	10700	
96	84	73	64	48	36	27	10900	
132	115	100	88	66	48	37	12700	
150	130	113	100	75	55	42	12900	
180	156	156	120	90	67	50	14900	

MODEL IP-2					
MODEL	HP	STAGE	PHASE		Out Let Size mm
			SINGLE	THREE	
IP-42057	0.5	7	1	-	32
IP-427510	0.75	10	1	-	32
IP-421012	1.0	12	1	3	32
IP-421518	1.5	18	1	3	32
IP-421520	1.5	20	1	3	32
IP-422025	2.0	25	1	3	32
IP-423035	3.0	35	1	3	32

Head in Meter	Discharge in LPM							Price(Rs.) PUMP SET
	25	33	40	45	55	65	80	
42	40	36	32	24	18	13	7700	
60	52	46	40	30	22	16	9100	
72	62	55	48	36	26	19	10400	
108	94	82	72	54	40	30	12100	
120	105	92	80	60	45	34	12500	
150	132	115	100	75	56	42	14400	
210	185	161	140	105	79	59	16200	

MODEL IP-4					
MODEL	HP	STAGE	PHASE		Out Let Size mm
			SINGLE	THREE	
IP-44055	0.5	5	1	-	32
IP-447510	0.75	7	1	-	32
IP-44108	1.0	8	1	3	32
IP-441010	1.0	10	1	3	32
IP-441512	1.5	12	1	3	32
IP-441515	1.5	15	1	3	32
IP-442018	2.0	18	1	3	32
IP-442020	2.0	20	1	3	32
IP-443025	3.0	25	1	3	32
IP-443030	3.0	30	1	3	32
IP-445035	5.0	35	-	3	32

Head in Meter	Discharge in LPM							Price(Rs.) PUMP SET
	35	45	55	70	85	100	110	
30	26	23	20	15	11	8	7300	
42	36	32	28	21	15	11	8700	
48	41	36	32	24	18	13	9900	
60	52	46	40	30	22	16	10200	
72	63	55	48	36	27	20	11800	
90	79	69	60	45	34	25	12000	
108	94	82	72	54	40	30	13600	
120	105	92	80	60	45	34	13800	
150	132	115	100	75	56	42	15100	
180	158	138	120	90	67	50	15600	
210	185	161	140	105	79	59	19300	

Note : Above Rates are Pumpset without Panel



V4 Submersible Pumpset

SUITABLE FOR 100mm BOREWELL OR ABOVE (Min. Bore Dia. 100mm)

Approximate Performance chart at 2880 RPM, 200-240 V Single Phase, 380-415 V Three Phase, 50 Hz, AC supply



MODEL IP-5					
MODEL	HP	STAGE	PHASE		Out Let Size mm
			SINGLE	THREE	
IP-45755	0.75	5	1	-	38
IP-45107	1.0	7	1	3	38
IP-451510	1.5	10	1	3	38
IP-452014	2.0	12	1	3	38
IP-452015	2.0	15	1	3	38
IP-453020	3.0	20	1	3	38
IP-455030	5.0	30	-	3	38

Head in Meter	Discharge in LPM							Price(Rs.) PUMP SET
	45	60	70	100	115	125	140	
30	26	23	20	15	11	8	8500	
42	36	32	28	21	15	11	9800	
60	39	34	40	30	22	17	11700	
72	64	55	48	36	27	20	13300	
90	80	68	60	45	33	25	13450	
120	105	90	80	60	45	33	14700	
180	158	138	120	90	67	50	18900	

MODEL IP-7					
MODEL	HP	STAGE	PHASE		Out Let Size mm
			SINGLE	THREE	
IP-47106	1.0	6	1	3	38
IP-47158	1.5	8	1	3	38
IP-472010	2.0	10	1	3	38
IP-473012	3.0	12	1	3	38
IP-473015	3.0	15	1	3	38
IP-475020	5.0	20	-	3	38
IP-475025	5.0	25	-	3	38

Head in Meter	Discharge in LPM							Price(Rs.) PUMP SET
	60	75	95	120	135	145	160	
36	34	27	24	18	13	10	9700	
48	41	36	32	24	18	13	11600	
60	53	46	40	30	22	16	13100	
72	63	55	48	36	27	20	14000	
90	79	69	60	45	33	25	14400	
120	105	92	80	60	45	33	17900	
150	132	115	100	75	56	42	18400	

MODEL IP-18					
MODEL	HP	STAGE	PHASE		Out Let Size mm
			SINGLE	THREE	
IP-418154	1.5	4	1	3	50
IP-418206	2.0	6	1	3	50
IP-418308	3.0	8	1	3	50
IP-4185012	5.0	12	-	3	50

Head in Meter	Discharge in LPM							Price(Rs.) PUMP SET
	115	150	170	220	250	300	350	
18	16	14	12	9	7	5	11500	
26	23	20	18	13	10	7	14000	
35	31	27	24	18	13	10	14400	
54	47	41	36	27	20	15	18400	

Note : Above Rates are Pumpset without Panel



Horizontal Openwell Submersible Pumpsets Premium Series



Salient Features :

1. Compact Designed Pumps for easy handling and Installation.
2. Dynamically balanced rotating Parts to ensure minimum Vibration and noise free operation.
3. Internal Parts are Coated with epoxy Paint to Prevent from rusting
4. Design to with stand for wide Voltage bend.
5. Easy maintenance and trouble free operation

Material of Construction :

- Motor Body** : Cast Iron FG 200
Rotor : Aluminium Die Casted/ Copper
Casing : Cast Iron FG 200
Impeller : Cast Iron FG 200
Shaft : Stainless Steel Grade 410
Bearing Bush : Leaded tin bronze (LTB4)



Horizontal Openwell Submersible Pumpsets

Approximate Performance Chart at 2880 RPM 200 - 240 Volts, Single Phase / 380-415 Volt, Three Phase, 50 Hz, AC Supply



MODEL	Motor Rating		Pipe Size in mm		Head in Meter											Price(Rs.)
	K.W.	HP	SUC.	DEL.	6	9	12	15	18	21	24	26	28	30	32	PUMP SET
IP 05	0.37	0.50	25	25	165	150	125	85	40	0						6000
IP 10	0.75	1.00	25	25				165	155	140	110	95	80	0		8500
IP 15	1.10	1.50	40	40				255	240	215	175	160	110			10100
IP 20	1.50	2.00	50	50					280	245	225	190	160	110	0	11350

Note : SP Pump up to 2.0 HP Rates are with Panel

MODEL	CODE	Motor Rating		Pipe Size in mm		Head in Meter											Allu. Rotor Price(Rs.)	Copper Rotor Price(Rs.)										
		K.W.	HP	SUC.	DEL.	12	16	18	20	22	24	26	28	30	32	36	38	40	42	44	46	48	52	56	60	PUMP SET	PUMP SET	
#	IP-3 V6	2.20	3.00	65	50			470	410	360	310	180	0	-	-												10670	12100
#	IP-5 V7	3.70	5.00	65	50				600	590	540	460	380	280	0												12980	14850
#	IP-3	2.20	3.00	65	65				500	350	0																13585	15510
#	IP-3 V7	2.20	3.00	65	50			510	460	410	380	330	280	210	150	0											14025	15950
#	IP-655	3.70	5.00	65	65			1020	930	840	770	640	380	0													14585	16720
#	IP-5H	3.70	5.00	65	50					570	540	510	480	390	350	290	255	230	0								15025	17160
#	IP-6575	5.50	7.50	75	65					1220	1150	1020	980	850	780	650	400	0									21340	24640
#	IP-7.5	5.50	7.50	65	50									750	660	610	580	540	520	450	300	0				21340	24640	
#	IP-7575	5.50	7.50	75	75				1280	1200	1040	1000	920	810	720	450	0										21340	24640
#	IP-5010	7.50	10.00	65	50													630	610	595	530	500	490	430	0		23475	27100
#	IP-7510	7.50	10.00	75	75				1440	1380	1340	1300	1100	890	840	0											23475	27100

Note : # marked models are having ISI

3.0 HP & 5.0 HP models are also available in single phase



V7 Submersible Pumpset

SUITABLE FOR 175mm BOREWELL OR ABOVE (Min. Bore Dia. 175mm)
 Approximate Performance chart at 2880 RPM, 380-415 V Three Phase, 50 Hz, AC supply
 Maximum Motor OD-142 mm & pump OD 172 mm

MODEL IP- 25			
MODEL	HP	Stage	Out Let Size mm
IP 762	6.00	2	100
IP 7753	7.50	3	100
IP 7104	10.0	4	100
IP 71255	12.5	5	100
IP 7156	15.0	6	100

Head in Meter	Discharge in LPM						Price(Rs.) PUMP SET
	0	660	850	1020	1170	1330	
	Three Phase						
29	23	20	17	13	10	25260	
44	34	30	26	20	15	29025	
58	46	40	34	26	20	33860	
72	58	50	42	32	25	37080	
87	69	60	51	39	32	40420	

MODEL IP- 35			
MODEL	HP	Stage	Out Let Size mm
IP 7752	7.50	2	100
IP 7103	10.0	3	100
IP 71254	12.5	4	100
IP 7155	15.0	5	100
IP 71756	17.5	6	100
IP 7207	20.0	7	100

Head in Meter	Discharge in LPM						Price(Rs.) PUMP SET
	0	700	1040	1230	1350	1500	
	32	24	19	16	14	10	
48	36	29	24	20	15	31930	
64	48	38	32	27	20	34940	
80	60	47	40	34	25	38380	
96	72	57	48	39	30	44500	
112	84	67	56	46	35	49235	



VJ Submersible Pumpset

SUITABLE FOR 200mm BOREWELL OR ABOVE (Min. Bore Dia. 200 mm)
 Approximate Performance Chart at 2880 RPM 380 - 415 Volts, Single Phase, 50 Hz, AC Supply
 Maximum Motor OD-142 mm & pump OD 194 mm

MODEL	MODEL IPJ		
	H.P.	STAGE	Out Let Size mm
IP J 103	10.00	3	100
IP J 752	7.50	2	100
IP J 1253	12.50	3	100
IP J 154	15.00	4	100
IP J 102	10.00	2	100
IP J 153	15.00	3	100
IP J 204	20.00	4	100
IP J 1252	12.50	2	100
IP J 1753	17.50	3	100
IP J 152	15.00	2	100
IP J 203	20.00	3	100

Head in Meter	Discharge in LPM													Price(Rs.) PUMP SET
	0	460	600	950	1200	1300	1450	1550	1660	1750	1800	1950	2000	
	54	43	40	37	32	29	23	19	17					
37	32	30	26	23	20	17	14	12						28490
56	48	45	39	35	33	28	23	18						34940
76	64	60	52	47	43	37	31	24						38700
41	36	33	30	28	24	21	19	17	14					31600
62	54	50	45	42	38	34	30	25	20					37410
82	72	66	60	56	48	42	38	34	28					44610
47	42	38	34	30	28	26	24	22	19					33110
71	63	57	51	45	42	39	36	33	29					40200
49	43	41	38	35	33	30	27	24	22	20	18	16		34940
73	64	61	57	52	49	47	45	42	39	36	33	30		42780



TERMS & CONDITIONS :

- (1) **Delivery** : Ex. our Works. Orders received shall be dispatched within 5/7 days from the date of receipt of your confirmed orders.
- (2) **Taxes & Duties** : Extra as applicable which are ruling at the time of dispatch.
- (3) **Payment** : Against Delivery.
- (4) Order once placed shall not be altered or cancelled.
- (5) **Warranty** : 12 Months from our dispatch date for any manufacturing defect only. If any part found defective within the warranty period, the same shall be replaced free of cost on receipt of the same at our works duly **FREIGHT PAID**.
- (6) No Warranty/Guarantee for Electrical Faults caused due to low voltage burning, Motors run on Capacitors, Excess sand in Bore Wells and mis handling of the Sets at site by unauthorized and untrained Mechanics.
- (7) All Price For Ahmedabad, Freight and Insurance charges will be Extra.

NOTE

A large rectangular box with a dashed border, intended for handwritten notes.



AN ISO 9001 : 2015 COMPANY



Mfg. By :

INDIAN PUMPS
AHMEDABAD (INDIA)