

IP Enclosures



Features:

- Degree of protection - IP40, IP54, IP65, IP67
- Impact strength - IK07 & IK08
- UV protected
- Made from long lasting plastic material
- Transparent doors with hinges opening up to 180 degrees for MCB`DB's

STAR (MCB DB WITH 6/8 SOCKETS PROVISION)			
Model No.	Specifications	Protection & Colour Shade	MRP
SIL-PCS12PT	1 X 12 Modules with Din Rail	IP 65 with RAL7035	4500
SIL-PCS12PT/RR*	1 X 12 Modules with Din Rail	IP 65 with RAL7035	5100
SIL-PCS18PT	1 X 18 Modules with Din Rail	IP 65 with RAL7035	5750
SIL-PCS18PT/RR*	1 X 18 Modules with Din Rail	IP 65 with RAL7035	6400



NEW ECOLOGY (MCB DB WITH TRANSPARENT WINDOW)			
Model No.	Specifications	Protection & Colour Shade	MRP
SIL-CDN4PT	1 X 4 Modules with Din Rail	IP 65 with RAL7035	1650
SIL-CDN4PT/RR*	1 X 4 Modules with Din Rail	IP 65 with RAL7035	1850
SIL-CDN6PT	1 X 6 Modules with Din Rail	IP 65 with RAL7035	1900
SIL-CDN6PT/RR*	1 X 6 Modules with Din Rail	IP 65 with RAL7035	2100
SIL-CDN8PT	1 X 8 Modules with Din Rail	IP 65 with RAL7035	2200
SIL-CDN8PT/RR*	1 X 8 Modules with Din Rail	IP 65 with RAL7035	2400
SIL-CDN12PT	1 X 12 Modules with Din Rail	IP 65 with RAL7035	3000
SIL-CDN12PT/RR*	1 X 12 Modules with Din Rail	IP 65 with RAL7035	3300
SIL-CDN18PT	1 X 18 Modules with Din Rail	IP 65 with RAL7035	3900
SIL-CDN18PT/RR*	1 X 18 Modules with Din Rail	IP 65 with RAL7035	4200
SIL-CDN24PT	2 X 12 Modules with Din Rail	IP 65 with RAL7035	5200
SIL-CDN24PT/RR*	2 X 12 Modules with Din Rail	IP 65 with RAL7035	5550
SIL-CDN36PT2F	2 X 18 Modules with Din Rail	IP 65 with RAL7035	6200
SIL-CDN36PT2F/RR*	2 X 18 Modules with Din Rail	IP 65 with RAL7035	6550
SIL-CDN36PT3F	3 X 12 Modules with Din Rail	IP 65 with RAL7035	6800
SIL-CDN36PT3F/RR*	3 X 12 Modules with Din Rail	IP 65 with RAL7035	7150
SIL-CDN54PT	3 X 18 Modules with Din Rail	IP 65 with RAL7035	9800
SIL-CDN54PT/RR*	3 X 18 Modules with Din Rail	IP 65 with RAL7035	10200

LIGHT JUNCTION BOX			
Model No.	Specifications	Protection & Colour Shade	MRP
SIL-EP048	With Conical Cable Gland	IP 54 WITH RAL7035	250
SIL-EP088	With Conical Cable Gland	IP 54 WITH RAL7035	300
SIL-EX088	With Premoulded Cable Entry	IP 54 WITH RAL7035	250
SIL-EV111	With Conical Cable Gland	IP 65-67 WITH RAL7035	400
SIL-EX111	With Premoulded Cable Entry	IP 65-67 WITH RAL7035	350
SIL-EL111	With Plain Sides	IP 65-67 WITH RAL7035	350
SIL-EV161	With Conical Cable Gland	IP 65-67 WITH RAL7035	650
SIL-EX161	With Premoulded Cable Entry	IP 65-67 WITH RAL7035	580
SIL-EL161	With Plain Sides	IP 65-67 WITH RAL7035	580
SIL-EV171	With Conical Cable Gland	IP 65-67 WITH RAL7035	750
SIL-EX171	With Premoulded Cable Entry	IP 65-67 WITH RAL7035	660
SIL-EL171	With Plain Sides	IP 65-67 WITH RAL7035	660
SIL-EVT171	Transparent Lid With Conical Cable Gland	IP 65-67 WITH RAL7035	950
SIL-EXT171	Transparent Lid With Conical Cable Gland	IP 65-67 WITH RAL7035	860
SIL-ELT171	Transparent Lid With Plain Sides	IP 65-67 WITH RAL7035	860
SIL-GSV171	With Conical Cable Gland	IP 65-67 WITH RAL7035	1060
SIL-GSX171	With Premoulded Cable Entry	IP 65-67 WITH RAL7035	1060
SIL-GSL171	With Plain Sides	IP 65-67 WITH RAL7035	1060
SIL-GSVT171	Transparent Lid With Conical Cable Gland	IP 65-67 WITH RAL7035	1150
SIL-GSXT171	Transparent Lid With Premoulded Cable Entry	IP 65-67 WITH RAL7035	1060
SIL-GSLT171	Transparent Lid With Plain Sides	IP 65-67 WITH RAL7035	1060
SIL-EV231	With Conical Cable Gland	IP 65-67 WITH RAL7035	850
SIL-EX231	With Premoulded Cable Entry	IP 65-67 WITH RAL7035	730
SIL-EL321	With Plain Sides	IP 65-67 WITH RAL7035	730
SIL-EVT231	Transparent Lid With Conical Cable Gland	IP 65-67 WITH RAL7035	1050
SIL-EXT231	Transparent Lid With Premoulded Cable Entry	IP 65-67 WITH RAL7035	930
SIL-ELT231	Transparent Lid With Plain Sides	IP 65-67 WITH RAL7035	930
SIL-EV322	With Conical Cable Gland	IP 65-67 WITH RAL7035	1250
SIL-EX322	With Premoulded Cable Entry	IP 65-67 WITH RAL7035	1150
SIL-EL322	With Plain Sides	IP 65-67 WITH RAL7035	1150
SIL-EVT322	Transparent Lid With Conical Cable Gland	IP 65-67 WITH RAL7035	1550
SIL-EXT322	Transparent Lid With Premoulded Cable Entry	IP 65-67 WITH RAL7035	1450
SIL-ELT322	Transparent Lid With Plain Sides	IP 65-67 WITH RAL7035	1450
SIL-GSV322	With Conical Cable Gland	IP 65-67 WITH RAL7035	1650
SIL-GSX322	With Premoulded Cable Entry	IP 65-67 WITH RAL7035	1550
SIL-GSL322	With Plain Sides	IP 65-67 WITH RAL7035	1550
SIL-GSVT322	Transparent Lid with Conical Cable Gland	IP 65-67 WITH RAL7035	1850
SIL-GSXT322	Transparent Lid with Premoulded Cable Entry	IP 65-67 WITH RAL7035	1850
SIL-GSLT322	Transparent Lid with Plain Sides	IP 65-67 WITH RAL7035	1850



LIGHT JUNCTION BOX WITH SOCKETS			
Model No.	Specifications	Sockets Rating	MRP
SIL-40892	Tight Box with Premoulded Cable Entry	16A,220V,2P+E-1 NO	1550
SIL-41045	Tight Box with Plain Sides	16A,220V,2P+E -1 NO & 16A,415V,3P+N+E-1 NO	3600
SIL-41493	Tight Box with Plain Sides	16A,220V,2P+E-2 NOS	2850
SIL-40936	Tight Box with Plain Sides	16A,220V,2P+E - 2NOS & 16A,415V,3P+E-1 NO	5550
SIL-42054	Tight Box with Plain Sides	16A,220V,2P+E - 2NOS & 16A,415V,3P+N+E-2 NOS	6650
SIL-42209	Tight Box with Premoulded Cable Entry	16A,220V,2P+E - 3 NOS & 16A,415V,3P+E-1 NO & 16A,415V,3P+N+E-1 NO	7650
SIL-40427	Tight Box with Plain Sides	16A,220V,2P+E - 4 NOS	5900



ORO FLUSH (MCB DB WITH TRANSPARENT WINDOW)			
Model No.	Specifications	Protection & Colour Shade	MRP
SIL-BM8PT	1 X 8 Modules with Din Rail	IP 40 WITH RAL9003	950
SIL-BM8PT/RR*	1 X 8 Modules with Din Rail	IP 40 WITH RAL9003	1100
SIL-BM12PT	1 X 12 Modules with Din Rail	IP 40 WITH RAL9003	1200
SIL-BM12PT/RR*	1 X 12 Modules with Din Rail	IP 40 WITH RAL9003	1500

MRP LIST FOR IP65/66 ENCLOSURES.

Degree of Protection-IP40,IP54,IP65,IP67

Impact Strngth-IK09

Resistant to chemical and atmospheric agent,Uvs etc.

* /RR : REFERENCE WITH EARTH AND NEUTRAL BARS

PRODUCT	MODEL NO.	NAME	SPECIFICATION	PROTECTION	DIMENSION (H X W X D in mm)	MRP in RS/-
NEW ECOLOGY						
	SIL-CDN4PT	MCB DB WITH TRANSPARENT WINDOW	1 X 4 MODULES WITH DIN RAIL	IP 65 WITH RAL7035	231 X 166 X 113	1650
	SIL-CDN4PT/RR*	MCB DB WITH TRANSPARENT WINDOW	1 X 4 MODULES WITH DIN RAIL	IP 65 WITH RAL7035	231 X 166 X 113	1850
	SIL-CDN6PT	MCB DB WITH TRANSPARENT WINDOW	1 X 6 MODULES WITH DIN RAIL	IP 65 WITH RAL7035	231 X 202 X 113	1900
	SIL-CDN6PT/RR*	MCB DB WITH TRANSPARENT WINDOW	1 X 6 MODULES WITH DIN RAIL	IP 65 WITH RAL7035	231 X 202 X 113	2100
	SIL-CDN8PT	MCB DB WITH TRANSPARENT WINDOW	1 X 8 MODULES WITH DIN RAIL	IP 65 WITH RAL7035	231 X 238 X 118	2200
	SIL-CDN8PT/RR*	MCB DB WITH TRANSPARENT WINDOW	1 X 8 MODULES WITH DIN RAIL	IP 65 WITH RAL7035	231 X 238 X 118	2400
	SIL-CDN12PT	MCB DB WITH TRANSPARENT WINDOW	1 X 12 MODULES WITH DIN RAIL	IP 65 WITH RAL7035	246 X 310 X 148	3000
	SIL-CDN12PT/RR*	MCB DB WITH TRANSPARENT WINDOW	1 X 12 MODULES WITH DIN RAIL	IP 65 WITH RAL7035	246 X 310 X 148	3300
	SIL-CDN18PT	MCB DB WITH TRANSPARENT WINDOW	1 X 18 MODULES WITH DIN RAIL	IP 65 WITH RAL7035	286 X 418 X 148	3900
	SIL-CDN18PT/RR*	MCB DB WITH TRANSPARENT WINDOW	1 X 18 MODULES WITH DIN RAIL	IP 65 WITH RAL7035	286 X 418 X 148	4200
	SIL-CDN24PT	MCB DB WITH TRANSPARENT WINDOW	2 X 12 MODULES WITH DIN RAIL	IP 65 WITH RAL7035	436 X 310 X 148	5200
	SIL-CDN24PT/RR*	MCB DB WITH TRANSPARENT WINDOW	2 X 12 MODULES WITH DIN RAIL	IP 65 WITH RAL7035	436 X 310 X 148	5550
	SIL-CDN36PT2F	MCB DB WITH TRANSPARENT WINDOW	2 X 18 MODULES WITH DIN RAIL	IP 65 WITH RAL7035	436 X 418 X 148	6200
	SIL-CDN36PT2F/RR*	MCB DB WITH TRANSPARENT WINDOW	2 X 18 MODULES WITH DIN RAIL	IP 65 WITH RAL7035	436 X 418 X 148	6550
	SIL-CDN36PT3F	MCB DB WITH TRANSPARENT WINDOW	3 X 12 MODULES WITH DIN RAIL	IP 65 WITH RAL7035	586 X 310 X 148	6800
	SIL-CDN36PT3F/RR*	MCB DB WITH TRANSPARENT WINDOW	3 X 12 MODULES WITH DIN RAIL	IP 65 WITH RAL7035	586 X 310 X 148	7150
	SIL-CDN54PT	MCB DB WITH TRANSPARENT WINDOW	3 X 18 MODULES WITH DIN RAIL	IP 65 WITH RAL7035	586 X 418 X 148	9800
	SIL-CDN54PT/RR*	MCB DB WITH TRANSPARENT WINDOW	3 X 18 MODULES WITH DIN RAIL	IP 65 WITH RAL7035	586 X 418 X 148	10200

PRODUCT	MODEL NO.	NAME	SPECIFICATION	PROTECTION	DIMENSION (H X W X D in mm)	MRP in RS/-
ORO FLUSH MOUNTED DISTRIBUTION BOXES						
	SIL-BM8PT	MCB DB WITH TRANSPARENT WINDOW	1 X 8 MODULES WITH DIN RAIL	IP 40 WITH RAL9003	248 X 190 X 97	950
	SIL-BM12PT	MCB DB WITH TRANSPARENT WINDOW	1 X 12 MODULES WITH DIN RAIL	IP 40 WITH RAL9003	248 X 263 X 97	1200
ENCLOSURES FOR SOCKETS						
	SIL-PCS12PT	MCB DB WITH 6 SOCKTES PROVISION	1 X 12 MODULES WITH DIN RAIL	IP 65 WITH RAL7035	436 X 310 X 147	4500
	SIL-PCS12PT/RR*	MCB DB WITH 6 SOCKTES PROVISION	1 X 12 MODULES WITH DIN RAIL	IP 65 WITH RAL7035	436 X 310 X 147	5100
	SIL-PCS18PT	MCB DB WITH 8 SOCKTES PROVISION	1 X 18 MODULES WITH DIN RAIL	IP 65 WITH RAL7035	436 X 418 X 147	5750
	SIL-PCS18PT/RR*	MCB DB WITH 8 SOCKTES PROVISION	1 X 18 MODULES WITH DIN RAIL	IP 65 WITH RAL7035	436 X 418 X 147	6400
JUNCTION BOX						
	SIL-EP048	JUNCTION BOX	WITH CONICAL CABLE GLAND	IP 54 WITH RAL7035	Ø80 X 50D	250
	SIL-EP088	JUNCTION BOX	WITH CONICAL CABLE GLAND	IP 54 WITH RAL7035	84 X 84 X 50	300
	SIL-EX088	JUNCTION BOX	WITH PREMOULDED CABLE ENTRY	IP 54 WITH RAL7035	84 X 84 X 50	250
	SIL-EV111	JUNCTION BOX	WITH CONICAL CABLE GLAND	IP 65-67 WITH RAL7035	108 X 108 X 64	400
	SIL-EX111	JUNCTION BOX	WITH PREMOULDED CABLE ENTRY	IP 65-67 WITH RAL7035	108 X 108 X 64	350
	SIL-EL111	JUNCTION BOX	WITH PLAIN SIDES	IP 65-67 WITH RAL7035	108 X 108 X 64	350
	SIL-EV161	JUNCTION BOX	WITH CONICAL CABLE GLAND	IP 65-67 WITH RAL7035	116 X 162 X 76	650
	SIL-EX161	JUNCTION BOX	WITH PREMOULDED CABLE ENTRY	IP 65-67 WITH RAL7035	116 X 162 X 76	580
	SIL-EL161	JUNCTION BOX	WITH PLAIN SIDES	IP 65-67 WITH RAL7035	116 X 162 X 76	580
	SIL-EV171	JUNCTION BOX	WITH CONICAL CABLE GLAND	IP 65-67 WITH RAL7035	151 X 175 X 95	750
	SIL-EX171	JUNCTION BOX	WITH PREMOULDED CABLE ENTRY	IP 65-67 WITH RAL7035	151 X 175 X 95	660
	SIL-EL171	JUNCTION BOX	WITH PLAIN SIDES	IP 65-67 WITH RAL7035	151 X 175 X 95	660
	SIL-EV231	JUNCTION BOX	WITH CONICAL CABLE GLAND	IP 65-67 WITH RAL7035	180 X 241 X 95	850
	SIL-EX231	JUNCTION BOX	WITH PREMOULDED CABLE ENTRY	IP 65-67 WITH RAL7035	180 X 241 X 95	730
	SIL-EL231	JUNCTION BOX	WITH PLAIN SIDES	IP 65-67 WITH RAL7035	180 X 241 X 95	730
	SIL-EV322	JUNCTION BOX	WITH CONICAL CABLE GLAND	IP 65-67 WITH RAL7035	239 X 328 X 129	1250
	SIL-EX322	JUNCTION BOX	WITH PREMOULDED CABLE ENTRY	IP 65-67 WITH RAL7035	239 X 328 X 129	1150
	SIL-EL322	JUNCTION BOX	WITH PLAIN SIDES	IP 65-67 WITH RAL7035	239 X 328 X 129	1150