

LOUIZ ENGINEERING

Manufacturers & Traders: All Types of Fasteners



Established in 2020, we are Manufacturers and Traders of all types of fasteners in Stainless Steel, Mild Steel, Alloy Steel, Carbon Steel, Duplex Steel, Hastelloy, titanium, Incoloy, High Tensile and other ferrous and non-ferrous alloys.



Office: Plot No 104, Ground Floor, Shop No -3, Kopargaon Estate, Seth Motisha Lane Mazgaon,
Mumbai - 400010, Maharashtra, India.

Instagram:@louiz.engineering

GST NO: 27AOPD8985N1ZU

GeM Sellers Id:-1OFL220006009039

UDYAM REG NO. UDYAM-MH-18-0148202

“ASK IT- WE HAVE IT.”



Introduction

Louiz engineering, Mumbai based Indian Manufacturing Company. We're the team professionals who understand what customer needs is and trying to fulfill those requirements in appropriate span of time with suitable prices.


VISION: TO CLIMB THE LADDER OF SUCCESS THROUGH OUR QUALITY WORKS.

MISSION: TRUST-RELATIONSHIP-QUALITY-PUNCTUALITY.

Industries we Serve



**Petrochemicals Fertilizer Industries
Construction Industries
Oil & Gas Industries Aeronautical
Industries Railway and Ship Industries.**



Our Products



BOLTS

HEX BOLT

Full Threaded

Half Threaded



Material:- Stainless steel, MS, High Tensile, Duplex, Super Duplex, Titanium.
Diameter:- 1/4" to 3" and M3 to M90.
Length:- 1/2" to 12" and 10mm to 450mm.
Standard:- DIN933 / din 934 / B18.2.1.

CARRIAGE BOLT



Material:- Stainless steel, MS, Brass.
Diameter:- 1/2" to 2" M12 to M30.
Length:- 1" to 8" and 10mm to 200mm.
Standard:- DIN603 / ISO 8678.

EYE BOLT



Material:- Stainless steel, MS, B7, B16.
Diameter:- M3 to M90.
Length:- 1/2" to 12" 10mm to 450mm.
Standard:- DIN 444 / DIN 580.

U BOLT

Square Type

Round Type



Material:- SS, MS, High Tensile.
Diameter:- 1/4" to 3" and M5 to M30.
Length:- 1/2" to 12" 10mm to 450mm.
Standard:- DIN 444 / DIN 580.

DOME BOLT



Material:- Stainless steel.
Diameter:- 1/4" to 3" and M5 to M36.
Length:- 1/2" to 10" 10mm to 200mm.
Standard:- DIN933 / din 934.

J BOLT



Material:- Stainless steel, MS, High tensile.
Diameter:- 1/4" to 3" and M5 to M30.
Length:- 1/2" to 12" 10mm to 450mm.
Standard:- DIN 444 / DIN 580.

ALLEN CSK



Material:- SS, MS, High tensile.
Diameter:- 1/4" to 3" and M5 to M60.
Length:- 1/2" to 12" 10mm to 450mm.
Standard:- DIN 7991/ B18.3.5M

BUTTON HEAD CAP



Material:- SS, MS, High tensile
Diameter:- 1/4" to 3" and M5 to M60.
Length:- 1/2" to 10" 10mm to 200mm.
Standard:- DIN9427 / ISO 7380/ B18.3.

SOCKET HEAD CAP



Material:- SS, MS, High tensile.
Diameter:- 1/4" to 3" and M5 to M60.
Length:- 1/2" to 12" 10mm to 450mm.
Standard:- DIN 912 / B18.3/ ISO 4762

SQUARE HEAD BOLT



Material:- Stainless steel.
Diameter:- 1/4" to 3" and M5 to M36.
Length:- 1/2" to 10" 10mm to 200mm.
Standard:- IS2585

Our Products



STUD BOLTS



Material:- SS, MS, High tensile.
Diameter:- 1/4" to 3" and M3 to M90.
Length:- as per requirement.
Standard:- half thread and full thread

WOOD SCREW (COACH SCREW)



Material:- Stainless steel.
Diameter:- 1/4" to 3" and M5 to M36.
Length:- 1/2" to 10" 10mm to 200mm.
Standard:- DIN 571

Allen Grub

CONE POINT



KNURLING CUP POINT



DOG POINT



Nut & Washer



"When it comes to Bolts and Nuts, we've got you covered."