



ISO 9001:2008 CERTIFIED  
**AASMAA TOOLS INDIA PVT LTD**

## Profile



Asmaa Tools India Pvt. Ltd, is renowned high-quality tools manufacturing company. We are a leading supplier of ever-increasing range of high quality hand tools like screwdrivers, 'T' Spanner, Allen keys, Screw Driver impact Bits(Phillips/Slotted/Allen/Torex etc.) are used in a different kind of applications throughout the world. We have 54 years of experience in Hand tool trading . The Company has been serving the market for the last 7 years in manufacturing. It is an ISO 9001-2008 certified company.




*Successfully commercializing ideas, products Building and customer oriented organization Creating customized solutions*






## CNC Machine for Torex and PH2 bits making.

All machines are high accuracy,  
high productivity and .01%  
rejection noticed.





## Molding Machine for T spanner and Screw driver handle.








**Wire Drawing machine for Allen key, screw driver and Screw driver bits.**





**Turning Machine for T Socket and various operation of screw driver and Allen Key**





Vibrator for excellent finish of T Socket , Screw Drivers, Impact Bits and Allen key .




Latest Welding Machine to maintain the Torque and welding of Product.





## Plating and Electrophoresis Plant








**Short blasting Machine**



**Laser Printing Machine**





**Model -T-325**

Model -T-325

Rod dia 10mm, Rod Length 325 mm and handle length 178 mm available with mat or mirror finish with plastic molded grip.

We can also make as per your specification.



**Model -T-290**

Model -T-290

Rod diameter 8.5 mm, Rod Length 290 mm and handle length 184 mm available with mat or mirror finish with plastic molded grip.

We can also make as per your specification.





**Model -T-290**

Model -T-290

Rod diameter 9.5 mm, Rod Length 290 mm and handle length 184 mm available with oxidized finish without molded knurling grip.

We can also make as per your specification.






Model -T-300

Rod diameter 9.5 mm, Rod Length 300 mm and handle length 254 mm available with mat or mirror finish without plastic molded grip.

We can also make as per your specification.

**Model -T-300**



Model -T-300 Revolving

Rod diameter 8.5 mm, Rod Length 300 mm revolving type plastic grip. Sliding handle length 180 mm and available with mat or mirror finish without plastic molded grip.

We can also make as per your specification.

**Model -T-300**




Model -T-290 double colour

Rod diameter 10 mm, Rod Length 290 mm handle length 200 mm. Available in mat or mirror finish with double colour plastic molded grip.

We can also make as per your specification.

**Model -T-290**





Model -T-290 Heavy duty handle

Rod diameter 10 mm, Rod Length 290 mm handle length 145 mm and socket CRV 50BV30 grade. Available with mat or mirror finish and heavy duty plastic molded grip.

We can also make as per your specification.

**Model -T-290**




Model -T-290 special type

Rod diameter 8.5 mm, Rod Length 290 mm handle length 200 mm. Available with mat or mirror finish plastic molded grip with design.

We can also make as per your specification.

**Model -T-290**






### **Model – Allen Key set**

Available form 1.5 mm to 10 mm and in 3 type of length (short/long/ Extra long). 3 type of materials (Alloy steel/ CRV/S2 ) have HRC (Alloy and Crv 50-52/S2- 58 to 60) is used with oxidized/ mirror/copper finished. For this product Follow the standard of DIN 911/ISO1936.


We can also make as per your specification.



### **Model – Torx Key set**

Available form 1.5 mm to 10 mm and in 3 type of length (short/long/ Extra long). 3 type of materials (Alloy steel/ CRV/S2 ) have HRC (Alloy and Crv 50-52/S2-55-58) is used with oxidized/ mirror/copper finished. For this product Follow the standard of DIN 911/ISO1936.

We can also make as per your specification.







### Model – T Allen Key

Available form 1.5 mm to 10 mm and in 3 type of length (short/long/ Extra long). 3 type of materials (Alloy steel/ CRV/S2 ) have HRC (Alloy and Crv 50-52/S2-55-58) is used with oxidized/ mirror/copper finished. For this product Follow the standard of DIN 911/ISO1936. We can also make as per your specification.

### Model –T Allen Key



### Model – T Allen Key Extra long

Available form 1.5 mm to 10 mm and in 12" length . 3 type of materials (Alloy steel/ CRV/S2 ) have HRC (Alloy and Crv 50-52/S2-58 to 62) is used with oxidized/ mirror/copper finished. For this product Follow the standard of DIN 911/ISO1936. We can also make as per your specification.

### Model –T Allen Key Extra Long




### Model – Screw Drive Power Bit

Available in 6 mm dia and in any length of (Allen /PH /SL/Torex )bits. 3 type of materials (Alloy steel/ CRV/S2 ) have HRC (Alloy and Crv 50-52/S2-55-58) is used with oxidized/ mirror/copper finished.

We can also make as per your specification.

### Model –Screw Drive Power Bit





**Model – Screw Driver**

Available as per customer specification. EN42 materials having HRC 50-52 is used. Material also available with mirror /mat finish and pvc handle of customer choice.


We can also make as per your specification.



**Model – Screw Driver**

Available as per customer specification. CRV materials having HRC 50-52 is used. Material also available with mirror /mat finish and pvc handle of customer choice.

We can also make as per your specification.






### **Model – Screw Driver Double**


Available as per customer specification. CRV and EN42 materials having HRC 50-52 is used. Material also available with mirror /mat finish and double colored handle of TPE & PP material. We can also make as per your specification.





### **Model – Torex Screw Driver and Ball Allen Key**

Available as per customer specification. CRV and EN42 materials having HRC 50-52 is used. Material also available with customized finish and customized colored handle of TPE & PP material.











Available as per customer specification. CRV materials having HRC 50-52 is used. Material also available with mirror finish with colour tip and pvc handle of customer choice





Corporate office A-121 Ground Floor,  
DSIIDC Narela Industrial Area,  
Delhi-110040, India

Mr. Adhiraj Singh : 9311032852, Mr. Ekum Singh : 9811032852  
enquiry@asmaatoolsindia.com  
www.asmaatoolsindia.com

