Regd. No. INDO231231SE025603



TARUN TRADERS



AUTOMATION & SOFTWARE

A boom barrier's specifications vary, but generally include boom length, opening/closing speed, power supply, motor type, and safety features. Common boom lengths range from 3 to 6 meters, with opening/closing speeds typically between 1.5 to 6 seconds. Power supplies can be AC or DC, and motors can be brushless DC or other types. Safety features like photocells and loop detectors are often included to prevent accidents



BOOM BARRIER- Model - SP BB 100 6M4S __(Electro Mechanical, Motorised with 6 Meter boom (Aluminum Hollow Section 100x44mm) Open Time 4 Sec / RIGHT Installed/ 2 Nos Remote/ 600~800 Times Per day, STEEL Housing box , Support Stand , Control PCB & acces) Brand —









Discription

BARRIER GATE -Model - SP BB 300
6M2~4S (Y Guard) DUAL SPEED / LEFT
& RIGHT INTER CHANGEABLE/ DC
SERVO MOTOR 4.5M 2 Sec / OR 6M4S
(Electro Mechanical, Motorised with
4.5 Meter boom (Aluminum Hollow
Section 100x44mm) Open Time 3 Sec /
RIGHT Installed/ 2 Nos Remote/ 3000
Times per day, STEEL Housing box ,
Support Stand , Control PCB &
accessories) Brand — Smarthower









Discription

BARRIER GATE-Model - SP BB 400

6M4S LED (Electro Mechanical, Motorised with 6 Meter boom (Aluminum Hollow Section 100x44mm) Open Time 4 Sec / RIGHT Installed/ 2 Nos Remote/ 1200 Times per day, STEEL Housing box with LED, Support Stand, Control PCB) Brand—Sucrepower








call 9303752985

www.traderstarun.com



















Hi speed toll plaza barrier gate



0.6 To 0.9 Second















since 2017 Hi speed toll plaza barrier gate






















Fencing Boom Barrier













Folding Boom Barrier



















Boom Barrier Spares









Boom Arm



Bearings Bearings



Controller & Renote
















































Respected customers of our company











































































































Regd. No. INDO231231SE025603



TARUN TRADERS



OUR SPECIALIT

TOLL MANAGEMENT SYSTEM





SMART PARKING SYSTEM



ROAD SAFETY EQUIPMENT



TRAFFIC CONTROL SYSTEM



HOME AUTOMATION & SECURI











ROLLING SHUTTER MOTER



TER & SWING GATE MOTER




PRINTER, BILLING MACHINE & SPOT COLLECTION





Toll Plaza Hardware Solution, Road Safety Accessories, Smart Parking, Home Security Automation System, Traffic Control Accessories, Indoor Outdoor Video Display,spot Billing Machine, Thermal Printer, Rolling Shutter Motor, Sliding Gate Moter, Swing Gate Moter, Automatic Boom Barrier, Kichen Chimney, And Home Appliances, RO, AC Gijer Refrigerator, Washing Machine, Led TV, Shells Sarvice and Repairing.





226, ES-4, Sector - E, Slice -4, Scheme No. 78, Vijay Nagar, Indore (MP) - 452010

Prop.: TARUN UGHADE





taruntraders89@gmail.com



www.traderstarun.com