



Home ▶ Products ▶ Temperature measurement ▶ IR thermometers

# 59 MAX Infrared Thermometer

★ ★ ★ ★ ★ 1.8 (4) [Write a review](#)



[Compare products: non-contact infrared \(ir\) thermometers](#)

  


## Key features

- Laser targeting for use from -30 °C to 350 °C (-22 °F to 662 °F)
- Small, rugged design easily fits your hand and your toolbox
- Easy-to-read, backlit LCD screen

 [Download the product manual](#)

 [Download the data sheet](#)

Product overview

Specifications

Reviews + Q&A

Manuals + resources

## Product overview: 59 MAX Infrared Thermometer

The Fluke 59 MAX Infrared Thermometer is a precision thermometer that delivers accurate, repeatable measurements and still fits within your budget. Use the bright backlit LCD display on the Fluke 59 MAX to perform non-contact temperature measurements on transformers, motors, pumps, panels, breakers, compressors, ducts, and vents.

### Designed for quick, easy measurements

It is extremely easy to use and compact enough to fit in your hand and your tool bag. Designed to withstand a one-meter drop, you can count on the 59 MAX to work when you need it. This IR thermometer offers a variety of measurement functions:

- Selectable MAX, MIN, DIF and AVG functions
- Hi and Lo alarms for rapid display of measurements outside the limits

### Laser targeting



Powered by one (1) AA battery

One-year warranty

**What's in the box:**

- Fluke 59 MAX Infrared Thermometer
- Infrared Thermometer
- 8:1 distance-to-spot ratio
- Single laser targeting
- Quick Reference Guide

**Related products**



**59 MAX+ Infrared Thermometer**

★☆☆☆☆ 1.0 (2)

About Fluke

About us

Careers

Press

Supplier handbook

Contact us



[Technical support](#)



## Manuals + resources

[Promotions](#)

[Manuals](#)

[Product registration](#)

[Safety notices](#)

[Where to buy](#)

[Test tools catalog](#)



**Fluke.** *Keeping your world up and running.*®

[Privacy policy](#)

[Fluke terms of use](#)

[Fluke terms and conditions of sale](#)

[Fluke terms and conditions of service](#)

[Site map](#)

©1995 - 2024 Fluke Corporation