



KARMA INDUSTRIES

"SOLUTIONS FOR METAL COMPONENTS"

I am pleased to introduce our salve as M/s. KARMA INDUSTRIES is an ISO 9001:2015 Certified Company engaged in Manufacturing and Providing Solution of Metal Components, situated in industrial township of India called Jamnagar (Gujarat).

Excellent customer experience and continuous search for at par quality define our capabilities of providing solution. All this enabled KARMA INDUSTRIES not only to sustain but helped to do rapid growth.

Our business built around multiple categories of products like...

1. Cable Glands & Accessories
2. Turn Components
3. Industrial Fittings

We at KARMA INDUSTRIES always thought of customer experience is so much more than just selling our products. Its whole thing the way we work at different levels, So we have enough men power to fulfil customer's requirement on time every time.

We considered tiniest details from drawings to manufacturing and all this allow us to achieve much more harmonious relationship with our customers. In the end all of this elevates our customer base.

With all of this, we believe that KARMA INDUSTRIES is defining an important new direction and in many ways a new beginning.....



YUKTI™ SINGLE COMPRESSION BRASS CABLE GLAND

In order to cater the variegated demands of our precious clients, we are offering an excellent quality range of Single Compression Cable Gland.



Material	Brass IS : 319 - Standard (Other Graded Materials are also available)
Finish	Nickel - Standard (other plating also available)
Threads	BSC - Standard (PG / MM / NPT also available)
Sealing	Natural Rubber
Protection Class	IP 60
Ref. Std.	IS 12943 : 1990
Application	Generally use in indoor area for armoured / unarmoured cables.

SELECTION CHART

Old Size	SIBG Type Gland		Cable Diameter		Medium Duty Gland Sizes	Commercial Gland Sizes	
	New Size	Entry Thread	Min	Max		Inch	MM
-	SCG 1	5/8"	7.00	10.00	KISC 1/2"	1/2"	12
1616	SCG 2	5/8"	11.00	16.00	KISC 5/8"	5/8"	16
1619	SCG 3	3/4"	11.00	16.00	KISC 3/4"	3/4"	19
2119	SCG 4	3/4"	16.00	20.00	KISC 7/8"	7/8"	22
2125	SCG 5	1"	16.00	21.00	KISC 1"	1"	25
2925	SCG 6	1"	21.00	24.00	KISC 1.1/8"	1.1/8"	28
2932	SCG 7	1.1/4"	24.00	29.00	KISC 1.1/4"	1.1/4"	32
2938	SCG 8	1.1/2"	29.00	33.00	KISC 1.3/8"	1.3/8"	35
3638	SCG 9	1.1/2"	33.00	37.00	KISC 1.1/2"	1.1/2"	38
4251	SCG 10	2"	37.50	42.00	KISC 1.3/4"	1.3/4"	45
5451	SCG 11	2"	42.50	46.00	KISC 2"	2"	50
5463	SCG 12	2.1/2"	46.00	51.00	KISC 2.1/4"	2.1/4"	57
6063	SCG 13	2.1/2"	51.00	61.00	KISC 2.1/2"	2.1/2"	63
6675	SCG 14	3"	61.50	66.00	KISC 2.3/4"	2.3/4"	70
-	SCG 15	3"	66.50	72.00	KISC 3"	3"	75
7882	SCG 15	3.1/4"	72.50	79.00			

* Due to continuous R&D actual dimension may differ then the above given dimension.

YUKTI™ DOUBLE COMPRESSION BRASS CABLE GLAND

We provide solutions by manufacturing top quality of brass cable glands by following various standards and state of the art facility.



Material	Brass IS : 319 - Standard (Other Graded Materials are also available)
Finish	Nickel - Standard (other plating also available)
Threads	BSC - Standard (ET / PG / MM / NPT also available)
Sealing	Natural / Neoprene / Nitrile / Silicon
Protection Class	IP 66 (IEC 60529:2001)
Ref. Std.	IS/IEC 60529:2001 IEC 60079-1 (2001)
Gas Zone	Zone - 1 (IIA IIB - for Flameproof Gland)
Application	Generally use for outdoor / indoor & For armoured / unarmoured cable

SELECTION CHART

Weather Proof Code / Size	Flame Proof Code / Size	Nipple Entry Thread	Cable Diameter		Cable Entry Dia	Nipple Inner Dia	Commercial Gland Sizes	
			Min.	Max.			Inch	MM
KIW 01 SS	KIF 01 SS	3/4"	6.00	12.00	14.50	12.50		
KIW 01 S	KIF 01 S	3/4"	12.00	16.50	18.50	14.50	1/2"	12
KIW 01	KIF 01	3/4"	16.50	18.00	19.50	15.00	5/8"	16
KIW 01 A	KIF 01 A	1"	16.50	18.00	19.50	15.00	3/4"	19
KIW 02	KIF 02	1"	18.50	20.00	22.00	18.00	7/8"	22
KIW 02 A	KIF 02 A	3/4"	18.50	20.00	22.00	18.00	1"	25
KIW 03	KIF 03	1"	20.00	23.00	24.00	18.50	1.1/8"	28
KIW 04	KIF 04	1"	23.00	26.00	28.00	21.00	1.1/4"	32
KIW 04 A	KIF 04 A	1.1/4"	23.00	26.00	28.00	21.00	1.3/8"	35
KIW 05	KIF 05	1.1/4"	26.00	30.00	31.50	26.00	1.1/2"	38
KIW 05 A	KIF 05 A	1.1/2"	26.00	30.00	31.50	26.00	1.3/4"	45
KIW 06	KIF 06	1.1/2"	30.00	33.00	35.00	30.50	2"	50
KIW 06 A	KIF 06 A	1.1/4"	30.00	33.00	35.00	30.50	2.1/4"	57
KIW 07	KIF 07	1.1/2"	33.00	37.00	39.00	32.50	2.1/2"	63
KIW 08	KIF 08	2"	37.00	41.00	43.00	40.00	2.3/4"	70
KIW 09	KIF 09	2"	41.00	46.00	48.00	42.00	3"	75
KIW 10	KIF 10	2"	46.00	52.00	54.00	45.50		
KIW 10 A	KIF 10 A	2.1/2"	46.00	52.00	54.00	45.50		
KIW 011	KIF 011	2.1/2"	52.00	60.00	62.50	58.00		
KIW 012	KIF 012	3"	61.00	66.00	69.50	65.00		
KIW 013 A	KIF 013 A	3"	65.50	72.00	74.00	66.00		
KIW 013	KIF 013	3.1/4"	72.00	78.00	83.00	76.00		

* Due to continuous R&D actual dimension may differ then the above given dimension.

YUKTI™ FLANGE TYPE GLAND

We are successfully meeting the varied requirements of our clients by providing the best quality range of Flange Type Cable Glands.



Material	Brass IS : 319 - Standard (Other Graded Materials are also available)
Finish	Natural - Standard
Threads	BSC - Standard
Application	Generally used under dry condition, for armoured cables.

SELECTION CHART

Sizes	Cable Diameter	
	Min	Max
KI - 5	12.00	16.00
KI - 4	16.00	18.00
KI - 3	18.00	21.00
KI - 2	21.00	25.00
KI - 1	25.00	29.00
KI - 11	29.00	33.00
KI - 0	33.00	35.00
KI - 00	35.00	38.00
KI - 38	38.00	41.00
KI - 001	41.00	45.00
KI - 002	45.00	52.00
KI - 003	52.00	59.00
KI - 0033	59.00	67.00
KI - 004	67.00	76.00
KI - 005	76.00	84.00

* Due to continuous R&D actual dimension may differ then the above given dimension.

YUKTI™ IP 68 TYPE

We are among the reputed organizations, deeply engaged in offering an optimum quality range of IP 68 Type Cable Gland.



Material	Brass IS : 319 - Standard (Other Graded Materials are also available)
Finish	Natural - Standard
Threads	PG / MM / NPT available
Sealing	Insert - PVC & Rubber-EPDM
Protection Class	IP 68 (IEC 60529:2001)
Application	Generally use for unarmoured and flexible cable in deep water.

SELECTION CHART

Sizes	PG Gland Cable Diameter		Sizes	MM Gland Cable Diameter	
	Min	Max		Min	Max
PG 7	3.00	6.50	M 12	3.00	6.50
PG 9	4.00	8.00	M 16	4.00	8.00
PG 11	5.00	10.00	M 20	6.00	12.00
PG 13.5	6.00	12.00	M 25	13.00	18.00
PG 16	10.00	14.00	M 32	18.00	25.00
PG 21	13.00	18.00	M 40	22.00	32.00
PG 29	18.00	25.00	M 50	32.00	38.00
PG 36	22.00	32.00	M 63	37.00	44.00
PG 42	32.00	38.00			
PG 48	37.00	44.00			

* Due to continuous R&D actual dimension may differ then the above given dimension.

YUKTI™ DOUBLE COMPRESSION S S GLAND

We provide solutions by manufacturing top quality of S S cable glands by following various standards and state of the art facility.



Material	SS 304 & 316 (Other Graded Materials are also available)
Finish	Nickel - Standard (other plating also available)
Threads	BSC Standard (MM & NPT also available)
Sealing	Natural / Neoprene / Nitrile / Silicon
Protection Class	IP 66 (IEC 60529:2001)
Ref. Std.	IS/IEC 60529:2001 IEC 60079-1 (2001)
Gas Zone	Zone - 1 (IIA IIB - for Flameproof Gland)
Application	Generally use in outdoor area for armoured cable, Also suitable for marine environments.

SELECTION CHART

Weather Proof Code / Size	Flame Proof Code / Size	Nipple Entry Thread	Cable Diameter Min.	Cable Diameter Max.	Cable Entry Dia	Nipple Inner Dia
KIW SS 01 SS	KIF SS 01 SS	3/4"	6.00	12.00	14.50	12.50
KIW SS 01 S	KIF SS 01 S	3/4"	12.00	16.50	18.50	14.50
KIW SS 01	KIF SS 01	3/4"	16.50	18.00	19.50	15.00
KIW SS 01 A	KIF SS 01 A	1"	16.50	18.00	19.50	15.00
KIW SS 02	KIF SS 02	1"	18.50	20.00	22.00	18.00
KIW SS 02 A	KIF SS 02 A	3/4"	18.50	20.00	22.00	18.00
KIW SS 03	KIF SS 03	1"	20.00	23.00	24.00	18.50
KIW SS 04	KIF SS 04	1"	23.00	26.00	28.00	21.00
KIW SS 04 A	KIF SS 04 A	1.1/4"	23.00	26.00	28.00	21.00
KIW SS 05	KIF SS 05	1.1/4"	26.00	30.00	31.50	26.00
KIW SS 05 A	KIF SS 05 A	1.1/2"	26.00	30.00	31.50	26.00
KIW SS 06	KIF SS 06	1.1/2"	30.00	33.00	35.00	30.50
KIW SS 06 A	KIF SS 06 A	1.1/4"	30.00	33.00	35.00	30.50
KIW SS 07	KIF SS 07	1.1/2"	33.00	37.00	39.00	32.50
KIW SS 08	KIF SS 08	2"	37.00	41.00	43.00	40.00
KIW SS 09	KIF SS 09	2"	41.00	46.00	48.00	42.00
KIW SS 10	KIF SS 10	2"	46.00	52.00	54.00	45.50
KIW SS 10 A	KIF SS 10 A	2.1/2"	46.00	52.00	54.00	45.50
KIW SS 011	KIF SS 011	2.1/2"	52.00	60.00	62.50	58.00
KIW SS 012	KIF SS 012	3"	61.00	66.00	69.50	65.00
KIW SS 013 A	KIF SS 013 A	3"	65.50	72.00	74.00	66.00
KIW SS 013	KIF SS 013	3.1/4"	72.00	78.00	83.00	76.00

* Due to continuous R&D actual dimension may differ then the above given dimension.

YUKTI™ BW 2 Part Cable Gland

We provide solutions by manufacturing top quality of brass cable glands by following various standards and state of the art facility.



Material	Brass IS : 319 - Standard (Other Graded Materials are also available)
Finish	Natural - Standard (other plating also available)
Threads	Metric - Standard (ET / BSC / NPT also available)
Sizes	M 20 to M 75
Application	Use in indoor area for all types of armoured cable.

YUKTI™ BW 4 Part Cable Gland

We provide solutions by manufacturing top quality of brass cable glands by following various standards and state of the art facility.



Material	Brass IS : 319 - Standard (Other Graded Materials are also available)
Finish	Natural - Standard (other plating also available)
Threads	Metric - Standard (ET / BSC / NPT also available)
Sizes	M 20 to M 75
Protection Class	IP 30
Application	Use in indoor area for all types of SWA cable.

* Due to continuous R&D actual dimension may differ then the above given dimension.

YUKTI™ CW Cable Gland

We provide solutions by manufacturing top quality of brass cable glands by following various standards and state of the art facility.



Material	Brass IS : 319 - Standard (Other Graded Materials are also available)
Finish	Natural - Standard (other plating also available)
Threads	Metric - Standard (ET / BSC / NPT also available)
Sealing	Natural Rubber & PVC Skid Washer
Protection Class	IP 63
Size	M 20 to M 75
Application	Use in indoor and outdoor area for all types of SWA cable

YUKTI™ E1W Cable Gland

We provide solutions by manufacturing top quality of brass cable glands by following various standards and state of the art facility.



Material	Brass IS : 319 - Standard (Other Graded Materials are also available)
Finish	Natural - Standard (other plating also available)
Threads	Metric - Standard (ET / BSC / NPT also available)
Sealing	Natural Rubber & PVC Skid Washer
Protection Class	IP 66
Size	M 20 to M 75
Application	Use in outdoor area for all types of SWA cable.

* Due to continuous R&D actual dimension may differ then the above given dimension.

YUKTI™ A1/A2 Cable Gland

We provide solutions by manufacturing top quality of brass cable glands by following various standards and state of the art facility.



Material	Brass IS : 319 - Standard (Other Graded Materials are also available)
Finish	Natural - Standard (other plating also available)
Threads	Metric - Standard (ET / BSC / NPT also available)
Sealing	Natural Rubber & PVC Skid Washer
Protection Class	IP 67
Size	M 20 to M 75
Application	Use in indoor and outdoor area for all types of unarmoured cable.

YUKTI™ Alco Cable Gland

We provide solutions by manufacturing top quality of brass cable glands by following various standards and state of the art facility.



Material	Brass IS : 319 - Standard (Other Graded Materials are also available)
Finish	Nickel - Standard (other plating also available)
Threads	Metric - Standard (ET / BSC / NPT also available)
Protection Class	IP 30
Size	G204, G206, G254, G256, G324, G326, G405, G503, G505, G636, G753, G755
Application	Use in outdoor area for all types of SWA cable.

* Due to continuous R&D actual dimension may differ then the above given dimension.

YUKTI™ Marine Cable Gland

We provide solutions by manufacturing top quality of brass cable glands by following various standards and state of the art facility.



Material	Brass IS : 319 - Standard (Other Graded Materials are also available)
Finish	Chrome Finish - Standard
Threads	Metric - Standard (ET / BSC / NPT also available)
Sealing	Natural Rubber
Protection Class	IP 66
Size	10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70.
Application	Use in outdoor or Indoor area for braided and unarmoured marine cable.

* Due to continuous R&D actual dimension may differ then the above given dimension.

YUKTI™ STOP PLUG - CABLE GLAND ACCESSORIES

We provide solutions by manufacturing top quality of Stop Plug by following various standards and state of the art facility.



Material	Brass IS : 319 - Standard (Other Graded Materials are also available)
Finish	Nickel - Standard (other plating also available)
Threads	ET / Metric / NPT / PG available
Protection Class	IP 60 (IEC 60529:2001)
Gas Zone	Zone - 1 (IIA & IIB - for Flameproof Stop Plug)
Application	To close unused entries of enclosure & panel and to maintain the integrity.

SELECTION CHART

ET Sizes	MM Sizes	PG Sizes
1/2"	M 12	PG 7
3/4"	M 16	PG 9
1"	M 20	PG 11
1.1/4"	M 25	PG 13.5
1.1/2"	M 32	PG 16
2"	M 40	PG 21
2.1/4"	M 50	PG 29
2.1/2"	M 63	PG 36
2.3/4"		PG 42
3"		PG 48

* Due to continuous R&D actual dimension may differ then the above given dimension.

YUKTI™ REDUCER - CABLE GLAND ACCESSORIES

We provide solutions by manufacturing top quality of Reducer by following various standards and state of the art facility.



Material	Brass IS : 319 - Standard (Other Graded Materials are also available)
Finish	Nickel - Standard (other plating also available)
Threads	BSC / Metric / NPT available
Application	To reduce the entry thread diameter of enclosure & panel.

SELECTION CHART

ET Sizes		MM Sizes	
Male Thread	Female Thread	Male Thread	Female Thread
3/4"	1/2"	M 20	M 16
1"	1/2"	M 25	M 20
1"	3/4"	M 32	M 25
1.1/4"	3/4"	M 40	M 20
1.1/4"	1"	M 40	M 25
1.1/2"	3/4"	M 40	M 32
1.1/2"	1"	M 50	M 20
1.1/2"	1.1/4"	M 50	M 25
2"	1"	M 50	M 32
2"	1.1/4"	M 50	M 40
2"	1.1/2"	M 63	M 40
2.1/4"	1.1/4"	M 63	M 50
2.1/4"	1.1/2"	M 75	M 40
2.1/4"	2"	M 75	M 50
2.1/2"	1.1/2"	M 75	M 63
2.1/2"	2"		
2.1/2"	2.1/4"		

* Due to continuous R&D actual dimension may differ then the above given dimension.

YUKTI™ ADAPTER - CABLE GLAND ACCESSORIES

We provide solutions by manufacturing top quality of Adapter by following various standards and state of the art facility.



Material	Brass IS : 319 - Standard (Other Graded Materials are also available)
Finish	Nickel - Standard (other plating also available)
Threads	BSC / Metric / NPT available
Application	To increase the entry thread diameter of enclosure & panel.

SELECTION CHART

ET Sizes		MM Sizes	
Male Thread	Female Thread	Male Thread	Female Thread
1/2"	3/4"	M 16	M 20
1/2"	1"	M 20	M 25
3/4"	1"	M 25	M 32
3/4"	1.1/4"	M 20	M 40
1"	1.1/4"	M 25	M 40
3/4"	1.1/2"	M 32	M 40
1"	1.1/2"	M 20	M 50
1.1/4"	1.1/2"	M 25	M 50
1"	2"	M 32	M 50
1.1/4"	2"	M 40	M 50
1.1/2"	2"	M 40	M 63
1.1/4"	2.1/4"	M 50	M 63
1.1/2"	2.1/4"	M 40	M 75
2"	2.1/4"	M 50	M 75
1.1/2"	2.1/2"	M 63	M 75
2"	2.1/2"		
2.1/4"	2.1/2"		

* Due to continuous R&D actual dimension may differ then the above given dimension.

YUKTI™ LOCK NUT - CABLE GLAND ACCESSORIES

We provide solutions by manufacturing top quality of Lock Nut by following various standards and state of the art facility.



Material	Brass IS : 319 - Standard (Other Graded Materials are also available)
Finish	Nickel - Standard (other plating also available)
Threads	Metric / PG / NPT available.
Application	To clamp the cable gland & accessories with enclosure & panel.

SELECTION CHART

ET Sizes	MM Sizes	PG Sizes
1/2"	M 12	PG 7
3/4"	M 16	PG 9
1"	M 20	PG 11
1.1/4"	M 25	PG 13.5
1.1/2"	M 32	PG 16
2"	M 40	PG 21
2.1/4"	M 50	PG 29
2.1/2"	M 63	PG 36
2.3/4"		PG 42
3"		PG 48

* Due to continuous R&D actual dimension may differ then the above given dimension.

YUKTI™ EARTH TAG - CABLE GLAND ACCESSORIES

We provide solutions by manufacturing top quality of Earth Tag by following various standards and state of the art facility.



Material	Brass IS : 319 - Standard (Other Graded Materials are also available)
Finish	Natural - Standard (other plating also available)
Option	With Screw & With Out Screw
Application	Provides an earth bond.

SELECTION CHART

Sizes	Thickness
M 12	1.5 mm
M 16	1.5 mm
M 20	1.5 mm
M 25	1.5 mm
M 32	1.5 mm
M 40	1.5 mm
M 50	1.5 mm
M 63	1.5 mm

* Due to continuous R&D actual dimension may differ then the above given dimension.

YUKTI™

PVC SHROUD - CABLE GLAND ACCESSORIES



Material

PVC & LSF

Finish

Black / Gray

Application

Use to cover cable gland as additional protection against weather and increase the IP ratings

SELECTION CHART

MM Sizes	ET Sizes
M 12	1/2"
M 16	3/4"
M 20	1"
M 25	1.1/4"
M 32	1.1/2"
M 40	2"
M 50	2.1/4"
M 63	2.1/2"
	2.3/4"
	3"

* Due to continuous R&D actual dimension may differ then the above given dimension.



YUKTI™ MOLDING INSERT

With an objective to fulfill the ever-evolving demands of our clients, we are engaged in offering a wide assortment of Molding Insert.



Material	Brass IS : 319 - Standard (Other Graded Materials are also available)
Finish	Natural-Standard (Nitric / Nickel / Tin / Silver plating also available)
Threads	Metric - Standard (other thread also available)
Knurling Pattern	Straight / Cross / Diamond - Standard
Size	M 3 to M 75
Application	Used in all kind of moulding components and assemblies Threaded inserts use in plastics industries, communication equipments, automotive industries, electrical & Wiring device cases etc.

* Due to continuous R&D actual dimension may differ then the above given dimension.

YUKTI™ ELECTRIC PIN

Being a leader in the industry, we are engaged in offering a qualitative range of Brass Pin to our clients. Our brass Pin & Socket used in various kinds of plug-ins



Material	Brass IS : 319 - Standard (Other Graded Materials are also available)
Finish	Natural-Standard (Nitric / Nickel / Tin plating also available)
Threads	Metric - Standard (other thread also available)
Size	As per customers requirement.
Application	Used in various kinds of Plug-Ins to ensures flawless connectivity and performance for a long time.

* Due to continuous R&D actual dimension may differ then the above given dimension.

YUKTI™ BRASS NIPPLE

Riding on unfathomable volumes of industrial expertise, we are providing a broad array of Brass Nipple.



Material	Brass IS : 319 - Standard (Other Graded Materials are also available)
Finish	Natural-Standard (Nitric / Nickel / Tin plating also available)
Threads	Metric - Standard (other thread also available)
Size	As per customers requirement.
Application	Usually provided with a male or female thread at the end, for connecting two other parts.

* Due to continuous R&D actual dimension may differ then the above given dimension.

YUKTI™ RIVETING PARTS

We are successfully meeting the varied needs of our patrons by offering a wide gamut of Riveting Parts as per their precise needs.



Material	Brass IS : 319 - Standard (Other Graded Materials are also available)
Finish	Natural-Standard (Nitric / Nickel / Tin plating also available)
Threads	Metric - Standard (other thread also available)
Size	As per customers requirement.
Application	Rivet is a permanent mechanical fastener.

* Due to continuous R&D actual dimension may differ then the above given dimension.

YUKTI™ BRASS STUDS

We are among the reputed organizations, deeply engaged in offering an optimum quality of Brass Studs.



Material	Brass IS : 319 - Standard (Other Graded Materials are also available)
Finish	Nickel - Standard (Nitric / Nickel / Tin plating also available)
Threads	Metric - Standard (other thread also available)
Size	As per customers requirement.
Application	Stud used in joints required for fixing different objects also used in electrical components.

* Due to continuous R&D actual dimension may differ then the above given dimension.

YUKTI™ CUSTOMIZE FASTENERS

We are among the reputed organizations, deeply engaged in offering an optimum quality of Customize Fasteners.



Material	Brass IS : 319 - Standard (Other Graded Materials are also available)
Finish	Natural / Nitric / Nickel / Tin / Silver plating etc.
Threads	Metric - Standard (other thread also available)
Size	As per customers requirement.
Application	Used for tightening or holding or locking two or more bodies or product in definite positions.

* Due to continuous R&D actual dimension may differ then the above given dimension.

YUKTI™ INDUSTRIAL HINGES

Being a leading firm in this industry, we are deeply engaged in offering a high-quality range of Industrial Hinges.




Material	Brass IS : 319 - Standard (Other Graded Materials are also available)
Finish	Nickel-Standard (Nitric / Natural / Tin plating also available)
Threads	Metric - Standard (other thread also available)
Size	As per customers requirement.
Application	Used in various kinds of Electrical & Industrial Panel

* Due to continuous R&D actual dimension may differ then the above given dimension.

YUKTI™ NEUTRAL LINK

With our years of experience & in-depth knowledge in this field, we are engaged in offering a quality-assured array of Brass Neutral Link.



Material	Brass IS : 319 - Standard (Other Graded Materials are also available)
Finish	Natural-Standard (Nitric / Nickel / Tin plating also available)
Threads	Metric - Standard (other thread also available)
Size	As per customers requirement.
Application	It plays major role in isolation of electric equipment & clearing faulty downstream, preventing short circuit & protecting electric circuit from damage caused by overload.

* Due to continuous R&D actual dimension may differ then the above given dimension.

YUKTI™ FLOW SWITCH PARTS

With a firm commitment to quality, our organization is involved in offering a wide ambit of Flow Switch Parts.



Material	Brass IS : 319 - Standard (Other Graded Materials are also available)
Finish	Natural-Standard (Nitric / Nickel / Tin plating also available)
Threads	Metric - Standard (other thread also available)
Size	As per customers requirement.
Application	To control & monitor the flow of the liquids, gas steam etc.

* Due to continuous R&D actual dimension may differ then the above given dimension.

YUKTI™ PRESSURE GAUGE PARTS

Keeping in mind ever-evolving requirements of our respected clients, we are offering a premium quality array of Pressure Gauge Parts.



Material	Brass IS : 319 - Standard (Other Graded Materials are also available)
Finish	Natural-Standard (Nitric / Nickel / Tin plating also available)
Threads	Metric - Standard (other thread also available)
Size	As per customers requirement.
Application	Parts are used in pressure gauges which are specific to pressure monitoring.

* Due to continuous R&D actual dimension may differ then the above given dimension.

YUKTI™ PNEUMATIC COMPONENTS

We provide solutions by manufacturing top quality of Pneumatic Components by following various standards and state of the art facility.



Material	Brass IS : 319 - Standard (Other Graded Materials are also available)
Finish	Natural-Standard (Nitric / Nickel / Tin plating also available)
Threads	UNF - Standard (other thread also available)
Size	As per customers requirement.
Application	Pneumatic Components are parts used to connect sections of pipe, tube and hose in pneumatic systems.

* Due to continuous R&D actual dimension may differ then the above given dimension.



KARMA
INDUSTRIES

"GOVINDUM", Opp. New Jail, New Jail Road,
Jamnagar – 361 005, Gujarat, India.

Email : info@karmaind.com / ks@karmaind.com

Web : www.karmaind.com

SOLUTION FOR METAL COMPONENTS