

CHANCHALA®

Transforming machinery.
Enriching food industry.



An ISO 9001:2008 Certified Company

CHANCHALA®

TECHNOLOGY ★ PERFORMANCE ★ TRUST

A UNIT OF CHANCHALA TRADERS & CHANCHALA INDUSTRIES

MANUFACTURERS & IMPORTERS :

ALL TYPE OF PROFESSIONAL KITCHEN EQUIPMENT,
INDUSTRIAL MACHINERY & SUPPLIERS OF RAW MATERIAL

“आपका व्यवसाय खेत खलिहान से रसोई तक”

बिहार का गौरव

भारत सरकार से मान्यता प्राप्त, बिहार सरकार से मान्यता प्राप्त
एक कदम आत्मनिर्भरता की ओर, 40 साल बनाम 4 साल, चंचला नाम ही काफी है।
नया नौ दिन पुराना सौ दिन, दुनिया में बहुत कुछ देखा लेकिन चंचला का
मशीन नहीं देखा तो कुछ नहीं देखा।



www.chanchalaindustries.com

**CHANCHALA®**Transforming machinery.
Enriching food industry.

COMPANY PROFILE

Incorporated in the year **1980**, Chanchala Traders is proprietorship firm is a prominent name in the home appliance market and is engaged in manufacturing, Importing and supplying of a wide range of domestic appliances. Our domestic appliances are offered under the brand name of "**Chanchala**" and are reckoned among our clients for their superior performance and low power consumption.

Product Portfolio

We are engaged in designing and manufacturing a wide assortment of domestic appliances that is sold under the brand name "**Chanchala**". Offered in varied models and specifications, our range is offered to our clients in standard and customized forms.

Following are the distinguishing features of our range:

- High performance
- Low power consumption
- Durable
- Easy to operate
- Less maintenance required

Our entire range is subject to customization as per the specific requirements of our clients. We also package our consignments in client specific packaging to ensure the convenience of our clients.

Quality Compliance we exercise a quality-oriented approach in order to offer our range of domestic appliances as per the industrial quality standards. With the help of our team of quality inspectors, we ensure that our range is imbued with quality and is free from any flaws. Our quality inspectors closely monitor the production process to avoid any discrepancies. The parameters on which they conduct the checking of our domestic appliances are as follows:

- Performance
- Power consumption
- Operational Fluency
- Uptime

CHANCHALA®

Transforming machinery.
Enriching food industry.

Indian Product Range



3 Lt.



Madani



5 / 10 Lt.



Heavy Duty



Musta Machine



Potato Peeler



Dryer



Potato Chips Machine



Atta Mixer



Atta Mixer



Sav Namkeen Machine



Pulper Machine



Indian Meat Miners



Mawa Machine



Dosa Grinder



Idli Steamer



Gravy Machine



Vegetable Cutter



Commercial Mixer Grinder

CHANCHALA®

Transforming machinery.
Enriching food industry.

Planetary Mixers



B5



B10



B20



B30



B40

Luxury Range



B7



B10



B20



B30



Spiral Mixer Series

Electric Baking Specialist Ovens with Stone



Small



Medium



Large



Large without Stone

Baker Oven



Bread Slicer

Electric / Gas Ovens

1. Single Deck Single Tray
2. Single Deck Two Tray
3. Two Deck Two Tray
4. Two Deck Four Tray

CHANCHALA®

Transforming machinery.
Enriching food industry.

Soup Kettle



Soup Kettle SS



Soup Kettle Fiber



Soup Kettle Iron



Sausage Roller



Hydraulic Sausage Filler

Toasters



TT 150



TT 300



4 Slice Toaster



6 Slice Toaster

Salamanders



Standing Salamanders



4 layer Salamanders



Standard Salamanders



French Fries Cutter



Spiral Cutter

Sandwich Grilles



Sandwich Griller
Jumbo Indian



Sandwich Griller
Jumbo



Sandwich Griller
Standard



Contact Griller



Mini Sandwich Griller

CHANCHALA®

Transforming machinery.
Enriching food industry.

Waffle & Cone Bakers



Cone Baker



Waffle Maker



Waffle Maker Square

Warmer Showcase



Warmer Showcase



Warmer Showcase

Popcorn Machine



Cotton Candy Machine



Popcorn Machine (Heavy)



Popcorn Cart



Corn Steamer

Meat Mincers



Meat Slicers



Meat Mincer 10 N.O



Meat Mincer 12 N.O



Meat Mincer 22 N.O

Shawarma Machine



Shawarma Machine
Electric 3 Burner



Shawarma Machine
Gas 3 Burner



Shawarma Machine
Mini



Indian Shawarma Machine

CHANCHALA®

Transforming machinery.
Enriching food industry.

Ice Crushers



Ice Crushers (Light)



Ice Crushers (Normal)



Ice Crushers (Heavy)



Ice Crushers (Super Commercial)



Ice Crushers (Manual)

Juice Dispenser



Juice Dispenser 8Lt.



Juice Dispenser 8+8 Lt.



Juice Dispenser
with Cooling 18 Lt.



Juice Dispenser
with Cooling 18+18 Lt.



Slush Machine

Blenders



Professional Blender



JTC



JTC



JTC Silent



Stick Blender

Juicers



Automatic Orange Juicer



Sugar Cane Juicer Machine



Motorised Juice Machine



Hand Juicer



Hand Juicer

Bain Maries



Chocolate Fountains



Chocolate Melter



Chocolate Melter

Deep Fryers



deep fryer 3 Liter

electric deep fryer 5 Liters

Deepfryer 5liters

Electric Deep Fryer Double Tank

Gas Deep fryer

Fried Ice Cream Machine

Vegetable Cutter

Bun Warmer




CHANCHALA®

Transforming machinery.
Enriching food industry.



2 HP VEGETABLE CUTTING MACHINE

S.S. BODY (CUTTING CHAMBER ALUMINUM)
HEIGHT 25", LENGTH 23", WIDTH 14"
CUTTING CHAMBER : 12" x 3".3
AVERAGE : 100 to 1000 Kg.
CUTTING BLADE : 12"
WEIGHT : 72 kg
PACKING WEIGHT EXTRA




1 HP VEGETABLE CUTTING MACHINE

DELUXE MODEL No.1
S.S. BODY (CUTTING CHAMBER ALUMINUM)
AVERAGE : 200 to 250 Kg.
HEIGHT 33", LENGTH 21", WIDTH 10"
CUTTING BLADE SIZE : 8"1
CUTTING CHAMBER : 8" x 3.5"
WEIGHT : 47.500 kg
PACKING WEIGHT EXTRA



1 HP VEGETABLE CUTTING MACHINE

REGULAR MODEL No.2
S.S. BODY (CUTTING CHAMBER ALUMINUM)
AVERAGE : 200 to 250 Kg.
HEIGHT 22", LENGTH 21", WIDTH 10"
CUTTING BLADE SIZE : 8"1
CUTTING CHAMBER : 8" x 3.5"
WEIGHT : 44.500 kg
PACKING WEIGHT EXTRA



CHILLY CUTTER

1 HP
GRONDING CHAMBER : 6" x 3"
HEIGHT 20", LENGTH 20", WIDTH-13"
S.S. BODY (CUTTING CHAMBER ALUMINUM)
MOTOR R.P.M. : 960
WEIGHT : 28 kg



GREVY MACHINE

5-1 HP
S.S. BODY
S.S. GRINDING CHAMBER : 5' x 3"
HEIGHT 18.4", LENGTH 17.6", WIDTH-15"
MOTOR R.P.M. : 2800
WEIGHT : 30 kg





CHANCHALA®

Transforming machinery.
Enriching food industry.



2 HP DELUXE GREVY MACHINE

6"-2 HP
S.S. BODY
S.S. GRINDING CHAMBER : 6" x 3.4"
HEIGHT 25", LENGTH 18", WIDTH-16"
MOTOR R.P.M. : 2800
WEIGHT : 38 kg



GREVY MACHINE

6"-2 HP
S.S. BODY
S.S. GRINDING CHAMBER : 6" x 3.4"
HEIGHT 25", LENGTH 18", WIDTH-16"
MOTOR R.P.M. : 2800
WEIGHT : 36 kg



GREVY MACHINE

8"-2 HP
S.S. BODY
S.S. GRINDING CHAMBER : 8" x 4"
HEIGHT 24", LENGTH 18", WIDTH-16"
MOTOR R.P.M. : 2800
WEIGHT : 40 kg



3 HP GREVY MACHINE

9"-3 HP
S.S. BODY
S.S. GRINDING CHAMBER : 9" x 4"
HEIGHT 28", LENGTH 22", WIDTH-18"
MOTOR R.P.M. : 2800
WEIGHT : 45 kg



3 HP DELUXE GREVY MACHINE

9"-3 HP
S.S. BODY
S.S. GRINDING CHAMBER : 9" x 4"
HEIGHT 28", LENGTH 22", WIDTH-18"
MOTOR R.P.M. : 2800
WEIGHT : 47 kg



**5 HP (THREE PHASE)
GREVY MACHINE**

12"-2 HP
S.S. BODY
S.S. GRINDING CHAMBER : 12" x 4"
HEIGHT 31", LENGTH 22", WIDTH-18"
MOTOR R.P.M. : 2800
WEIGHT : 72 kg



CHANCHALA®

Transforming machinery.
Enriching food industry.



2HP (SINGLE PHASE) S.S. 2 IN 1 E-CLASS MULTI PURPOSE MACHINE

S.S. BODY

AMPERE : 10 to 12

AVERAGE : 1 HOUR IN 10 to 14 kg

HOPER : 7 kg

CHAMBER : 9" x 5" Aluminum

MOTOR R.P.M. : 2800

HEIGHT 33", LENGTH 24", WIDTH-12"

WEIGHT : 51 kg



2HP (SINGLE PHASE) S.S. 2 IN 1 A-CLASS MULTI PURPOSE MACHINE

S.S. BODY

AMPERE : 12 to 16

AVERAGE : 1 HOUR IN 28 to 35 kg

HOPER : 18 kg

CHAMBER : 10" x 5.2" Aluminum

MOTOR R.P.M. : 2800

HEIGHT 44", LENGTH 25", WIDTH-16"

WEIGHT : 84 kg



3 HP (SINGLE PHASE) S.S. 2 IN 1 A-CLASS MULTI PURPOSE MACHINE

S.S. BODY

AMPERE : 14 to 18

AVERAGE : 1 HOUR IN 39 to 42 kg

HOPER : 18 kg

CHAMBER : 10" x 6.4" Aluminum

MOTOR R.P.M. : 2800

HEIGHT 44", LENGTH 25", WIDTH-16"

WEIGHT : 94 kg



5 HP (THREE PHASE) S.S. 2 IN 1 A-CLASS MULTI PURPOSE MACHINE

S.S. BODY

AMPERE : 8 to 10

AVERAGE : 1 HOUR IN 48 to 52 kg

HOPER : 18 kg

CHAMBER : 11" x 6.4" Aluminum

MOTOR R.P.M. : 2800

HEIGHT 48", LENGTH 27", WIDTH-17"

WEIGHT : 99 kg



2 HP (SINGLE PHASE) S.S. 2 IN 1 A-CLASS MULTI PURPOSE MACHINE

M.S. BODY Aluminum

AMPERE : 12 to 16

AVERAGE : 1 HOUR IN 25 to 35 kg

CHAMBER : 10" x 5.2" Aluminum

HEIGHT 42", LENGTH 24", WIDTH-16"

HOPER : 10 kg

MOTOR R.P.M. : 2800

WEIGHT : 83 kg

3 HP (SINGLE PHASE) S.S. 2 IN 1 A-CLASS MULTI PURPOSE MACHINE

M.S. BODY Aluminum

AMPERE : 14 to 18

AVERAGE : 1 HOUR IN 39 to 42 kg

CHAMBER : 10" x 6" Aluminum

HEIGHT 42", LENGTH 24", WIDTH-16"

HOPER : 10 kg

MOTOR R.P.M. : 2800

WEIGHT : 94 kg



CHANCHALA®

Transforming machinery.
Enriching food industry.



**5 HP (THREE PHASE) S.S. 2 IN 1
A-CLASS MULTI PURPOSE MACHINE**

M.S. BODY Aluminum

AMPERE : 8 to 10

AVERAGE : 1 HOUR IN 48 to 52 kg

CHAMBER : 11" x 6.4" Aluminum

HEIGHT 48", LENGTH 24", WIDTH-16"

HOPER : 17 kg

MOTOR R.P.M. : 2800

WEIGHT : 101 kg



9" FARSHAN (NAMKIN) MACHINE

MOTOR : 1 HP

BODY : S.S.

ROTOR : S.S.

JALI : 9

BLACK COVER : S.S.

GEAR COVER : S.S.

WEIGHT : 78 kg



7" FARSHAN (NAMKIN) MACHINE

MOTOR : 0.75 HP

BODY : S.S.

ROTOR : S.S.

JALI : 9

BLACK COVER : S.S.

GEAR COVER : S.S.

WEIGHT : 58 kg

S.S. LIVE STEAM BOX



TYPE : 6
SIZE : 23" X 21" X 19.4"
STAND : 12"
TRAY SIZE : 14 X 18
CAPACITY : 3 Kg. PAR TRAY
WEIGHT : 42 Kg.
S.S. PATO 1mm
ALUMI. TRAY

TYPE : 8
SIZE : 28" X 21" X 19.4"
STAND : 12"
TRAY SIZE : 14 X 18
CAPACITY : 3 Kg. PAR TRAY
WEIGHT : 48 Kg.
S.S. PATO 1mm
ALUMI. TRAY

TYPE : 10
SIZE : 35" X 21" X 19.4"
STAND : 12"
TRAY SIZE : 14 X 18
CAPACITY : 3 Kg. PAR TRAY
WEIGHT : 56 Kg.
S.S. PATO 1mm
ALUMI. TRAY

TYPE : 12
SIZE : 40" X 21" X 19.4"
STAND : 12"
TRAY SIZE : 14 X 18
CAPACITY : 3 Kg. PAR TRAY
WEIGHT : 60 Kg.
S.S. PATO 1mm
ALUMI. TRAY

CHANCHALA[®]

Transforming machinery.
Enriching food industry.



M.S. & S.S. PULVERSIZER 9" & 12"

9"

12"

WITHOUT MOTOR

M.S. PULVERSIZER 8" & 10" & 12"

8"

10"

12"

WITHOUT MOTOR



FLOUR KHEADINY MACHINE

5 kg. MACHINE CAPACITY

10 kg. MACHINE CAPACITY

15 kg. MACHINE CAPACITY

20 kg. MACHINE CAPACITY

40 kg. MACHINE CAPACITY

ROTI (CHAPATI) MACHINE

MAIN BODY S.S.

SIZE : 26 x 22 x 22

ELECTRIC MOTOR : 0.5 HP

CAPACITY : 800 to 900 HOUR

STANDARD PANEL BOARD

WEIGHT : 81 Kg.



BESAN MIXING MACHINE



CHICKEN CUTTING MACHINE

8" Blade (0.5HP) Crompton Motor

10" Blade (1HP) Crompton Motor



CHICKEN PLUCKER MACHINE

3 No. Chicken Plucker Machine

5 No. Chicken Plucker Machine

CHANCHALA®Transforming machinery.
Enriching food industry.**Model-RP L-005****AUTOMATIC LIQUID PACKING MACHINE****APPLICATIONS**

Suitable for :- Packing various liquids like Milk, Butter Milk, Mineral Water, Edible Oils etc.

TECHNICAL SPECIFICATIONS :



SEALING TYPES	Pillow Type (Center Sealed Pouches)
PACKAGING SIZE	(Length) 30-150 mm (Film Width) 330 mm generally.
PACKING SPEED	30 - 35 Pouches per Minutes. (Depending upon the size)
PACKAGING RANGE	100 ml. - 500 ml.
PACKING MATERIAL	Any virgin films of 600 to 90 Microns Thickness.
POWER CONSUMPTION	2Kw./H, 230V AC, Single Phase.
POWER LOAD AT PEAK	5kw. at the time of start-up of machine.
MACHINE DIMENSIONS	L710 x W 740 x H 1750 mm. Can vary
NET Wt. OF MACHINE	400 Kgs. (Approx.)


**Model-RP CW-009****MULTI HEAD COMBINATION WEIGHER****APPLICATIONS**

Suitable for :- Kurkure, Potato Chips, Farsan, Chiwda, Namkeen, Dry-Fruits, Grains, Tea, Sugar, Seeds, Frozen Cut Vegetable etc.

TECHNICAL SPECIFICATIONS :

Control	PLC Controlled.
Mode of Operation	Pneumatic
Filling Speed	1000 to 4000 pouches/hr (Depending upon the Size)
Filling Capacity (Range)	10 g to 1Kg.
PACKING MATERIAL	Any heat sealable Laminated Films.
Power Requirement	440V. AC Three Phase, 50Hz.
Compressed Air Req.	8 CFM with 6 bar pressure
Reel Core Diameter	70mm to 76mm. Max. Weight 50 kg.
	200g - 1000g, 1 kg - 5 kg, 2 kg - 10 kg.
MACHINE DIMENSIONS	W-1800, B-1800, H-3350 (mm)
NET Wt. OF MACHINE	600 Kgs. (Approx.)

**BAND SEALERS****PADDLE SEALERS**



CHANCHALA®

Transforming machinery.
Enriching food industry.

Model-RP FSL-004

AUTOMATIC FFS MACHINE FOR LIQUID

APPLICATIONS

Suitable for :- Packing various liquids & Pastes Such as Shampoo, Soyamilk, Butter, Mayonnaise, Seasoning Solution, Tomato Ketchup. Lime Paste Oils, Lubrication Oils etc.

TECHNICAL SPECIFICATIONS :

SEALING TYPES	3 Side Sealing, 4 Side Sealing & Center Sealing (On Request)
PACKAGING SIZE	(Length) 30-150 mm. (Film Width) 60-200 mm.
PACKING SPEED	40 - 120 Pouches per Minutes. (Depending upon the size)
PACKAGING RANGE	4 ml. - 150 ml.
PACKAGING MATERIAL	Any heat sealable Laminated Films.
MOTOR	1/4HP, 230V AC, Single Phase.
HEATER LOAD	350 Watts x 4 No. of Heaters. MACHINE
DIMENSIONS	L 750 x W 560 x H 1800 (mm)
NET Wt. OF MACHINE	280 Kgs. (Approx.)

Model-RP TS-003

AUTOMATIC FORM-FILL & SEAL MACHINE

APPLICATIONS

Suitable for :- Packing various Powders, Granules, Detergent Powder, Seeds, Tea, Milk Powder, Coffee, Spices, Snuff Powder, Pan Masala, Mehandhi Powder, etc.

TECHNICAL SPECIFICATIONS :

SEALING TYPES	3 Side Sealing, 4 Side Sealing and Center Sealing (On Request)
PACKAGING SIZE	(Length) 30-150 mm. (Film Width) 60-200 mm.
PACKING SPEED	40 - 120 Pouches per Minutes. (Depending upon the size)
PACKAGING RANGE	1.5 gms. to 50 gms.
PACKAGING MATERIAL	Any heat sealable Laminated Films. As per packing.
MOTOR	1/4HP & 1/2HP, 220V AC, 50Hz., Single Phase.
HEATER LOAD	150 W x 2, 300 W x 2 (TSS & CS), 350 W x 4 (FSS)
MACHINE DIMENSIONS	L 750 x W 560 x H 1800 mm.
NET Wt. OF MACHINE	280 Kgs. (Approx.)

Model-RP C-007

CANDY PACKING MACHINE

APPLICATIONS

Suitable for :- Sweet, Candy, Chewing-gum, Chocolate, Sugar Cubes, Ayurvedic Candy, etc.

TECHNICAL SPECIFICATIONS :

SEALING TYPES	Center Sealing
PACKING SPEED	300-600 pouches per minute. (Depending upon the packaging object)
WRAPPING RANGE	L : 22-36, W : 13-18, T : 6-16 (mm.)
WRAPPING MATERIAL	Any heat sealable Laminated Films. Paper.
MOTOR	1HP 220V AC, Single Phase.
HEATER LOAD	2.5 Kw.
MACHINE DIMENSIONS	L 1800 x W 1000 x H 1360 (mm)
NET Wt. OF MACHINE	600 Kgs. (Approx.)

CHANCHALA®

Transforming machinery.
Enriching food industry.



IMPULSE SEALER



IMPULSE SEALER
Foot Model



PEPSI SEALER



PEPSI SEALER
Table Top



FILLING MACHINE
FOOT OPERATED



BAND SEALER



BAND SEALER
VERTICAL



SEMI-AUTOMATIC IMPULSE




HOT AIR GUN



JAR SEALER



INDUCTION CAP SEALER



ROLLER TYPE
BATCH CODING MACHINE



CODING MACHINE
HAND OPERATED



CODING MACHINE
HIGH SPEED



SHRINK TUNNEL



L SEALER WITH CHAMBER



TRAY SEALER



STRAPPING MACHINE



DOUBLE CHAMBER VACUUM



VACUUM PACKAGER



DIRECT HEAT SEALER



FUSING MACHINE

CHANCHALA®

Transforming machinery.
Enriching food industry.


AUTOMATIC AGARBATTI MAKING MACHINE



AUTOMATIC MOMO MAKING MACHINE



WEIGHING MACHINE



AUTOMATIC CAMPHOR MACHINE



AUTOMATIC SEWAI MACHINE



AUTOMATIC PATTI PLATE MAKING MACHINE

CHANCHALA[®]

Transforming machinery.
Enriching food industry.

AUTOMATIC NOODLE MAKING MACHINE



AUTOMATIC CHAPATI MAKING MACHINE



MASHALA MILL



CHANCHALA®

Transforming machinery.
Enriching food industry.

NOODLE MAKING MACHINE



Features:

- Available in 2 roller sizes 5.25" & 6.2".
- Cutter Thickness 1.5mm.



Features:

- Available in 2 roller sizes 6.75" & 8" with 0.4 & 0.75kw motor respectively.



Features:

- Suitable for making noodles in bulk quantity.
- Roller size : 11inches.
- Productivity : 60 kg./hr.
- Power : 2.5 kw.


Soyabean Grinder



Features:

- Available in 2 Models with motor power 1.1 & 1.5 Kw. with the productivity of 20 & 50 Kg./Hr. respectively.

COFFEE MACHINE



PISTA-CUTTER



MEAT MINCER



MEAT MINCER

ATTA CHAKKI MACHINE



FAN BINDING MACHINE



!! सौ मिल का सफर भी पहला कदम से ही शुरू होता है !!
!! नौकर नहीं मालिक बने अपना खुद का उद्योग लगाये !!
!! जाना है परमधाम, टिकट है हरी नाम !!

उत्पादन बढ़ाईये-गरीबी हटाईये

!! केवल एक ही समाधान चंचला की मशीनें !!

An ISO 9001:2008 Certified Company

CHANCHALA®

A Unit of Chanchala Traders & Chanchala Industries

“समय बीतता गया, विश्वास बढ़ता गया”

पटना

हैड ऑफिस एण्ड शोहरूम : शॉप नं. 1,
अभिषेक प्लाजा, एग्जीबेशन रोड,
पटना-800001

शोहरूम : चंचला टावर, सहयोगी मार्ग लेन
नियर युको बैंक मेन ब्रांच, एग्जीबेशन रोड
पटना-800001

फैक्ट्री पता : इन्दरा नगर रोड नं. 4,
गली नं. 2, पोस्टल पार्क, पटना-800001

For Sale Enquiry :: 7631494880 ☎
9431015232

For Repairing &
Transportation :: 9470436932 ☎
Enquiry 9470450549

दिल्ली

कॉर्पोरेट ऑफिस : 1/11244,
सुभाष पार्क नवीन शाहदरा,
दिल्ली-110032

Mobile No.: 9386034007 ☎

मशीन की सारी विडियोस और
डिटेल गुगल और युट्युब पर

Google YouTube Facebook

e-mail Id : sales@chanchalaindustries.com

website : www.chanchalatraders.com

website : www.chanchalaindustries.com

#startupindia

STAND UP India
Endeavour and Prosper

JAS-ANZ
C
ISO 9001:2015
CERTIFIED

MAKE IN INDIA

स्वच्छ भारत
एक कदम स्वच्छता की ओर

