



**MAHAPRABHU
ENGINEERS**



**Innovator And Leader In
Manufacturing of
Material-Handling
Equipment**



ABOUT US

We, Shree Mahaprabhu Engineers (SMP), proudly introduce ourselves as an innovator and leader in manufacturing cutting-edge material-handling equipment for the industry. We offer an extensive portfolio of cranes from EOT cranes, Gantry Cranes, Wire Rope Electric Hoists to Jib Cranes and transfer trolleys with a reputation for stability, performance and sustainability.

Our products & services are all about customer satisfaction and we always believe in long term association with our esteemed customers by providing efficient, cost effective & safe material-handling solutions with a highly experienced team of engineers, up-to-date technology and supreme quality, SMP has made its mark in various countries across the world through its quality driven approach.

Today, Shree Mahaprabhu Engineers is a reliable and trustworthy name in crane industry. We have made our mark in the industry with hard work, quality of product and engineering excellence.



ABOUT US

Our vision is to be the premier and preferred material-handling engineering company in the world. And to bring this vision to life, we relentlessly work towards product innovation and improvement. Moreover, customers remain our top priority and thus, we always work hard to make sure that our products meet customer satisfaction.

OUR MISSION

Shree Mahaprabhu Engineers aims to deliver the most efficient, advanced and customized material handling solutions to various industries. Our team is always focused and committed to provide best quality products & services at all the times to our valued customers. We have developed the strongest and the most reputed supply chain to ensure timely delivery of products to all our valuable customers. Our mission is to supply excellent quality products to our esteemed clients & be the preferred supplier of material-handling products.

Single Girder EOT Cranes

- Best suited for medium duty applications.
- Great coverage of floor area.
- Typically used upto 20 tons capacity.
- Can also be used to work diametrically on circular path.

Option : Flameproof / Non-flameproof

Technical Specifications

1	Capacity (t)	(0.5-20)
2	Span (m)	(3-50)
3	Height of Lift (m)	(3-50)
4	Location	Indoor & Outdoor
5	Ambient Temp (Degree Celsius)	upto 50
6	Motions (m/mn)	Main Hoist Speed - (1-10) Cross Travel Speed - (10-50) Long Travel Speed - (10-50)
7	Crane Control	Pendant Radio Remote Control
8	Power Source	Shrouded DSL



- Best suited for heavy duty applications.
- Great coverage of floor area and overhead space.
- Typically used upwards of 10 tons and upto 100 tons in capacity.

- Has safety maintenance platforms which reduce repairing time.
- Can also be used to work diametrically on circular path.

Option : Flameproof / Non-flameproof

Technical Specifications

1	Capacity (t)	(2-100)
2	Span (m)	(3-50)
3	Height of Lift (m)	(3-50)
4	Location	Indoor & Outdoor
5	Ambient Temp (Degree Celsius)	upto 50
6	Motions (m/mn)	Main Hoist Speed - (1-10) Cross Travel Speed - (10-50) Long Travel Speed - (10-50)
7	Crane Control	Pendant Radio Remote Control
8	Operation Cabin	(Open/Closed/AC Cabin)
9	Power Source	Shrouded DSL, MS Angle DSL, Drag Chain




Gantry/Goliath Cranes

- Best suited for medium/ heavy duty applications.
- Especially for an open area which has no supports for an EOT Crane.
- Great coverage of floor area.
- Typically used upto 50 tons capacity.
- Can be used for indoor and outdoor applications.
- Can be run on rails or hard floor. You can ask our Engineer to explain.

Option : Flameproof / Non-flameproof

Technical Specifications

1	Capacity (t)	(2-50)
2	Span (m)	(3-50)
3	Height of Lift (m)	(3-50)
4	Location	Indoor & Outdoor
5	Ambient Temp (Degree Celsius)	upto 50
6	Motions (m/mn)	Main Hoist Speed - (1-10) Cross Travel Speed - (10-50) Long Travel Speed - (10-50)
7	Crane Control	Pendant Radio Remote Control
8	Operation Cabin	(Open/Closed/AC Cabin)
9	Power Source	Cable Reeling drum, Shrouded DSL, MS Angle DSL, Drag Chain



Semi-Gantry/Goliath Cranes

- Best suited for medium/ heavy duty applications.
- Example - If you have a 30 m span shed and you have a 10 ton EOT Crane running in the 30 m span.
- Down below you have a specific area where you need to handle 2 tons of load. Only for a certain length and breadth.
- We can install a semi gantry Crane which is supported on end with legs like in a Gantry Crane while the other end of the girder runs on a rail mounted on top of the columns.
- Great coverage of floor area.
- Typically used upto 50 tons capacity.
- Can be used for indoor and outdoor applications.
- Can be run on rails or hard floor. You can ask our Engineer to explain

Option :
Flameproof / Non-flameproof

Technical Specifications

1	Capacity (t)	(2-50)
2	Span (m)	(3-50)
3	Height of Lift (m)	(3-50)
4	Location	Indoor & Outdoor
5	Ambient Temp (Degree Celsius)	upto 50
6	Motions (m/mn)	Main Hoist Speed - (1-10) Cross Travel Speed - (10-50) Long Travel Speed - (10-50)
7	Crane Control	Pendant Radio Remote Control
8	Operation Cabin	(Open/Closed/AC Cabin)
9	Power Source	Shrouded DSL, MS Angle DSL, Drag Chain



JIB Cranes

- Best suited for medium duty applications in a specified small area.
- Cantilever design allows movement upto 360 degrees of rotation.
- Typically used upto 20 tons capacity.
- Can have a radius of 8 m.

Option : Flameproof / Non-flameproof

Technical Specifications

1	Capacity (t)	(0.5-20)
2	Rotation	360°
3	Radius (m)	(upto 8)
4	Height of Lift (m)	(3-20)
5	Location	Indoor & Outdoor
6	Ambient Temp (Degree Celsius)	upto 50
7	Motions (m/mn)	Main Hoist Speed - (1-10) Travel Speed - (5-50)
8	Crane Control	Pendant Radio Remote Control
9	Power Source	Festoon Cabling & Shrouded DSL



Hoists

- Standard. With precision machined components. With standard bought out fitments.
- Various models for various applications.
- For light/ medium/ heavy duty applications with a capacity of 0.5 tons to 100 tons.
- Can be mounted on all kinds of Cranes.



Option : Flameproof / Non-flameproof

Technical Specifications

1	Capacity (t)	(0.5-100)
2	Height of Lift (m)	(3-50)
3	Location	Indoor & Outdoor
4	Ambient Temp (Degree Celsius)	upto 50
5	Motions (m/mn)	Main Hoist Speed - (1 - 10) Cross Travel Speed - (5-50)
6	Crane Control	Pendant Radio Remote Control

Goods Lifts :

- Goods lift is the most popular design of Shree Mahaprabhu Engineering and proven to be very useful for wide range of application of goods lifts. Good cage is provide with a collapsible gate & with goods cage guide by supporting guide structure / wall mounted guide. Goods life are used for hoisting & lowering the goods cage from ground floor to top floor. Interlocking system & limit switches are provided for the lifting the material safely.



Transfer Trolley

- Shree Mahaprabhu Engineering offers high-performance Transfer Trolleys with a load capacity ranging from 0.5 T to 50 T, ideal for moving heavy materials safely across factory floors. Engineered for durability, precision, and effortless movement, our Transfer Trolleys are perfect for industries needing reliable internal transport solutions that reduce manual effort and streamline handling operations.

STANDARD FEATURES

- ◆ Limit Switches
- ◆ Emergency Limit Switch
- ◆ IP 42 Protection For Panels
- ◆ Galvanize / Ungalvanize FMC Core Wire Ropes
- ◆ Sealed Bearing Lubricated For Life
- ◆ Energy Efficient Motors

OPTIONAL FEATURES

- ◆ Emote For Remote Monitoring of Crane
- ◆ Load Indicator With or Without Display
- ◆ Crane Synchronisation For Tandem Operation
- ◆ Two or More Hoists on Same Girder With/without Synchronisation
- ◆ Anti Sway/ Sway Control Systems
- ◆ Under Bridge Light
- ◆ Automation For Target Positioning (PLC)
- ◆ VFD - Variable Frequency Drive
- ◆ Under Bridge Lights
- ◆ Crane Anti-collision
- ◆ Drag Chain For Cross Traverse Motions
- ◆ Joystick - RCC For Motions
- ◆ Movable Cabin Available
- ◆ Lubrication System
- ◆ Access Platforms
- ◆ Enhanced Speed Range Available



TIMELY DELIVERY :

To enhance customer satisfaction, we ensure timely execution as well as delivery of products with no compromise on the quality.



BEST AFTER SALES SERVICE

We always believe quick after sales service is very important factor for any kind of industries. Timely response & immediate solution for any kind of problem is always key factor for customer satisfaction.

OUR CERTIFICATE :-



MANAGEMENT SYSTEM CERTIFICATE

This is to certify that

SHREE MAHAPRABHU ENGINEERS

SURVEY NO-122/1, NR. S.P RING ROAD, ADANI CIRCLE TO GATRAD ROAD, PUBLIC CONVENIENCE, RAMOL, AHMEDABAD, GUJARAT - 382449, INDIA.

Has been assessed by RAPL and found to comply with the requirements of

ISO 14001: 2015
Environmental Management Systems

For the following activities:

DESIGN , DEVELOPMENT, MANUFACTURE AND SUPPLY OF MATERIAL HANDLING EQUIPMENT SUCH AS EOT CRANE, JIB CRANE, GOLIATH CRANE, GOODS LIFT, ELECTRIC WIRE ROPE HOIST.

Certificate Number: E20251238158
Date of certification: 22/12/2025
Certification Valid Until: 21/12/2028

Director (Certification)
ROYAL ASSESSMENTS PVT. LTD.
Accredited
623 A, Tower-B, IITM, Plot No. A-40, Sector -62, Hoshangabad, 201301, India.
www.royalapl.com, info@royalapl.com
Phone: 01148107891
This Certificate can be verified at www.iafcertsearch.org



MANAGEMENT SYSTEM CERTIFICATE

This is to certify that

SHREE MAHAPRABHU ENGINEERS

SURVEY NO-122/1, NR. S.P RING ROAD, ADANI CIRCLE TO GATRAD ROAD, PUBLIC CONVENIENCE, RAMOL, AHMEDABAD, GUJARAT - 382449, INDIA.

Has been assessed by RAPL and found to comply with the requirements of

ISO 9001: 2015
Quality Management Systems

For the following activities:

DESIGN , DEVELOPMENT, MANUFACTURE AND SUPPLY OF MATERIAL HANDLING EQUIPMENT SUCH AS EOT CRANE, JIB CRANE, GOLIATH CRANE, GOODS LIFT, ELECTRIC WIRE ROPE HOIST.

Certificate Number: E20251238157
Date of certification: 22/12/2025
Certification Valid Until: 21/12/2028

Director (Certification)
ROYAL ASSESSMENTS PVT. LTD.
Accredited
623 A, Tower-B, IITM, Plot No. A-40, Sector -62, Hoshangabad, 201301, India.
www.royalapl.com, info@royalapl.com
Phone: 01148107891
This Certificate can be verified at www.iafcertsearch.org



MANAGEMENT SYSTEM CERTIFICATE

This is to certify that

SHREE MAHAPRABHU ENGINEERS

SURVEY NO-122/1, NR. S.P RING ROAD, ADANI CIRCLE TO GATRAD ROAD, PUBLIC CONVENIENCE, RAMOL, AHMEDABAD, GUJARAT - 382449, INDIA.

Has been assessed by RAPL and found to comply with the requirements of

ISO 45001: 2018
Occupational Health & Safety Management Systems

For the following activities:

DESIGN , DEVELOPMENT, MANUFACTURE AND SUPPLY OF MATERIAL HANDLING EQUIPMENT SUCH AS EOT CRANE, JIB CRANE, GOLIATH CRANE, GOODS LIFT, ELECTRIC WIRE ROPE HOIST.

Certificate Number: E20251238159
Date of certification: 22/12/2025
Certification Valid Until: 21/12/2028

Director (Certification)
ROYAL ASSESSMENTS PVT. LTD.
Accredited
623 A, Tower-B, IITM, Plot No. A-40, Sector -62, Hoshangabad, 201301, India.
www.royalapl.com, info@royalapl.com
Phone: 01148107891
This Certificate can be verified at www.iafcertsearch.org

All Types Materials Handling Equipments

- ◆ Overhead Cranes
- ◆ Gantry Cranes
- ◆ Jib Cranes
- ◆ Monoroil Systems
- ◆ Wire Rope Hoists
- ◆ Flame Proof Cranes & Hoist
- ◆ Crane Kit
- ◆ Goods Life
- ◆ Transfer Tralley
- ◆ Load Rototing Equipment
- ◆ Circular Lifting Magnets
- ◆ Crane Spares & Accessories
- ◆ Crane Service & AMC



- 📍 Survey No. 122/1, Nr. SP Ring Road, Adani Circle to Gatrad Road, Ramol, Ahmedabad-382430. Gujarat, India.
- ✉ sales@smpengineers.in
- 🌐 www.smpengineers.in
- ☎ +91 96246 78789
- ☎ +91 99092 53384