



Pinn BRONZE VALVES MARKED



IS : 778

Pinn

1

ITEM

GUN METAL GATE VALVE  **MARKED**

PRODUCT DETAILS :-

SCREWED-IN-BONNET, INSIDE SCREW, NON RISING STEM, INTEGRAL SEATS & BACK SEAT. ARRANGEMENT, STURDY HANDWHEEL- CONFORMING TO IS:778-1984 CLASS-1

END DETAILS :-

SCREWED FEMALE TO IS-554 (BSP)

TESTING :- (HYD.)

BODY TEST PRESSURE : 1.5 Mpa

SEAT & BACK SEAT TEST PRESSURE : 1.0 Mpa



Q-51

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	780.00
3/4	20	1100.00
1	25	1545.00
1¼	32	2340.00
1½	40	3055.00
2	50	4445.00
2½	65	8450.00
3	80	11690.00
4	100	23565.00

Water ☒ Steam ☐ Gas ☐ Oil ☒ Air ☐

Pinn

2

ITEM

GUN METAL GATE VALVE  **MARKED**

PRODUCT DETAILS :-

SCREWED-IN-BONNET, INSIDE SCREW, NON RISING STEM, INTEGRAL SEATS & BACK SEAT. ARRANGEMENT WITH STURDY HANDWHEEL CONFORMING TO IS:778-1984 CLASS-1.


END DETAILS :-

FLANGED ENDS, IS:778 CLASS-I

TESTING :- (HYD.)

BODY TEST PRESSURE : 1.5 Mpa

SEAT & BACK SEAT TEST PRESSURE : 1.0 Mpa



Q-52

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	2540.00
3/4	20	3225.00
1	25	4440.00
1¼	32	6015.00
1½	40	7925.00
2	50	11245.00
2½	65	15605.00
3	80	20680.00
4	100	35320.00

Water ☒ Steam ☐ Gas ☐ Oil ☒ Air ☐

Pinn

3

ITEM

GUN METAL GATE VALVE  **MARKED CLASS-II**

PRODUCT DETAILS :-

SCREWED IN BONNET, INSIDE SCREW, NON RISING STEM INTEGRAL SEAT & BACK SEAT ARRANGEMENT, STURDY HANDWHEEL - CONFORMING TO IS-778-84 CLASS-II

END DETAILS :-

SCREWED FEMALE TO IS-554 (BSP)

TESTING :- (HYD.)

BODY TEST PRESSURE : 2.4 Mpa

SEAT TEST PRESSURE : 1.6 Mpa



Q-51 A

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	925.00
3/4	20	1295.00
1	25	1835.00
1¼	32	2780.00
1½	40	3620.00
2	50	5340.00
2½	65	10040.00
3	80	14035.00
4	100	28055.00

Water ☒ Steam ☐ Gas ☐ Oil ☒ Air ☐



Pinn BRONZE VALVES MARKED



IS : 778

Pinn

4

ITEM

GUN METAL GLOBE VALVE  MARKED CLASS-I

PRODUCT DETAILS :-

SCREWED-IN-BONNET, INSIDE SCREW, INTEGRAL SEATS RISING STEM & BACK SEAT. ARRANGEMENT WITH STURDY HANDWHEEL CONFORMING TO IS:778-1984 CLASS-1.

END DETAILS :-

SCREWED FEMALE TO IS-554 (BSP)

TESTING :- (HYD.)

BODY TEST PRESSURE : 1.5 Mpa

SEAT & BACK SEAT TEST PRESSURE : 1.0 Mpa



Q-53

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	625.00
3/4	20	960.00
1	25	1345.00
1 1/4	32	2160.00
1 1/2	40	2870.00
2	50	4655.00

Water ☒ Steam ☐ Gas ☐ Oil ☒ Air ☐

Pinn

5

ITEM

GUN METAL GLOBE VALVE  MARKED CLASS-II

PRODUCT DETAILS :-

SCREWED IN BONNET, INSIDE SCREW, INTEGRAL SEAT RISING STEM & BACK SEAT ARRANGEMENT WITH STURDY HANDWHEEL - CONFORMING TO IS-778-84 CLASS-II

END DETAILS :-

SCREWED FEMALE TO IS-554 (BSP)

TESTING :- (HYD.)

BODY TEST PRESSURE : 2.4 Mpa

SEAT TEST PRESSURE : 1.6 Mpa



Q-53 A

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	755.00
3/4	20	1055.00
1	25	1595.00
1 1/4	32	2575.00
1 1/2	40	3420.00
2	50	5520.00
2 1/2	65	10145.00
3	80	15365.00
4	100	29380.00

Water ☒ Steam ☐ Gas ☐ Oil ☒ Air ☐

Pinn

6

ITEM

GUN METAL HORIZONTAL LIFT CHECK VALVE  MARKED CLASS-I

PRODUCT DETAILS :-

SCREWED IN COVER & INTEGRAL SEATS. CONFORMING TO IS:778-1984 CLASS-1.


END DETAILS :-

SCREWED FEMALE TO IS-554 (BSP)

TESTING :- (HYD.)

BODY TEST PRESSURE : 1.5 Mpa

SEAT TEST PRESSURE : 1.0 Mpa



Q-54

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	610.00
3/4	20	935.00
1	25	1315.00
1 1/4	32	2130.00
1 1/2	40	2840.00
2	50	4580.00

Water ☒ Steam ☐ Gas ☐ Oil ☒ Air ☐



Pinn BRONZE VALVES



MARKED

Pinn

7

ITEM

GUN METAL VERTICAL CHECK VALVE



PRODUCT DETAILS :-

INTEGRAL SEATS, CONFORMING TO IS:778 CLASS-1.

END DETAILS :-

SCREWED FEMALE ENDS (BSP)

TESTING :- (HYD.)

BODY TEST PRESSURE : 1.5 Mpa

SEAT TEST PRESSURE : 1.0 Mpa



Q-55

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	510.00
3/4	20	690.00
1	25	995.00
1 1/4	32	1600.00
1 1/2	40	1885.00
2	50	2705.00

Water ☒ Steam ☐ Gas ☐ Oil ☒ Air ☐

Pinn

8

ITEM

BRONZE PRESSURE REDUCING VALVE

PRODUCT DETAILS :-

SELF ACTING, SPRING OPERATED PRESSURE REDUCING VALVE, THE DOWN PRESSURE IS ACTING ON DIAPHRAGM.

END DETAILS :-

SCREWED FEMALE (BSP)

TESTING (HYD.) :

BODY-18 BAR

SEAT- 16 BAR

PRESSURE RANGE :-

0.8 BAR TO 8 BAR



Q-100

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	2045.00
3/4	20	2625.00
1	25	4710.00
1 1/4	32	5490.00
1 1/2	40	10495.00
2	50	17255.00
2 1/2	65	34300.00
3	80	42960.00

Water ☒ Steam ☐ Gas ☐ Oil ☒ Air ☒

Pinn

9

ITEM

BRONZE PRESSURE REDUCING VALVE

PRODUCT DETAILS :-

SELF ACTING, SPRING OPERATED PRESSURE REDUCING VALVE, THE DOWN PRESSURE IS ACTING ON DIAPHRAGM.

END DETAILS :-

FLANGED ENDS TO BS:4504 PN 10

TESTING (HYD.) :

BODY-18 BAR

SEAT- 16 BAR

PRESSURE RANGE :-

0.8 BAR TO 8 BAR



Q-100A

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	5580.00
3/4	20	6945.00
1	25	12565.00
1.1/4	32	14535.00
1.1/2	40	27850.00
2	50	43010.00
2.1/2	65	50515.00
3	80	63470.00

Water ☒ Steam ☐ Gas ☐ Oil ☒ Air ☒



Pinn BRONZE WATER LINE VALVES

Pinn

10

ITEM

BRONZE BALL VALVE

PRODUCT DETAILS :-

STAINLESS STEEL BALL, TEFLON SEATS & BLOW PROOF SPINDLE, LEVER OPERATED

END DETAILS :-

SCREWED FEMALE ENDS (BSP)

TESTING :- (HYD.)

BODY TEST PRESSURE : 300 psig.

SEAT TEST PRESSURE : 300 psig.



Q-1

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	570.00
3/4	20	885.00
1	25	1370.00
1¼	32	2200.00
1½	40	3595.00
2	50	4655.00
2½	65	8640.00
3	80	12145.00
4	100	27615.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

11

ITEM

FORGED BRASS BALL VALVE SCREWED PN25

PRODUCT DETAILS :-

Full Bore, Two piece design, lever operated with hard chrome plated ball, PTFE Seat rings, blow of proof stem and chrome finish body

END DETAILS :-

Screwed Female Ends BSP TO BS:21

TESTING (HYD.)

Body Test Pressure : 550 psig. 38 Barg.

Seat Test Pressure : 400 psig 27.6 Barg



Q - 1 A

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	370.00
3/4	20	520.00
1	25	790.00
1¼	32	1350.00
1½	40	1985.00
2	50	2890.00
2½	65	6015.00
3	80	8120.00
4	100	14395.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

12

ITEM

BRONZE BALL VALVE FLANGED ENDS

PRODUCT DETAILS :-

TWO PIECE DESIGN, TEFLON SEATS, SS BALL AND STEM LEVER OPERATED


ENDS DETAILS :-

FLANGED TO BS-10 TABLE 'D'.

TESTING :- (HYD.)

BODY TEST PRESSURE : 300 psig.

SEAT TEST PRESSURE : 300 psig.



Q-87

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	2825.00
3/4	20	3870.00
1	25	5010.00
1¼	32	6640.00
1½	40	9335.00
2	50	13910.00
2½	65	21805.00
3	80	26220.00
4	100	49305.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn BRONZE WATER LINE VALVES

Pinn

13

ITEM

BRONZE BALL VALVE WITH BRONZE Y-TYPE STRAINER

PRODUCT DETAILS :-

Ball Valve- with Full Bore, Stainless Steel Ball, Teflon Seats & Blow Off Proof Spindle, Lever Operated

Y-Type Strainer- with S.S. (AISI304) Non Magnetic Screen

END DETAILS:-

Screwed Female Ends (BSP)

TESTING:- (HYD.)

Body Test Pressure: 300 Psig

Seat Test Pressure: 300 psig



Q-13

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	1295.00
3/4	20	2145.00
1	25	3430.00
1¼	32	5585.00
1½	40	8425.00
2	50	13615.00
2½	65	25840.00
3	80	35835.00
4	100	66755.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

14

ITEM

BRONZE BALL VALVE WITH BRONZE SIGHT GLASS

PRODUCT DETAILS :-

Ball Valve- with Full Bore, Stainless Steel Ball, Teflon Seats & Blow Off Proof Spindle, Lever Operated

Sight Glass- with Toughened Glass, Sealed CAF Gasket From Two Sides Of Glass
Screwed BSP Female Ends


END DETAILS:-

Screwed Female Ends (BSP)

TESTING:- (HYD.)

Body Test Pressure: 300 Psig

Seat Test Pressure: 300 psig



Q-14

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	1550.00
3/4	20	2095.00
1	25	2905.00
1¼	32	4710.00
1½	40	6815.00
2	50	9795.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

15

ITEM

FORGED BRASS BALL VALVE WITH BRONZE Y-TYPE STRAINER

PRODUCT DETAILS :-

Ball Valve- Full Bore, Two Piece design, Quarter Turn, Lever operated Provided with Forged Brass Hard Chrome Plated Ball, PTFE Body Rings, Blow Off Proof Stem, Gland Packing And Chrome Finish

Y-Type Strainer- with S.S. (AISI304) Non Magnetic Screen

END DETAILS:

Screwed Female Ends (BSP)

TESTING:- (HYD.)

Body Test Pressure: 550 Psig (Ball Valve)

Seat Test Pressure: 400 psig (Ball Valve)

Body Test Pressure: 300 Psig (Y-Type Strainer)



Q-15

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	1120.00
3/4	20	1815.00
1	25	2915.00
1¼	32	4835.00
1½	40	6835.00
2	50	12010.00
2½	65	23785.00
3	80	31075.00
4	100	51725.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn BRONZE WATER LINE VALVES

Pinn

16

ITEM

FORGED BRASS BALL VALVE WITH BRONZE SIGHT GLASS

PRODUCT DETAILS :-

Full Bore, Two Piece design, Quarter Turn, Lever operated
Provided with Forged Brass Hard, Chrome Plated Ball PTFE
Body Rings, Blow Off Proof Stem, Gland Packing And Chrome
Finish body

Sight Glass- with Toughened Glass, Sealed CAF Gasket
From Both Sides Of Glass Screwed BSP Female Ends

END DETAILS:-

Screwed Female Ends (BSP)

TESTING:- (HYD.)

Body Test Pressure: 550 Psig (Ball Valve)

Seat Test Pressure: 400 Psig (Ball Valve)

Body Test Pressure: 300 Psig (Sight Glass Strainer)



Q-1AG

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	1380.00
3/4	20	1755.00
1	25	2400.00
1¼	32	3965.00
1½	40	5230.00
2	50	8155.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

17

ITEM

BRONZE UNION BONNET WHEEL VALVE NO.9

PRODUCT DETAILS :-

WITH S.S. (AISI 410) RENEWABLE WORKING
PARTS. RATES FOR THE PRODUCTS WITH S.S.
(AISI 304) WORKING PARTS CAN BE QUOTED
ON DEMAND.

END DETAILS :-

SCREWED FEMALE ENDS

TESTING :- (HYD.)

BODY TEST PRESSURE : 500 psig.

SEAT TEST PRESSURE : 500 psig.



Q-4

SIZE		PRICE PER PC.
INCH.	MM	
1/4	8	1080.00
3/8	10	1080.00
1/2	15	1190.00
3/4	20	1910.00
1	25	2660.00
1¼	32	3770.00
1½	40	6390.00
2	50	8950.00
2½	65	14785.00
3	80	23455.00
4	100	43140.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

18

ITEM

BRONZE UNION BONNET WHEEL VALVE NO.9

PRODUCT DETAILS :-

WITH S.S.(AISI 410) RENEWABLE WORKING
PARTS FLANGEDS UNDRILLED RATES. FOR
THE PRODUCTS WITH S.S.(AISI
304)RENEWABLE WORKING PARTS CAN BE
QUOTED ON DEMAND.

END DETAILS :-

FLANGES ENDS TO B.S. 10 TABLE 'F'

TESTING :- (HYD.)

BODY TEST PRESSURE : 500 psig.

SEAT TEST PRESSURE : 500 psig.



Q-5

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	2965.00
3/4	20	3975.00
1	25	5725.00
1¼	32	7955.00
1½	40	10155.00
2	50	15275.00
2½	65	22515.00
3	80	30910.00
4	100	55835.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn BRONZE STEAM VALVES

Pinn

19

ITEM

BRONZE UNION BONNET GLOBE VALVE

PRODUCT DETAILS :-

SCREWED ON BONNET WITH TEFLON DISC. SCREWED FEMALE ENDS. SUITABLE FOR 250 PSIG. HYD.

END DETAILS :-

SCREWED FEMALE ENDS. (BSP)

TESTING :- (HYD.)

BODY TEST PRESSURE : 500 psig.

SEAT TEST PRESSURE : 350 psig.



Q-20

SIZE		PRICE PER PC.
INCH.	MM	
1/4	8	1215.00
3/8	10	1220.00
1/2	15	1295.00
3/4	20	2120.00
1	25	2900.00
1 1/4	32	4045.00
1 1/2	40	7275.00
2	50	10485.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

20

ITEM

SS UNION BONNET GLOBE VALVE NO.9

PRODUCT DETAILS :-


CAST STAINLESS STEEL BODY, BONNET & GLAND NUT (AISI -420) INTEGRAL SEATING WITH SS (AISI410) WORKING PARTS

END DETAILS :-

SCREWED FEMALE BSP TO BS:21 OR AS REQUIRED

TESTING :- BODY- 40kg/cm² HYD.

SEAT- 30kg/cm² HYD.



Q-69

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	995.00
3/4	20	1615.00
1	25	2310.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

21

ITEM

BRONZE GATE VALVE, HEAVY PATTERN

PRODUCT DETAILS :-

WITH BRASS STEM CAN BE SUPPLIED WITH (S.S.AISI 410) STEM ON DEMAND (S.S. PARTS PRICE EXTRA)

END DETAILS :-

SCREWED FEMALE ENDS (BSP)

TESTING :- (HYD.)

BODY TEST PRESSURE : 300 psig.

SEAT TEST PRESSURE : 200 psig.



Q-6

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	685.00
3/4	20	935.00
1	25	1355.00
1 1/4	32	1970.00
1 1/2	40	2645.00
2	50	3740.00
2 1/2	65	7440.00
3	80	9930.00
4	100	20405.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn THE PERFORMING VALVES

Pinn

22

ITEM

BRONZE GATE VALVE

PRODUCT DETAILS :-

WITH BRASS STEM FLANGES UNDRILLED.
CAN BE SUPPLIED WITH S.S.(AISI 410) STEM
ON DEMAND (S.S. PARTS PRICES EXTRA)

END DETAILS :-

FLANGED ENDS TO B.S. 10 TABLE 'D'

TESTING :- (HYD.)

BODY TEST PRESSURE : 300 psig.

SEAT TEST PRESSURE : 200 psig.



P-7

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	2235.00
3/4	20	2625.00
1	25	3645.00
1¼	32	4600.00
1½	40	6690.00
2	50	8640.00
2½	65	13805.00
3	80	18415.00
4	100	29650.00
5	125	69685.00
6	150	82310.00

Water ☒ Steam ☐ Gas ☐ Oil ☒ Air ☐

Pinn

23

ITEM

BRONZE GATE VALVE HATTERSLEY, ROUGH BODY MEDIUM PATTERN

PRODUCT DETAILS :-

INSIDE SCREW, NON RISING STEM, INTEGRAL
SEATS. WITH STURDY HANDWHEEL .

END DETAILS :-

SCREWED FEMALE ENDS (BSP)

TESTING :- (HYD.)

BODY TEST PRESSURE : 300 psig.

SEAT TEST PRESSURE : 200 psig.



P-2

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	485.00
3/4	20	655.00
1	25	825.00
1¼	32	1280.00
1½	40	1695.00
2	50	2390.00
2½	65	4530.00
3	80	6315.00
4	100	13145.00

Water ☒ Steam ☐ Gas ☐ Oil ☒ Air ☐

Pinn

24

ITEM

BRONZE GATE VALVE HATTERSLEY, ROUGH BODY HEAVY PATTERN, SCREWED

PRODUCT DETAILS :-

INSIDE SCREW, NON RISING STEM, INTEGRAL
SEATS WITH STURDY HANDWHEEL

END DETAILS :-

SCREWED FEMALE ENDS (BSP)

TESTING :-

BODY TEST PRESSURE : 300 psig. hyd.

SEAT TEST PRESSURE : 200 psig. hyd.



P-3

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	710.00
3/4	20	865.00
1	25	1150.00
1¼	32	1695.00
1½	40	2045.00
2	50	2905.00

Water ☒ Steam ☐ Gas ☐ Oil ☒ Air ☐



Pinn BRONZE WATER LINE VALVES

Pinn

25

ITEM

BRONZE GATE VALVE PEGULAR

PRODUCT DETAILS :-

SCREWED IN BONNET , NON RISING STEM, RISING SEAT, BRASS STEM

ENDS DETAILS :-

SCREWED FEMALE ENDS (BSP)

TESTING :-

BODY TEST PRESSURE : 300 psig.

SEAT TEST PRESSURE : 300 psig.

PRICES FOR S.S. ROD SHALL BE COATED EXTRA



Q-60

SIZE		PRICE PER PC. BRASS ROD
INCH.	MM	
1/2	15	540.00
3/4	20	710.00
1	25	1045.00
1 1/4	32	1505.00
1 1/2	40	1860.00
2	50	2760.00
2 1/2	65	6440.00
3	80	7960.00
4	100	12625.00
5	125	38250.00
6	150	45690.00

Water ☒ Steam ☐ Gas ☐ Oil ☒ Air ☐

Pinn

26

ITEM

BRONZE TANKER VALVE

PRODUCT DETAILS :-

SCREWED-IN-BONNET, INSIDE SCREW, NON RISING STEM, FORGED BRASS, DOUBLE WEDGE TYPE, LOCKING ARRANGEMENT. CAN BE SUPPLY WITH SS STEM (PRICES EXTRA)

END DETAILS :-

SCREWED FEMALE ENDS (BSP)

TESTING :- (HYD.)

BODY TEST PRESSURE : 300 psig.

SEAT TEST PRESSURE : 200 psig.



Q-42

SIZE		PRICE PER PC.
INCH.	MM	
2 1/2	65	7980.00
3	80	8700.00

Water ☒ Steam ☐ Gas ☐ Oil ☒ Air ☐

Pinn

27

ITEM

BRONZE GATE VALVE NON-RISING STEM WITH LOCKING DEVICE AND OPEN-SHUT INDICATOR

PRODUCT DETAILS :-

SCREWED-IN-BONNET, INSIDE SCREW, INTEGRAL SEAT & BACK SEAT, STURDY HAND WHEEL

END DETAILS :-

SCREWED FEMALE ENDS (BSP)

TESTING :- (HYD.)

BODY TEST PRESSURE : 1.5 Mpa

SEAT TEST PRESSURE : 1.0 Mpa



Q-88

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	995.00
3/4	20	1305.00
1	25	1775.00
1 1/4	32	2395.00
1 1/2	40	3130.00
2	50	4280.00
2 1/2	65	7900.00
3	80	10875.00
4	100	21580.00

Water ☒ Steam ☐ Gas ☐ Oil ☒ Air ☐



Pinn BRONZE INDUSTRIAL VALVES

Pinn

28

ITEM

BRONZE GATE VALVE NON-RISING STEM WITH LOCKING DEVICE AND OPEN-SHUT INDICATOR

PRODUCT DETAILS :-

SCREWED-IN-BONNET, INSIDE SCREW, INTEGRAL SEAT & BACK SEAT, STURDY HAND WHEEL

END DETAILS :-

FLANGED ENDS TO BS-10 TABLE 'D'

TESTING :- (HYD.)

BODY TEST PRESSURE : 1.5 Mpa

SEAT & BACK SEAT PRESSURE : 1.0 Mpa



Q-89

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	2590.00
3/4	20	3035.00
1	25	4145.00
1¼	32	5175.00
1½	40	7345.00
2	50	9335.00
2½	65	13970.00
3	80	19010.00
4	100	30905.00

Water ☒ Steam ☐ Gas ☐ Oil ☒ Air ☐

Pinn

29

ITEM

BRONZE GATE VALVE RISING STEM

PRODUCT DETAILS :-

SCREWED ON BONNET, INTEGRAL SEATS, EXTRA HEAVY PATTERN

END DETAILS :-

SCREWED FEMALE (BSP)

TESTING :- (HYD.)

BODY TEST PRESSURE : 2.4 Mpa

SEAT TEST PRESSURE : 1.6 Mpa



Q-61

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	1380.00
3/4	20	1810.00
1	25	2455.00
1¼	32	3265.00
1½	40	4305.00
2	50	5900.00
2½	65	10820.00
3	80	14890.00
4	100	29755.00

Water ☒ Steam ☐ Gas ☐ Oil ☒ Air ☐

Pinn

30

ITEM

BRONZE GATE VALVE RISING STEM

PRODUCT DETAILS :-

SCREWED-IN-BONNET, INTEGRAL SEATS, HEAVY PATTERN WITH STURDY HAND WHEEL

END DETAILS :-

SCREWED FEMALE ENDS (BSP)

TESTING :- (HYD.)

BODY TEST PRESSURE : 300 psig.

SEAT TEST PRESSURE : 200 psig.



Q-90

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	1150.00
3/4	20	1525.00
1	25	2040.00
1¼	32	2725.00
1½	40	3590.00
2	50	4910.00
2½	65	9015.00
3	80	12395.00
4	100	24795.00

Water ☒ Steam ☐ Gas ☐ Oil ☒ Air ☐



Pinn BRONZE INDUSTRIAL VALVES

Pinn

31

ITEM

BRONZE GATE VALVE RISING STEM

PRODUCT DETAILS :-

SCREWED-IN-BONNET, INSIDE THREAD, INTEGRAL SEAT, HEAVY PATTERN STURDY HAND WHEEL

END DETAILS :-

FLANGED ENDS TO BS-10 TABLE 'D'

TESTING :- (HYD.)

BODY TEST PRESSURE : 300 psig.

SEAT & BACK SEAT PRESSURE : 200 psig.



Q-91

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	3000.00
3/4	20	3495.00
1	25	4800.00
1¼	32	5955.00
1½	40	8390.00
2	50	10625.00
2½	65	16065.00
3	80	21660.00
4	100	35525.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

32

ITEM

BRONZE GATE VALVE ONE SIDE FLANGED AND ONE SIDE SCREWED

PRODUCT DETAILS :-

NON RISING STEM, SCREWED-IN-BONNET, INTEGRAL SEAT AND BACK SEAT WITH STURDY HAND WHEEL

END DETAILS :-

FLANGED END AS PER BS-10 TABLE 'D'
SCREWED END - FEMALE BSP

TESTING :- (HYD.)

BODY TEST PRESSURE : 300 psig.

SEAT & BACK SEAT PRESSURE : 200 psig.



Q-92

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	1580.00
3/4	20	2005.00
1	25	2900.00
1¼	32	4280.00
1½	40	5755.00
2	50	7620.00
2½	65	10040.00
3	80	15050.00
4	100	26785.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

33

ITEM

BRONZE GLOBE VALVE ONE SIDE FLANGED AND ONE SIDE SCREWED

PRODUCT DETAILS :-

RISING STEM, SCREWED-IN-BONNET, INTEGRAL SEAT AND STURDY HAND WHEEL (TEFLON SEATED CAN BE AVAILABLE ON DEMAND)

END DETAILS :-

FLANGED ENDS AS PER BS-10 TABLE 'D'
SCREWED END - FEMALE BSP

TESTING :- (HYD.)

BODY TEST PRESSURE : 300 psig.

SEAT & BACK SEAT PRESSURE : 200 psig.



Q-93

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	1695.00
3/4	20	1875.00
1	25	2990.00
1¼	32	4375.00
1½	40	5755.00
2	50	6700.00
2½	65	9675.00
3	80	14340.00
4	100	26575.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn THE PERFORMING VALVES

Pinn

34

ITEM

BRONZE GLOBE VALVE

PRODUCT DETAILS :-

HEAVY PATTERN WITH TEFLON DISC.
SUITABLE FOR TRANSFORMER
OIL AND AIR SERVICE.

END DETAILS :-

SCREWED FEMALE ENDS (BSP)

TESTING :- (HYD.)

BODY TEST PRESSURE : 500 psig.

SEAT TEST PRESSURE : 300 psig.



Q-21

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	825.00
3/4	20	1215.00
1	25	2095.00
1¼	32	2575.00
1½	40	3825.00
2	50	6110.00
2½	65	10650.00
3	80	13590.00
4	100	22595.00

Water ☒ Steam ☐ Gas ☒ Oil ☒ Air ☒

Pinn

35

ITEM

BRONZE GLOBE VALVE


PRODUCT DETAILS :-

MEDIUM PATTERN WITH TEFLON DISC
SUITABLE FOR TRANSFORMER
OIL & AIR SERVICES

TESTING :- (HYD.)

BODY TEST PRESSURE : 300 psig.

SEAT TEST PRESSURE : 200 psig.



Q-66

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	570.00
3/4	20	740.00
1	25	1280.00
1¼	32	2005.00
1½	40	2565.00
2	50	4125.00
2½	65	6070.00
3	80	10145.00
4	100	19530.00

Water ☒ Steam ☐ Gas ☒ Oil ☒ Air ☒

Pinn

36

ITEM

BRONZE THERMODYNAMIC STEAM TRAP

PRODUCT DETAILS :-

with S.S. (AISI 410) Working Parts and (AISI 304)
Non Magnetic Strainer.

END DETAILS :-

FEMALE ENDS (BSP)

TESTING :- (HYD.)

BODY TEST PRESSURE : 500

TESTING :- (STEAM)

SEAT TEST PRESSURE : 150

WORKING PRESSURE :-

SUITABLE FOR STEAM PRESSURE

MIN 76 PSIG. - MAX. 200 PSIG

MAX. TEMP. 225°C



Q-10

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	1685.00
3/4	20	2555.00
1	25	4155.00

Water ☐ Steam ☒ Gas ☐ Oil ☐ Air ☐



Pinn BRONZE INDUSTRIAL VALVES

Pinn

37

ITEM

BRONZE 'Y' TYPE STRAINER STANDARD PATTERN

PRODUCT DETAILS :-

WITH S.S. (AISI304) NON magnetic SCREEN

END DETAILS :-

SCREWED BSP FEMALE

TESTING :-

BODY TEST PRESSURE : 300 psig. hyd.



SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	620.00
3/4	20	1135.00
1	25	1800.00
1¼	32	2965.00
1½	40	4200.00
2	50	7930.00
2½	65	15260.00
3	80	20990.00
4	100	34115.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Q-11

Pinn

38

ITEM

BRONZE Y-TYPE STRAINER FLANGED

PRODUCT DETAILS :-

Bolted Bonnet, Release Plug, Full Flow Y-Type with S.S. (AISI : 304) Non-Magnetic perforated Screen.

END DETAILS :-

Flanged Ends to BS:4504 PN16 and also to be customise as ANSI: Class150, BS:10 Table D/E/F

TESTING :-

Body Test Pressure 300 Psig. Hydraulic

SIZE RANGE : 15mm to 100mm



SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	2905.00
3/4	20	3580.00
1	25	5430.00
1¼	32	7640.00
1½	40	9535.00
2	50	15540.00
2½	65	27560.00
3	80	37300.00
4	100	60005.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Q-11A

Pinn

39

ITEM

BRONZE SPRING RELIEF VALVE (STRAIGHT TYPE)

PRODUCT DETAILS :-

OPEN DISCHARGE FOR MAX. SET PRESSURE 150 psig. STEAM

END DETAILS :-

MALE INLET (BSP) TO BS:21

TESTING :-

20psig to 150psig HYD.

SET PRESSURE :-

50psig HYD.



SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	825.00
3/4	20	1230.00
1	25	1665.00
1¼	32	3070.00
1½	40	3405.00
2	50	4825.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Q-12



Pinn THE PERFORMING VALVES

Pinn

40

ITEM

BRONZE SPRING RELIEF VALVE (STRAIGHT TYPE)

PRODUCT DETAILS :-

SPRING LOADED, INTERGAL SEATING
& OPEN DISCHARGE TYPE

END DETAILS :-

FLANGED INLET TO BS: 4504 (PN-10/16)

TESTING :-

20 psig to 150 psig HYD.

SET PRESSURE :-

50 psig HYD.



Q-12A

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	3165.00
3/4	20	4025.00
1	25	7830.00
1¼	32	8725.00
1½	40	10810.00
2	50	12425.00
2½	65	21280.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

41

ITEM

BRONZE SPRING RELIEF VALVE (ANGLE TYPE)

PRODUCT DETAILS :-

ENCLOSED DISCHARGE FOR MAX. SET
PRESSURE 150 PSIG. STEAM

END DETAILS :-

SCREWED MALE INLET AND FEMALE OUTLET
BSP TO BS:21

TESTING :-

20psig to 150psig HYD.

SET PRESSURE :-

50psig HYD.



Q-13

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	1125.00
3/4	20	1440.00
1	25	2040.00
1¼	32	3755.00
1½	40	3970.00
2	50	5395.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

42

ITEM

BRONZE ANGLE FEED CHECK VALVE

PRODUCT DETAILS :-

SPRING LOADED WITH BRONZE WORKING
PARTS.

END DETAILS :-

SCREWED BSP MALE ENDS

TESTING :- (HYD.)

BODY TEST PRESSURE : 500 psig.

SEAT TEST PRESSURE : 300 psig.



Q-14

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	795.00
3/4	20	1295.00
1	25	2005.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn BRONZE INDUSTRIAL VALVES

Pinn

43

ITEM

BRONZE ANGLE FEED CHECK VALVE

PRODUCT DETAILS :-

SPRING LOADED WITH S.S (AISI 410) WORKING PARTS

END DETAILS :-

SCREWED BSP MALE ENDS

TESTING :- (HYD.)

BODY TEST PRESSURE : 500 psig.

SEAT TEST PRESSURE : 300 psig.



Q-15

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	890.00
3/4	20	1380.00
1	25	2240.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

44

ITEM

BRONZE AIR RELEASE VALVE

PRODUCT DETAILS :-

SPHERICAL NITRILE BALL, SELF OPERATING, COVERED EXHAUST.

END DETAILS :-

SCREWED MALE TO BS:21 (BSP)

WORKING :-

VERTICAL INSTALATION IN WATER SEWAGE LINE OF LONG DISTANCE TO DISCHARGE & ACCUMULATE AIR RESISTANCE, TO GET BEST PROFORMANCE THIS VALVE TO BE MOUNTED ON HIGH POINTS OF THE LINE HAVING PERIODIC INTERVALS OF EACH OTHER.

TESTING :-

BODY TEST PRESSURE : 250 Psig

SEAT TEST PRESSURE : 150 Psig



Q-45

SIZE		PRICE PER PC.
INCH.	MM	
1	25	1135.00
2	50	4740.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

45

ITEM

BRONZE FIRE HYDRANT VALVE

PRODUCT DETAILS :-

SINGLE & OBLIQUE OUTLET TYPE WITH STANDARD INSTANTANEOUS FEMALE COUPLING AND BLANK CAP

END DETAILS :-

FLANGED INLET TO BS-4504-PN10

TESTING :-

BODY TEST PRESSURE : 300 Psig

SEAT TEST PRESSURE : 200 Psig



Q-65

SIZE		PRICE PER PC.
INCH.	MM	
1½	40	14585.00
2	50	16500.00
2½	65	19645.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn BRONZE INDUSTRIAL VALVES

Pinn

46

ITEM

BRONZE STROM VALVE STRAIGHT TYPE ON GLOBE VALVE

PRODUCT DETAILS :-

SCREWED IN BONNET, INSIDE SCREW, RISING STEM, INTEGRAL SEATING, SELF ACTING SOFT SEATED FLAP WITH SHUT OR REGULATE OF FLOW BY AID OF STEM & HAND WHEEL

END DETAILS :-

FLANGED TO BS-4504, PN-10

TESTING :-

BODY TEST PRESSURE : 300 Psig

SEAT TEST PRESSURE : 200 Psig



Q-85

SIZE		PRICE PER PC.
INCH.	MM	
1.1/2	40	15540.00
2	50	21610.00
2.1/2	65	30520.00
3	80	42650.00
4	100	65885.00
5	125	123200.00
6	150	143740.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

47

ITEM

BRONZE GLOBE TYPE SAFETY VALVE STRAIGHT TYPE

PRODUCT DETAILS :-

GLOBE TYPE SPRING LOADED, TEFLON SEATED, SCREWED IN BONNET, ENCLOSED DISCHARGE & GLOBE TYPE STRAIGHT PATTERN

END DETAILS :-

FLANGED TO BS-4504, PN-10

WORKING :-

SUITABLE FOR 50 TO 150 PSIG-HYDRAULIC LINE

TESTING (hyd.):

BODY TEST PRESSURE : 300 Psig

SEAT TEST PRESSURE : 20 TO 200 Psig



Q-70

SIZE		PRICE PER PC.
INCH.	MM	
1.1/2	40	11420.00
2	50	12135.00
2.1/2	65	18575.00
3	80	26730.00
4	100	41700.00
5	125	186515.00
6	150	196935.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

48

ITEM

BRONZE GLOBE TYPE SDNR VALVE STRAIGHT TYPE ON W.V. NO.8

PRODUCT DETAILS :-

SCREWED IN BONNET, INSIDE SCREW RISING STEM (BRASS), INTEGRAL SEATING WITH BRONZE HORIZONTAL LIFT CHECK VALVE AND HANDWHEEL OPERATING

END DETAILS :-

FLANGED END TO BS-10, TABLE-D/E : AND ALSO AVAILABLE PN10/16, JIS 5K, JIS-10K ON DEMAND

TESTING (hyd.):

BODY TEST PRESSURE : 300 Psig

SEAT TEST PRESSURE : 200 Psig



Q-28 A

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	2375.00
3/4	20	2870.00
1	25	4150.00
1¼	32	5140.00
1½	40	6990.00
2	50	11530.00
2½	65	16530.00
3	80	25590.00
4	100	37115.00
5	125	90985.00
6	150	111830.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn THE PERFORMING VALVES

Pinn

49

ITEM

BRONZE QUICK CLOSING VALVE

PRODUCT DETAILS :-

SPRING LOADED, SCREWED IN BONNET, BRASS STEM, INTEGRAL, SEATING WITH TEFLON SEAT AND GLOBE STRAIGHT TYPE WITH BACKSEAT ARRANGEMENT AND SHUT OPEN POSITION INDICATOR DEVICE

END DETAILS :-

FLANGED TO BS-4504, PN-10

TESTING :-

BODY TEST PRESSURE : 300 Psig

SEAT TEST PRESSURE : 200 Psig

WORKING PRESSURE :-

10 Bar at 45°C max.



Q-50

SIZE		PRICE PER PC.
INCH.	MM	
1	25	7735.00
1¼	32	8120.00
1½	40	16070.00
2	50	20250.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

50

ITEM

BRONZE SELF CLOSING VALVE

PRODUCT DETAILS :-

RIGHT ANGLE TYPE, SPRING LOADED, TEFLON SEATED & PUSH BUTTON TYPE

END DETAILS :-

SCREWED FEMALE ENDS TO BS:21(BSP)

TESTING (Hyd.) :-

BODY TEST PRESSURE : 300 Psig

SEAT TEST PRESSURE : 200 Psig



Q-71

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	3795.00
3/4	20	4175.00
1	25	6640.00
1¼	32	9395.00
1½	40	9865.00
2	50	13645.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

51

ITEM

BRONZE SELF CLOSING VALVE

PRODUCT DETAILS :-

RIGHT ANGLE TYPE, SPRING LOADED, TEFLON SEATED & PUSH BUTTON TYPE

END DETAILS :-

INLET-FLANGED TO BS:4504 PN-10

OUTLET-SCREWED FEMALE TO BS:21(BSP)

TESTING (Hyd.) :-

BODY TEST PRESSURE : 300 Psig

SEAT TEST PRESSURE : 200 Psig



Q-72

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	4555.00
3/4	20	5245.00
1	25	7775.00
1¼	32	11750.00
1½	40	12135.00
2	50	17065.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn BRONZE INDUSTRIAL VALVES

Pinn

52

ITEM

BRONZE SIGHT GLASS

PRODUCT DETAILS :-

WITH TOUGHENED GLASS. SEALED "CAF" GASKET FROM TWO SIDES OF GLASS.

END DETAILS :-

SCREWED FEMALE ENDS.

TESTING :-

BODY TEST PRESSURE : 300 psig. hyd.

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Q-16

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	885.00
3/4	20	1015.00
1	25	1295.00
1 1/4	32	1995.00
1 1/2	40	2510.00
2	50	4030.00
		WITH ROTATOR
1/2	15	975.00
3/4	20	1170.00
1	25	1445.00
1 1/2	40	2885.00
2	50	4510.00

Pinn

53

ITEM

STAINLESS STEEL (CF-8) SIGHT GLASS

PRODUCT DETAILS :-

WITH TOUGHENED GLASS. SEALED "CAF" GASKET FROM TWO SIDES OF GLASS.

END DETAILS :-

SCREWED MALE BSP ENDS

TESTING :-

BODY TEST PRESSURE : 300 psig. hyd.

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Q-16SS

SIZE		PRICE PER PC.
INCH.	MM	
1	25	970.00

Pinn

54

ITEM

BRONZE GLAND PACKED WATER LEVEL GAUGE SET

PRODUCT DETAILS :-

STANDARD PATTERN (COMPLETE SET) 150 PSIG. ON STEAM AND MAX. TEMP. 428°F

END DETAILS :-

MALE INLET (BSP) PARALLEL

TESTING :- (HYD.)

BODY TEST PRESSURE : 300 psig.

SEAT TEST PRESSURE : 200 psig.

NOTE : PLEASE STATE LEFT HAND OR RIGHT HAND SIDE OPERATED

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Q-17

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	2925.00
3/4	20	5300.00
		FLANGED ENDS
1/2	15	5885.00
3/4	20	8115.00



Pinn BRONZE INDUSTRIAL VALVES

Pinn

55

ITEM

BRONZE SLEEVE PACKED WATER LEVEL GAUGE SET

PRODUCT DETAILS :-

SQUARE BODY STANDARD PATTERN (COMPLETE SET) 250 psig. AND SUITABLE MAX. TEMP. 428°F

END DETAILS :-

SCREWED MALE ENDS BSP PARALLEL

TESTING :- (HYD.)

BODY TEST PRESSURE : 500 psig.

SEAT TEST PRESSURE : 350 psig.

NOTE : PLEASE STATE LEFT HAND OR RIGHT HAND SIDE OPERATED.



Q-18

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	3835.00
3/4	20	6550.00
FLANGED ENDS		
1/2	15	6920.00
3/4	20	10920.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

56

ITEM

GUN METAL TANK LEVEL SET

PRODUCT DETAILS :-

UPPER AND LOWER TWO-ARMS FULL-BORE TUBE INSERTINGS

END DETAILS :-

MALE ENDS TO BSP PARALLEL

TESTING :- (HYD.)

TEST PRESSURE : 250



Q-94

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	1085.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

57

ITEM

GUN METAL TANK LEVEL SET WITH ON-OFF ARRANGEMENT.

PRODUCT DETAILS :-

UPPER AND LOWER TWO-ARMS FULL-BORE TUBE INSERTINGS, SHUT-OPEN FOR SEAT WITH STURDY HAND WHEEL

END DETAILS :-

MALE ENDS TO BS:21 (BSP)

TESTING :- (HYD.)

TEST PRESSURE : 250 psig. hyd.



Q-95

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	1570.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn THE PERFORMING VALVES

Pinn

58

ITEM

BRONZE GLOBE STEAM STOP VALVE ON W.V. NO.5

PRODUCT DETAILS :-

INSIDE SCREWED BONNET HAVING RENEWABLE S.S. (AISI410) WORKING PARTS.


END DETAILS :-

SCREWED FEMALE ENDS. (BSP)

TESTING :- (HYD.)

BODY TEST PRESSURE : 500 psig.

SEAT TEST PRESSURE : 300 psig..



Q-9

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	850.00
3/4	20	1375.00
1	25	1940.00
1 1/4	32	2965.00
1 1/2	40	4025.00
2	50	6430.00
2 1/2	65	11320.00
3	80	15650.00
4	100	28810.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

59

ITEM

BRONZE WHEEL VALVE NO. 4

PRODUCT DETAILS :-

SCREWED IN BONNET, INSIDE SCREWED, INTEGRAL SEAT ON MEDIUM PATTERN

END DETAILS :-

SCREWED FEMALE ENDS. (BSP)

TESTING :-

BODY TEST PRESSURE : 300 psig. hyd.

SEAT TEST PRESSURE : 200 psig. hyd.



Q-22

SIZE		PRICE PER PC.
INCH.	MM	
1/4	8	490.00
3/8	10	490.00
1/2	15	490.00
3/4	20	710.00
1	25	1190.00
1 1/4	32	1715.00
1 1/2	40	2165.00
2	50	3810.00
2 1/2	65	5900.00
3	80	8615.00
4	100	17700.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

60

ITEM

BRONZE ANGLE WHEEL VALVE NO.4

PRODUCT DETAILS :-

SCREWED RIGHT ANGLE BODY, SCREWED-IN-BONNET, INSIDE SCREW, RISING STEM & INTEGRAL SEATS. WITH STURDY HANDWHEEL.

END DETAILS :-

SCREWED FEMALE ENDS (BSP)

TESTING :- (HYD.)

BODY TEST PRESSURE : 300 psig.

SEAT TEST PRESSURE : 200 psig.



Q-26

SIZE		PRICE PER PC.
INCH.	MM	
1/4	8	530.00
3/8	10	530.00
1/2	15	585.00
3/4	20	830.00
1	25	1280.00
1 1/4	32	1770.00
1 1/2	40	2375.00
2	50	3850.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn BRONZE INDUSTRIAL VALVES

Pinn

61

ITEM

BRONZE WHEEL VALVE STANDARD PATTERN NO.8

PRODUCT DETAILS :-

SCREWED-IN-BONNET, INSIDE SCREW, RISING STEM & INTEGRAL SEATS. WITH STURDY HANDWHEEL, ROUGH BODY, FLANGES UNDRILLED..

END DETAILS :-

FLANGED ENDS TO BS-10 TABLE 'D'

TESTING :- (HYD.)

BODY TEST PRESSURE : 300 psig.

SEAT TEST PRESSURE : 200 psig.



Q-28

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	1940.00
3/4	20	2410.00
1	25	3385.00
1¼	32	4220.00
1½	40	5750.00
2	50	8840.00
2½	65	12665.00
3	80	19590.00
4	100	30345.00
5	125	88715.00
6	150	106115.00

Water ☒ Steam ☐ Gas ☐ Oil ☒ Air ☐

Pinn

62

ITEM

BRONZE WHEEL VALVE, HEAVY PATTERN NO.5

PRODUCT DETAILS :-

SCREWED-IN-BONNET, INSIDE SCREW, RISING STEM & INTEGRAL SEATS. WITH STURDY HANDWHEEL, ROUGH BODY.

END DETAILS :-

SCREWED FEMALE ENDS (BSP)

TESTING :- (HYD.)

BODY TEST PRESSURE : 500 psig.

SEAT TEST PRESSURE : 300 psig.



Q-23

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	750.00
3/4	20	1180.00
1	25	1980.00
1¼	32	2690.00
1½	40	3795.00
2	50	6145.00
2½	65	9960.00
3	80	12080.00
4	100	20920.00

Water ☒ Steam ☐ Gas ☐ Oil ☒ Air ☐

Pinn

63

ITEM

BRONZE WHEEL VALVE, HEAVY PATTERN NO. 10.

PRODUCT DETAILS :-

SCREWED-IN-BONNET, INSIDE SCREW, RISING STEM & INTEGRAL SEAT. WITH STURDY HANDWHEEL.

END DETAILS :-

FLANGED ENDS TO BS-10 TABLE 'F'

TESTING :- (HYD.)

BODY TEST PRESSURE : 500 psig.

SEAT TEST PRESSURE : 300 psig.



Q-29

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	2645.00
3/4	20	3350.00
1	25	4735.00
1¼	32	7515.00
1½	40	9460.00
2	50	12820.00
2½	65	20405.00
3	80	26690.00
4	100	46245.00

Water ☒ Steam ☐ Gas ☐ Oil ☒ Air ☐



Pinn BRONZE VALVES

Pinn

64

ITEM

BRONZE NEEDLEVALVE

PRODUCT DETAILS :-

WITH BRONZE WORKING PARTS SCREWED FEMALE ENDS. SCREWED IN BONNET, NEEDLE TYPE SEATING. SUITABLE FOR AIR 300 lbs.

END DETAILS :-

FEMALE ENDS (BSP)

TESTING :- (HYD.)

BODY TEST PRESSURE : 500 psig.

SEAT TEST PRESSURE : 300 psig.



Q-37

SIZE		PRICE PER PC.
INCH.	MM	HEAVY
1/4	8	460.00
3/8	10	460.00
1/2	15	780.00
3/4	20	1220.00
1	25	2095.00
1 1/4	32	2820.00
1 1/2	40	4070.00
2	50	6600.00
		MEDIUM
1/2	15	525.00
3/4	20	755.00
1	25	1275.00
1 1/4	32	1945.00
1 1/2	40	2350.00
2	50	4070.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

65

ITEM

BRONZE Needle Valve No.8

PRODUCT DETAILS :-

SCREWED IN BONNET, INSIDE SCREW, RISING STEM, INTEGRAL SEAT, BRASS STEM AND STURDY HANDWHEEL OPERATING.

END DETAILS :-

FLANGED ENDS TO BS:10, TABLE

TESTING :- (HYD)

BODY TEST PRESSURE : 300 Psig

SEAT TEST PRESSURE : 200 Psig



Q-37A

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	2115.00
3/4	20	2600.00
1	25	3665.00
1 1/4	32	4555.00
1 1/2	40	6205.00
2	50	9525.00
2 1/2	65	13655.00
3	80	21145.00
4	100	32740.00
5	125	97570.00
6	150	116755.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

66

ITEM

BRONZE HORIZONTAL NON-RETURN VALVE WITH UNION CAP ON WHEEL VALVE NO.9

PRODUCT DETAILS :-

HAVING S.S. (AISI 410) WORKING PARTS

END DETAILS :-

SCREWED FEMALE ENDS (BSP)

TESTING :-

BODY TEST PRESSURE : 500 psig. hyd.

SEAT TEST PRESSURE : 300 psig. hyd.



Q-34

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	1070.00
3/4	20	1755.00
1	25	2605.00
1 1/4	32	3540.00
1 1/2	40	5130.00
2	50	7995.00
2 1/2	65	12690.00
3	80	19920.00
4	100	41650.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn BRONZE CHECK VALVES

Pinn

67

ITEM

BRONZE HORIZONTAL CHECKVALVES

PRODUCT DETAILS :-

STANDARD PATTERN WITH SYNTHETIC RUBBER O-RING.

END DETAILS :-

SCREWED FEMALE ENDS (BSP)

TESTING :- (HYD.)

BODY TEST PRESSURE : 300 psig.

SEAT TEST PRESSURE : 200 psig.



Q-36

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	595.00
3/4	20	785.00
1	25	1120.00
1 1/4	32	1640.00
1 1/2	40	2240.00
2	50	3715.00

Water ☒ Steam ☐ Gas ☒ Oil ☒ Air ☒

Pinn

68

ITEM

BRONZE HORIZONTAL CHECK VALVE NO. 4

PRODUCT DETAILS :-

MEDIUM PATTERN. SCREWED IN BONNET, INTEGRAL SEAT

END DETAILS :-

SCREWED FEMALE ENDS (BSP)

TESTING :- (HYD.)

BODY TEST PRESSURE : 300 psig.

SEAT TEST PRESSURE : 200 psig.



Q-24

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	405.00
3/4	20	540.00
1	25	940.00
1 1/4	32	1265.00
1 1/2	40	1620.00
2	50	2875.00
2 1/2	65	5085.00
3	80	7540.00
4	100	16180.00

Water ☒ Steam ☐ Gas ☐ Oil ☒ Air ☐

Pinn

69

ITEM

BRONZE HORIZONTAL CHECK VALVE ON W.V. NO. 8

PRODUCT DETAILS :-

SCREWED IN BONNET, INTEGRAL SEAT, MEDIUM PATTERN FLANGES UNDRILLED

END DETAILS :-

FLANGED TO B.S.-10 TABLE-D

TESTING :- (HYD.)

BODY TEST PRESSURE : 500 psig.

SEAT TEST PRESSURE : 200 psig.



Q-30

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	1805.00
3/4	20	2295.00
1	25	3275.00
1 1/4	32	4175.00
1 1/2	40	5690.00
2	50	8315.00
2 1/2	65	12520.00
3	80	19435.00
4	100	31540.00

Water ☒ Steam ☐ Gas ☐ Oil ☒ Air ☐



Pinn BRONZE INDUSTRIAL VALVES

Pinn

70

ITEM

BRONZE HORIZONTAL CHECK VALVE ON WHEEL VALVE NO.5

PRODUCT DETAILS :-

SCREWED IN BONNET, INTEGRAL SEAT

END DETAILS :-

SCREWED FEMALE ENDS. (BSP)

TESTING :- (HYD.)

BODY TEST PRESSURE : 500 psig.

SEAT TEST PRESSURE : 300 psig.



Q-25

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	600.00
3/4	20	1025.00
1	25	1640.00
1¼	32	2130.00
1½	40	3075.00
2	50	5125.00
2½	65	9960.00
3	80	12460.00
4	100	20720.00

Water ☒ Steam ☐ Gas ☐ Oil ☒ Air ☐

Pinn

71

ITEM

BRONZE HORIZONTAL CHECK VALVE ON W.V. NO.10

PRODUCT DETAILS :-

SCREWED IN BONNET, INTEGRAL SEAT, HEAVY PATTERN FLANGES UNDRILLED.


END DETAILS :-

FLANGED TO B.S. 10 TABLE 'F'

TESTING :- (HYD.)

BODY TEST PRESSURE : 500 psig.

SEAT TEST PRESSURE : 300 psig.



Q-31

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	2495.00
3/4	20	3060.00
1	25	4530.00
1¼	32	7235.00
1½	40	9290.00
2	50	12485.00
2½	65	20030.00
3	80	26040.00
4	100	39275.00

Water ☒ Steam ☐ Gas ☐ Oil ☒ Air ☐

Pinn

72

ITEM

BRONZE ANGLE CHECK VALVE MEDIUM PATTERN WITH INTEGRAL SEAT

END DETAILS :-

SCREWED FEMALE ENDS

TESTING :- (HYD.)

BODY TEST PRESSURE : 300 psig.

SEAT TEST PRESSURE : 200 psig.



Q-27

SIZE		PRICE PER PC.
INCH.	MM	
1/4	8	530.00
3/8	10	530.00
1/2	15	530.00
3/4	20	835.00
1	25	1430.00
1¼	32	1940.00
1½	40	2420.00
2	50	3410.00

Water ☒ Steam ☐ Gas ☐ Oil ☒ Air ☐



Pinn GUN METAL NON-RETURN VALVES

Pinn

73

ITEM

**BRONZE HORIZONTAL NON-RETURN VALVE
HAVING UNION CAP ON W.V. NO. 9 BODY**

PRODUCT DETAILS :-

RENEWABLE S.S. (AISI 410) WORKING PARTS.

ENDS DETAILS :-

FLANGED ENDS TO B.S. 10 TABLE 'F' UNDRILLED.

TESTING :- (HYD.)

BODY TEST PRESSURE : 500 psig.

SEAT TEST PRESSURE : 300 psig.



Q-35

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	2895.00
3/4	20	3840.00
1	25	5750.00
1¼	32	7750.00
1½	40	8270.00
2	50	15025.00
2½	65	23240.00
3	80	30780.00
4	100	57280.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

74

ITEM

BRONZE HORIZONTAL LIFT CHECK VALVE

PRODUCT DETAILS :-

W.V. NO. 5 SCREWED IN BONNET WITH RENEWABLE S.S. WORKING PARTS.

ENDS DETAILS :-

SCREWED FEMALE ENDS (BSP)

TESTING :-

BODY TEST PRESSURE : 500 psig. hyd.

SEAT TEST PRESSURE : 300 psig. hyd.



Q-33

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	830.00
3/4	20	1440.00
1	25	2235.00
1¼	32	2925.00
1½	40	4180.00
2	50	7180.00
2½	65	12785.00
3	80	15490.00
4	100	24195.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

75

ITEM

BRONZE HORIZONTAL CHECK VALVE

PRODUCT DETAILS :-

SPRING LOADED WITH TEFLON/NEOPRENE SEAT. SUITABLE FOR AIR SERVICE

ENDS DETAILS :-

SCREWED FEMALE ENDS (BSP)

TESTING :-

BODY TEST PRESSURE : 300 psig. hyd.

SEAT TEST PRESSURE : 200 psig. hyd.



Q-32

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	525.00
3/4	20	655.00
1	25	1095.00
1¼	32	1570.00
1½	40	1940.00
2	50	3455.00
		HEAVY
1/2	15	765.00
3/4	20	1180.00
1	25	1890.00
1¼	32	2575.00
1½	40	3815.00
2	50	6085.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn THE PERFORMING VALVES

Pinn

76

ITEM

BRONZE HORIZONTAL CHECK VALVE 'PISTON TYPE'

PRODUCT DETAILS :-

HEAVY PATTERN WITH SPRING LOADED NEOPRENE SEATING SUITABLE FOR AIR COMPRESSORS

END DETAILS :-

SCREWED FEMALE ENDS (BSP)

TESTING :- (HYD.)

BODY TEST PRESSURE : 300 psig.

SEAT TEST PRESSURE : 200 psig.



Q-58

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	1455.00
3/4	20	1940.00
1	25	2970.00
1¼	32	4070.00
1½	40	6550.00
2	50	9885.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

77

ITEM

BRONZE SWING CHECK VALVE

PRODUCT DETAILS :-

SCREWED IN BONNET WITH GM FLAP DISC

ENDS DETAILS :-

SCREWED FEMALE BSP

TESTING :-

BODY TEST PRESSURE : 300 psig.

SEAT TEST PRESSURE : 200 psig.

WORKING PRESSURE :-

SUITABLE FOR HORIZONTAL & VERTICAL FLOW OF LINE UPTO 300 PSIG.



Q-56

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	740.00
3/4	20	1095.00
1	25	1550.00
1¼	32	2425.00
1½	40	3585.00
2	50	5135.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

78

ITEM

BRONZE VERTICAL CHECK VALVE

PRODUCT DETAILS :-

WITH SYNTHETIC RUBBER O-RING AND S.S. SPRING WITH SCREWED IN SEAT GUIDE RING

END DETAILS :-

SCREWED FEMALE ENDS. (BSP)

TESTING :- (HYD.)

BODY TEST PRESSURE : 300 psig.

SEAT TEST PRESSURE : 200 psig.



Q-19

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	445.00
3/4	20	620.00
1	25	825.00
1¼	32	1305.00
1½	40	1760.00
2	50	2350.00
2½	65	4155.00
3	80	6030.00
4	100	11880.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn BRONZE INDUSTRIAL VALVES

Pinn

79

ITEM

BRONZE VERTICAL CHECK VALVE

PRODUCT DETAILS :-

WITH S.S. WORKING PARTS (SS 410) WITH SCREWED IN SEAT GUIDE RING

END DETAILS :-

SCREWED FEMALE ENDS. (BSP)

TESTING :- (HYD.)

BODY TEST PRESSURE : 300 psig.

SEAT TEST PRESSURE : 200 psig.



Q-57

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	655.00
3/4	20	980.00
1	25	1160.00
1¼	32	1770.00
1½	40	2625.00
2	50	3180.00
2½	65	5385.00
3	80	7325.00
4	100	15135.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

80

ITEM

BRONZE FERRULE COCK 'JCSWR' PATTERN STANDARD

END DETAILS :-


MALE INLET BSP TAPER

MALE OUTLET BSP PARALLEL

TESTING :- (HYD.)

BODY TEST PRESSURE : 300 psig.

SEAT TEST PRESSURE : 200 psig.



Q-8

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	685.00
3/4	20	1210.00
1	25	1655.00
1¼	40	2520.00
2	50	3355.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

81

ITEM

BRONZE FOOT VALVE BORING TYPE

PRODUCT DETAILS :-

SELF ALIGNING METAL SEATING WITHOUT SPRING AVAILABLE IN O-RING SEATING

ENDS DETAILS :-

SCREWED BSP END

TESTING :-

BODY TEST PRESSURE : 300 psig.

SEAT TEST PRESSURE : 300 psig.



Q-86

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	460.00
3/4	20	510.00
1	25	600.00
1¼	32	935.00
1½	40	1215.00
2	50	1770.00
2½	65	3385.00
3	80	3910.00
4	100	6805.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn THE PERFORMING VALVES

Pinn

ITEM

82

BRONZE FLOAT VALVE

PRODUCT DETAILS :-

WITH BRASS ROD WITHOUT BALL

TESTING :-

BODY TEST PRESSURE : 300 psig.

SEAT TEST PRESSURE : 150 psig.



Water ☒ Steam ☐ Gas ☐ Oil ☒ Air ☐

Q-59

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	620.00
3/4	20	860.00
1	25	1510.00
1¼	32	2240.00
1½	40	3440.00
2	50	4745.00



Pinn STAINLESS STEEL VALVES

Pinn

83

ITEM

STAINLESS STEEL CF-8 (AISI 304) BALL VALVE

PRODUCT DETAILS :-

BALL VALVE SCREWED FEMALE BSP/BSPT/NPT ENDS. BLOW OUT PROOF STEM, PTFE SEATS AND SS BALL, STEM AND HANDLE.

TESTING :- (HYD.)

BODY TEST PRESSURE : 50 kg/cm²

SEAT TEST PRESSURE : 50 kg/cm²



Q-73

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	590.00
3/4	20	950.00
1	25	1240.00
1¼	32	2540.00
1½	40	3210.00
2	50	5050.00

Pinn

84

ITEM

STAINLESS STEEL BALL VALVE FLANGED

PRODUCT DETAILS :-

Full Bore, Three piece design, lever operated Teflon seat, S.S. Ball and stem with blow off stuffing box.

MATERIAL :- Body & Connectors Cast Stainless Steel to ASTM A351-CF8

END DETAILS :-

Flanged Ends TO ASA-class-150 Drilled, Other drilling or undrilled also as per demand

TESTING (HYD.)

Body Test Pressure : 30 Barg.

Seat Test Pressure : 24 Barg



Q - 41

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	2335.00
3/4	20	2865.00
1	25	3945.00
1¼	32	6160.00
1½	40	7235.00
2	50	10745.00
2½	65	16120.00
3	80	20160.00
4	100	32375.00

Pinn

85

ITEM

CAST IRON BALL VALVE

END DETAILS:

SCREWED FEMALE BSP ENDS

PRODUCT DETAILS :-

WITH S.S. BALL AND S.S. SPINDLE, TEFLON SEAT, BLOW PROOF STUFFING BOX & LEVER OPERATED

TESTING :-

BODY TEST PRESSURE : 500 psig.

SEAT TEST PRESSURE : 300 psig.



Q-67

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	295.00
3/4	20	400.00
1	25	545.00
1¼	32	855.00
1½	40	1150.00
2	50	1595.00
2½	65	3700.00
3	80	5270.00
4	100	8485.00



Pinn CAST IRON VALVES

Pinn

86

ITEM

CAST IRON BALL VALVE FLANGED ENDS

PRODUCT DETAILS :-


FULL BORE THREE PIECE DESIGN, LEVER OPERATED TEFLON SEATS, SS BALL AND STEM WITH BLOW PROOF STUFFING BOX
FLANGED ANSIB 16.1

(FLANGES ALSO AVAILABLE AS PER DIN, ISI CLASS 125,150, 250, 300) PRICES TO BE QUOTED ON DEMAND. UNDRILLED (CAN BE DRILLED AS PER CUSTOMER REQUIREMENT PRICES EXTRA).

TESTING :- (HYD.)

BODY TEST PRESSURE : 300 psig.

SEAT TEST PRESSURE : 300 psig.



Q-68

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	855.00
3/4	20	1015.00
1	25	1275.00
1¼	32	1650.00
1½	40	2035.00
2	50	2965.00
2½	65	4995.00
3	80	6930.00
4	100	11605.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

87

ITEM

CAST STEEL (WCB) BALL VALVE FLANGED

BODY MATERIAL :

ASTM A 216 Gr. WCB

END DETAILS :

Flanged to BS-10 Table 'F'/E/D Or ANSI Class-150 or BS:4504 PN10/16


PRODUCT DETAILS :

Full Bore Ball Valve, 3Pc Design, SS(410) Ball & Stem, Teflon Seat, Blow Off Proof Steam and Lever Operated

TESTING : (HYD)

Body : 400 Psig

Seat : 300 Psig



Q-62

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	1450.00
3/4	20	1845.00
1	25	2250.00
1¼	32	2460.00
1½	40	3315.00
2	50	5855.00
2½	65	8880.00
3	80	11900.00
4	100	18650.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

88

ITEM

CAST IRON STRAINER Y-TYPE

END DETAILS:

SCREWED FEMALE BSP ENDS

PRODUCT DETAILS :

WITH STAINLESS STEEL SCREEN(AISI 304).

TESTING :-

BODY TEST PRESSURE : 300 psig.



Q - 81

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	220.00
3/4	20	325.00
1	25	495.00
1¼	32	560.00
1½	40	770.00
2	50	1125.00
2½	65	1635.00
3	80	2210.00
4	100	4350.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn CAST IRON VALVES

Pinn

89

ITEM

CAST IRON STRAINER Y-TYPE

END DETAILS:

FLANGED ENDS TO TABLE DEF & H

PRODUCT DETAILS:

WITH STAINLESS STEEL SCREEN(AISI 304).

TESTING :-

BODY TEST PRESSURE : 300 psig.



Q-82

SIZE		PRICE PER PC.
INCH.	MM	
1	25	910.00
1¼	32	1170.00
1½	40	1545.00
2	50	2455.00
2½	65	3110.00
3	80	3780.00
4	100	7095.00
5	125	9560.00
6	150	13145.00
8	200	25465.00
10	250	48170.00
12	300	76525.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

90

ITEM

CAST IRON BUTTERFLY VALVE (WAFERTYPE) MARKED

PRODUCT DETAILS :-

WITH SG IRON DISC, SS-410 SHAFT AND NITRILE/EPDM LINING AND TEFLON BEARING. DESIGN AS PER IS:13095:1991.

RATING PN:16, CL-125

COMPATIBLE WITH FLANGED TO BS:10 TABLE D&E, BS:4504 PN10/16 & ANSI CL-125 & CL-150

TESTING :- (HYD.)

BODY TEST PRESSURE : 21bar

SEAT TEST PRESSURE : 14 bar

IS : 13095



Q-79

SIZE		PRICE PER PC.
INCH.	MM	
1½	40	1235.00
2	50	1405.00
2½	65	1595.00
3	80	1855.00
4	100	2210.00
5	125	2735.00
6	150	3185.00
8	200	6125.00
10	250	10000.00
12	300	13510.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

91

ITEM

CAST IRON BUTTERFLY VALVE SG IRON DISC.

PRODUCT DETAILS :-

With Electric Actuator

With SG Iron Disc. SS-410 Shaft and Nitrile / Epdm Lining and Teflon Bearing Design as per IS:13095:1991

RATING PN:16, CL-125

TESTING (HYD.)

Body Test Pressure : 21 Barg.

Seat Test Pressure : 14 Barg



Q - 79 EN

SIZE		PRICE PER PC.
INCH.	MM	
1½	40	22175.00
2	50	22365.00
2½	65	22595.00
3	80	22890.00
4	100	23300.00
5	125	29805.00
6	150	33980.00
8	200	68520.00
10	250	91240.00
12	300	119975.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn CAST IRON VALVES



MARKED

Pinn

92

ITEM

CAST IRON BUTTERFLY VALVE SG IRON DISC.

PRODUCT DETAILS :-

With Pneumatic Actuator

With SG Iron Disc. SS-410 Shaft and
Nitrile / Epdm Lining and Teflon
Bearing Design as per IS:13095:1991

RATING PN:16, CL-125

TESTING (HYD.)

Body Test Pressure : 21 Barg.
Seat Test Pressure : 14 Barg



Q - 79 PA

SIZE		PRICE PER PC.
INCH.	MM	
1½	40	6735.00
2	50	6925.00
2½	65	7150.00
3	80	7955.00
4	100	8355.00
5	125	10910.00
6	150	13110.00
8	200	20175.00
10	250	33820.00
12	300	50440.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

93

ITEM

CAST IRON BUTTERFLY VALVE SG IRON DISC.

PRODUCT DETAILS :-

GEAR OPERATED

With SG Iron Disc. SS-410 Shaft and
Nitrile / Epdm Lining and Teflon
Bearing Design as per IS:13095:1991

RATING PN:16, CL-125

TESTING (HYD.)

Body Test Pressure : 21 Barg.
Seat Test Pressure : 14 Barg



Q-79 GO

SIZE		PRICE PER PC.
INCH.	MM	
1½	40	4315.00
2	50	4495.00
2½	65	4700.00
3	80	4970.00
4	100	5350.00
5	125	6915.00
6	150	7385.00
8	200	11545.00
10	250	15660.00
12	300	19440.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

94

ITEM

CAST IRON BUTTERFLY VALVE (WAFERTYPE)

MARKED

PRODUCT DETAILS :-

WITH STAINLESS STEEL DISC(CF-8) S.S.
SHAFT AND NITRILE/EPDM LINING AND
TEFLON BEARING. DESIGN AS PER
IS:13095:1991.

RATING PN:16, CL-125

**COMPATIBLE WITH FLANGED TO
BS:10 TABLE D&E, BS:4504 PN10/16 &
ANSI CL-125 & CL-150**

ALSO AVAILABLE IN CF-8M DISC PRICES
EXTRA

TESTING :-

BODY TEST PRESSURE : 21bar hyd.
SEAT TEST PRESSURE : 14 bar hyd.

IS : 13095



Q-80

SIZE		PRICE PER PC.
INCH.	MM	
1½	40	1385.00
2	50	1615.00
2½	65	1990.00
3	80	2280.00
4	100	2840.00
5	125	3745.00
6	150	4795.00
8	200	8150.00
10	250	13415.00
12	300	18030.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn CAST IRON VALVES

Pinn

95

ITEM

CAST IRON BUTTERFLY VALVE SS DISC.

PRODUCT DETAILS :-

With Electric Actuator

With Stainless Steel Disc. (CF-8) S.S.Shaft and Nitrile / Epdm Lining and Teflon Bearing Design as per IS:13095:1991

RATING PN:16, CL-125

TESTING (HYD.)

Body Test Pressure : 21 Barg.
Seat Test Pressure : 14 Barg



Q - 80EA

SIZE		PRICE PER PC.
INCH.	MM	
1½	40	22345.00
2	50	22615.00
2½	65	23050.00
3	80	23390.00
4	100	24050.00
5	125	30975.00
6	150	35835.00
8	200	70850.00
10	250	95195.00
12	300	125220.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

96

ITEM

CAST IRON BUTTERFLY VALVE SS DISC.

PRODUCT DETAILS :-

With Pneumatic Actuator

With Stainless Steel Disc. (CF-8) S.S.Shaft and Nitrile / Epdm Lining and Teflon Bearing Design as per IS:13095:1991

RATING PN:16, CL-125

TESTING (HYD.)

Body Test Pressure : 21 Barg.
Seat Test Pressure : 14 Barg



Q - 80PA

SIZE		PRICE PER PC.
INCH.	MM	
1½	40	6905.00
2	50	7175.00
2½	65	7615.00
3	80	8440.00
4	100	9100.00
5	125	12070.00
6	150	14990.00
8	200	22505.00
10	250	37785.00
12	300	55690.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

97

ITEM

CAST IRON BUTTERFLY VALVE SS DISC.

PRODUCT DETAILS :-

GEAR OPERATED

With Stainless Steel Disc. (CF-8) S.S.Shaft and Nitrile / Epdm Lining and Teflon Bearing Design as per IS:13095:1991

RATING PN:16, CL-125

TESTING (HYD.)

Body Test Pressure : 21 Barg.
Seat Test Pressure : 14 Barg



Q-80 GO

SIZE		PRICE PER PC.
INCH.	MM	
1½	40	4480.00
2	50	4720.00
2½	65	5125.00
3	80	5430.00
4	100	6030.00
5	125	7990.00
6	150	9115.00
8	200	13705.00
10	250	19335.00
12	300	24270.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn CAST IRON VALVES

Pinn

98

ITEM

SG IRON COMPACT WAFER TYPE CHECK VALVE

PRODUCT DETAILS :-

SINGLE VALVE, CHECK VALVE

BODY SEAT FACING :- SGI INTEGRAL

DOOR SEAT FACING : NITRILE MOULDED LINER

MATERIAL :

BODY & DOOR SG IRON (ASTM A 536-1980)

RATING : PN-1.6

END DETAILS : SUITABLE FOR INSERTIONS
BETWEEN CLASS-150, BS-10 TABLE E/F/H FLANGES



Q-97

SIZE		PRICE PER PC.
INCH.	MM	
1½	40	845.00
2	50	1090.00
2½	65	1195.00
3	80	1640.00
4	100	2235.00
5	125	3125.00
6	150	4015.00
8	200	6250.00
10	250	13835.00
12	300	19335.00

Water ☒ Steam ☐ Gas ☐ Oil ☒ Air ☐

Pinn

99

ITEM

CAST IRON DUAL PLATE CHECK VALVE

PRODUCT DETAILS :-

WITH S G IRON DISC (ASTM A 536-80)

SEAT FACING :- S G I INTEGRAL FACE

BODY FACING : C I INTEGRAL OR
MOULDED NITRILE LINER

RATING : PN-1.0

END DETAILS : SUITABLE FOR INSERTIONS
BETWEEN CLASS-150, BS-10 TABLE E/F/H FLANGES



Q-98

SIZE		PRICE PER PC.
INCH.	MM	
2	50	1595.00
2½	65	1740.00
3	80	2320.00
4	100	3185.00
5	125	4920.00
6	150	5905.00
8	200	9385.00

Water ☒ Steam ☐ Gas ☐ Oil ☒ Air ☐

Pinn

100

ITEM

C.I. WEDGE GATE SLUICE VALVE

Product Standard: As Per IS-14846

Pressure/Class/Rating: PN 1.0/1.6 PD Type

Body Material cum standard:

IS-210 Gr.FG-200 Cast Iron

Product Description:

Bolted Bonnet inside screw non-rising stem

Type of Seat: Renewable

Type of Disc: Solid Wedge

Stem: Cu-Alloy Rings, Stem SS (12 Cr.12)

Gland Packing: Lubricated Asbestos

End Details: Flanges as per IS 1538 F/F Drilled

Body Test Pressure: 1.5 Mpa Hyd.

Seat Test Pressure: 1.0 Mpa Hyp.



Q - 83 A

SIZE		PRICE PER PC.
INCH.	MM	
2	50	3595.00
2½	65	4500.00
3	80	5395.00
4	100	7200.00
5	125	9315.00
6	150	11170.00
8	200	18500.00
10	250	29610.00
12	300	38510.00

Water ☒ Steam ☐ Gas ☐ Oil ☐ Air ☐



Pinn CAST IRON VALVES

Pinn

101

ITEM

C.I. WEDGE GATE SLUICE VALVE WITH RISING SPINDLE

Product Standard: As Per IS:14846

Pressure/Class/Rating: PN 1.6 PD Type

Body Material cum standard:

IS-210 Gr.FG-200 Cast Iron

Product Description:

Bolted Bonnet outside screw & Yoke type rising stem

Type of Seat : Renewable

Type of Disc: Solid Wedge

Trim: Cu-Alloy Seats, Stem SS AISI 410

Gland Packing: Lubricated Asbestos

End Details: Flanges as per IS 1538 F/F Drilled

Body Test Pressure: 2.4Mpa Hyd. (348Psig.) Hyd.

Seat Test Pressure: 1.6Mpa Hyd. (232Psig.) Hyd.



Q - 83 B

SIZE		PRICE PER PC.
INCH.	MM	
2	50	5595.00
2½	65	6940.00
3	80	8080.00
4	100	10775.00
5	125	13880.00
6	150	16660.00
8	200	29125.00
10	250	45580.00
12	300	55525.00
14	350	91750.00
16	400	120580.00
18	450	143370.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

102

ITEM

C.I. REFLUX VALVE (NON RETURN VALVE)

Product Standard: As Per IS-5312 PN-1.0/1.6

Category: Rubber Seat

Body Material cum standard:

IS-210 Gr.FG-200 Cast Iron

Product Description: Bolted Cover

Type of Seat : Integral Seat

Type of Disc: Renewable Rubber Disc

Trim: AISI-410 Stainless Steel

End Details: Flanges as per IS:1538

Body Test Pressure: 1.5 Mpa Hyd.

Seat Test Pressure: 1.0 Mpa Hyp.



Q - 64 A

SIZE		PRICE PER PC.
INCH.	MM	
2	50	3220.00
2½	65	4020.00
3	80	4825.00
4	100	6430.00
5	125	8360.00
6	150	10035.00
8	200	19465.00
10	250	29200.00
12	300	41880.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

103

ITEM

CAST IRON BALANCING VALVE

PRODUCT DETAILS :

DOUBLE REGULATING, TAMPER PROOF SETTING, SOFT SEATING WITH EPDM FACING, HAND WHEEL OPERATED

END DETAILS :

FLANGED ENDS TO PN-16

WORKING PRESSURE :

BODY TEST PRESSURE : 25 BAR (HYD.)

SEAT TEST PRESSURE : 18 BAR (HYD.)



Q-74

SIZE		PRICE PER PC.
INCH.	MM	
½	15	2545.00
¾	20	2840.00
1	25	3085.00
1¼	32	4560.00
1½	40	5690.00
2	50	7255.00
2½	65	10405.00
3	80	13170.00
4	100	19285.00
5	125	28295.00
6	150	40495.00
8	200	80845.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn CAST IRON PETROLEUM LINE VALVES

Pinn

ITEM

104

Y-TYPE BALANCING VALVE

PRODUCT DETAILS :

DOUBLE REGULATING, TAMPER PROOF SETTING, SOFT SEATING WITH EPDM FACING, HAND WHEEL OPERATED

END DETAILS :

FLANGED ENDS TO CL-150

WORKING PRESSURE :

BODY TEST PRESSURE : 25 BAR (HYD.)

SEAT TEST PRESSURE : 18 BAR (HYD.)



Q-74Y

SIZE		PRICE PER PC.
INCH.	MM	
CAST IRON		
3	80	18890.00
4	100	28860.00
6	150	14845.00
CAST STEEL		
3	80	23615.00
4	100	36070.00
6	150	58680.00


Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

ITEM

105

CAST IRON DIP CAP SCD. FEMALE BSP END WITH LOCKING ARRANGEMENT.



Q - 77

SIZE		PRICE PER PC.
INCH.	MM	
1½	40	425.00
2	50	480.00
ALUMINIUM		
1½	40	600.00
2	50	665.00


Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

ITEM

106

CAST IRON FILL CAP SCD. FEMALE BSP END WITH LOCKING ARRANGEMENT.



Q-78

SIZE		PRICE PER PC.
INCH.	MM	
2½	65	710.00
3	80	710.00
ALUMINIUM		
2½	65	1065.00
3	80	1065.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn CAST IRON PETROLEUM LINE VALVES

Pinn

107

ITEM

CAST IRON ANGLE CHECK VALVE

PRODUCT DETAILS :-

WITH BRONZE SEAT AND RING SUITABLE FOR HIGH PRESSURE APPLICATIONS IN PETRO INDUSTRY.

SEATING :- RUBBER/METAL

TESTING :- (HYD.)

BODY TEST PRESSURE : 500 psig.

SEAT TEST PRESSURE : 300 psig.



Q-76

SIZE		PRICE PER PC.
INCH.	MM	
1½	40	1340.00
2	50	1750.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

108

ITEM

BRONZE BREATHER VALVE (TERRACE VALVE)

FOR PREVENTING VAPOUR LOSS IN CHEMICAL PROCESS INDUSTRIES OR VESSELS CONTAINING VOLATILE LIQUIDS LIKE PETROL, THINNERS, SPIRIT ETC.

ENDS :

SCREWED INLET BSP



Q-75

SIZE		PRICE PER PC.
INCH.	MM	
1½	40	3625.00
2	50	3625.00
ALUMINIUM		
1½	40	1955.00
2	50	1955.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

109

ITEM

CAST IRON MOISTURE CONTROL CYLINDER WITH SILICA GEL

PRODUCT DETAILS :-

ACRYLIC CYLINDER WITH HIGH QUALITY SILICA GEL

ENDS DETAILS :

SCREWED BSP ENDS



Q-96

SIZE		PRICE PER PC.
INCH.	MM	
1½	40	2350.00
2	50	2350.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn CAST IRON PETROLEUM LINE VALVES

Pinn

ITEM

110

CAST IRON VENT HOOD WITH BRASS MESH

ENDS DETAILS :-


FEMALE END TO B.S.P.



Water ☒ Steam ☐ Gas ☐ Oil ☒ Air ☒

Q-84

SIZE		PRICE PER PC.
INCH.	MM	
1½	40	590.00
2	50	1175.00



///
IBR
CERTIFIED
VALVES





Pinn GUN METAL VALVES IBR CERTIFIED

Pinn

111

ITEM

BRONZE GLOBE STEAM STOP VALVE (STRAIGHTTYPE)

BODY MATERIAL CUM STANDARD:-

BRONZE [IBR CLAUSE 282(a) (iv) Gr. B]

PRODUCT DETAILS :-

SCREWED BONNET INSIDE SCREW, RISING STEM WITH BACKSEAT ARRANGEMENT HAVING RENEWABLE SEAT & STEM

END DETAILS :-

SCREWED FEMALE ENDS, BSP TAPER TO BS:21

TESTING:-

500 psig. (35.15 kg/cm² G) hyd.

WORKING PRESSURE :-

SUITABLE FOR STEAM LINES UP TO 250 psig. (17.58 kg/cm² G) MAX. WORKING TEMP. 437°F (225°C)



Q-101

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	2410.00
3/4	20	3195.00
1	25	4675.00
1¼	32	7200.00
1½	40	10085.00
2	50	15120.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

112

ITEM

BRONZE GLOBE STEAM STOP VALVE (STRAIGHTTYPE)

BODY MATERIAL CUM STANDARD:-

BRONZE [IBR CLAUSE 282(a) (iv) Gr. B]

PRODUCT DETAILS :-

SCREWED BONNET INSIDE SCREW, RISING STEM WITH BACKSEAT ARRANGEMENT HAVING RENEWABLE SEAT & STEM

END DETAILS :-

FLANGED ENDS, BS 10 TABLE 'H'

TESTING:-

500 psig. (35.15 kg/cm² G) hyd.

WORKING PRESSURE :-

SUITABLE FOR STEAM LINES UP TO 250 psig. (17.58 Kg/cm² G) MAX. WORKING TEMP. 437°F (225°C)



Q-102

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	6690.00
3/4	20	7140.00
1	25	9305.00
1¼	32	13220.00
1½	40	16130.00
2	50	23415.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

113

ITEM

BRONZE AUXILIARY STEAM STOP VALVE (STRAIGHTTYPE)

BODY MATERIAL CUM STANDARD:-

BRONZE [IBR CLAUSE 282(a) (iv) Gr. B]

PRODUCT DETAILS :-

OUTSIDE SCREW & YOKE TYPE, RISING STEM WITH BACKSEAT ARRANGEMENT HAVING RENEWABLE SEAT & STEM

END DETAILS :-

SCREWED FEMALE BSP TAPER THREADS TO BS:21

TESTING:-

500 psig. (35.15 kg/cm² G) hyd.

WORKING PRESSURE :-

SUITABLE FOR STEAM LINES UP TO 250 psig. (17.58 kg/cm² G) MAX. WORKING TEMP. 437°F (225°C)



Q-103

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	3490.00
3/4	20	4530.00
1	25	6210.00
1¼	32	13380.00
1½	40	20175.00
2	50	24475.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn BRONZE VALVES IBR CERTIFIED

Pinn

114

ITEM

BRONZE AUXILIARY STEAM STOP VALVE (STRAIGHTTYPE)

BODY MATERIAL CUM STANDARD:-

BRONZE [IBR CLAUSE 282(a) (iv) Gr. B]

PRODUCT DETAILS :-

OUTSIDE SCREW & YOKE TYPE, RISING STEM WITH BACKSEAT ARRANGEMENT HAVING RENEWABLE SEAT & STEM (SS-410)

END DETAILS :-

FLANGED ENDS BS 10 TABLE 'H'

TESTING:-

500 psig. (35.15 kg/cm² G) hyd.

WORKING PRESSURE :-

SUITABLE FOR STEAM LINES UP TO 250 psig. (17.58 kg/cm² G) MAX. WORKING TEMP. 437°F (225°C)



Q-104

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	6690.00
3/4	20	7015.00
1	25	10265.00
1¼	32	13705.00
1½	40	19305.00
2	50	28275.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

115

ITEM

BRONZE HORIZONTAL LIFT CHECK VALVE (STRAIGHTTYPE)

BODY MATERIAL CUM STANDARD:-

BRONZE [IBR CLAUSE 282 (a) (iv) Gr. B]

PRODUCT DETAILS :-

SCREWED IN COVER WITH RENEWABLE STAINLESS STEEL SEATS

END DETAILS :-

SCREWED FEMALE BSP TAPER

TESTING:-

500 psig. hyd.

WORKING PRESSURE :-

SUITABLE FOR STEAM UP TO 250 psig. MAX. WORKING TEMP. 437°F (225°C)



Q-105

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	2305.00
3/4	20	2695.00
1	25	4205.00
1¼	32	6835.00
1½	40	8910.00
2	50	13295.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

116

ITEM

BRONZE HORIZONTAL LIFT CHECK VALVE

BODY MATERIAL CUM STANDARD:-

BRONZE [IBR CLAUSE 282 (a) (iv) Gr. B]

PRODUCT DETAILS :-

SCREWED IN COVER WITH RENEWABLE STAINLESS STEEL SEATS

END DETAILS :-

FLANGED ENDS TO BS 10 TABLE 'H'

TESTING:-

500 psig. hyd.

WORKING PRESSURE :-

SUITABLE FOR STEAM LINES UP TO 250 psig. (17.58 kg/cm² G) MAX. WORKING TEMP. 437°F (225°C)



Q-106

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	6160.00
3/4	20	6755.00
1	25	8640.00
1¼	32	12170.00
1½	40	14950.00
2	50	21615.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn BRONZE VALVES IBR CERTIFIED

Pinn

117

ITEM

BRONZE 'Y' TYPE STRAINER WITH BRASS/SS SCREEN

BODY MATERIAL CUM STANDARD:-
BRONZE [IBR CLAUSE 282(a) (iv) Gr. B]

END DETAILS :-
SCREWED FEMALE ENDS TO BSP TAPER

TESTING:-
500 psig. hyd.

WORKING PRESSURE :-
SUITABLE FOR STEAM UP TO 250 psig. MAX.
WORKING TEMP. 437°F (225°C)



Q-107

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	1595.00
3/4	20	2490.00
1	25	5090.00
1¼	32	6615.00
1½	40	9995.00
2	50	15760.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

118

ITEM

BRONZE 'Y' TYPE STRAINER WITH BRASS/SS SCREEN

BODY MATERIAL CUM STANDARD:-
BRONZE [IBR CLAUSE 282(a) (iv)Gr. B]

END DETAILS :-
FLANGED AS PER BS 10 TABLE 'H'

TESTING:-
500 psig. hyd.

WORKING PRESSURE :-
SUITABLE FOR STEAM UP TO 250 psig. MAX.
WORKING TEMP. 437°F (225°C)



Q-108

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	5295.00
3/4	20	6480.00
1	25	10370.00
1¼	32	12375.00
1½	40	17655.00
2	50	24130.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

119

ITEM

BRONZE SLEEVE PACKED WATER LEVEL GAUGE

BODY MATERIAL CUM STANDARD:-
BRONZE [IBR CLAUSE 282(a) (iv)Gr. B]

PRODUCT DETAILS :-
AUTOMATIC SHUT OFF DEVICE IN THE WATERARM (LH OR RH)

END DETAILS :-
SCREWED MALE INLET TO BS-21 (BSP)

TESTING:-
500 psig. hyd.

WORKING PRESSURE :-
SUITABLE FOR STEAM LINES UP TO 250 psig.
MAX. WORKING TEMP. 437°F (225°C)



Q-109

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	13800.00
5/8	16	18265.00
3/4	20	18265.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn BRONZE VALVES IBR CERTIFIED

Pinn

120

ITEM

BRONZE SLEEVE PACKED WATER LEVEL GAUGE

BODY MATERIAL CUM STANDARD:-

BRONZE (IBR CLAUSE 282(a) (iv) Gr. B)

PRODUCT DETAILS :-

WITH AUTOMATIC SHUT OFF DEVICE IN THE WATER ARM (LH OR RH)

END DETAILS :-

FLANGED ENDS BS 10 TABLE 'H'

TESTING:-

500 psig. hyd.

WORKING PRESSURE :-

SUITABLE FOR STEAM UP TO 250 psig. MAX.
WORKING TEMP. 437°F (225°C)



Q-110

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	14705.00
5/8	16	18515.00
3/4	20	18515.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

121

ITEM

BRONZE ASBESTOS PACKED WATER LEVEL GAUGE

BODY MATERIAL CUM STANDARD:-

BRONZE (IBR CLAUSE 282(a) (iv) Gr. B)

END DETAILS :-

SCREWED MALE END BSP PARELLEL

TESTING:-

300 psig. hyd.

WORKING PRESSURE :-

SUITABLE FOR STEAM UP TO 150 psig. MAX.
WORKING TEMP. 437°F (225°C)



Q-111

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	8685.00
5/8	16	10100.00
3/4	20	10100.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

122

ITEM

BRONZE ASBESTOS PACKED WATER LEVEL GAUGE

BODY MATERIAL CUM STANDARD:-

BRONZE (IBR CLAUSE 282(a) (vi) Gr. B)

END DETAILS :-

FLANGED ENDS TO BS 10 TABLE 'F'

TESTING:-

300 psig. hyd.

WORKING PRESSURE :-

SUITABLE FOR STEAM UP TO 150 psig. MAX.
WORKING TEMP. 437°F (225°C)



Q-112

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	10990.00
5/8	16	14570.00
3/4	20	14570.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn GUN METAL VALVES IBR CERTIFIED

Pinn

123

ITEM

BRONZE THERMODYNAMIC TYPE STEAM TRAP

BODY MATERIAL CUM STANDARD:-

BRONZE [IBR CLAUSE 282 (a) (iv) Gr. B]

PRODUCT DETAILS :-

WITH INTEGRAL S.S. (AISI 304) STRAINER

END DETAILS :-

SCREWED FEMALE END BSP TAPER THREADS TO BS : 21

TESTING:-

SHELL TEST PRESSURE 34.5. bar hyd.

WORKING PRESSURE :-

SUITABLE FOR STEAM UP TO 250 psig. MAX.

WORKING TEMP. 437°F (225°C)



Q-113

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	2625.00
3/4	20	3295.00
1	25	6105.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

124

ITEM

BRONZE FUSIBLE PLUG (ONE PIECE DESIGN)

BODY MATERIAL CUM STANDARD:-

BRONZE [IBR CLAUSE 282(a) (iv) Gr. B]

END DETAILS :-

SCREWED MALE END BSP TAPER THREADS TO BS : 21

TESTING:-

500 psig hyd.

WORKING PRESSURE :-

SUITABLE FOR STEAM UP TO 250 psig. MAX.

MELTING TEMP. OF FUSIBLE ALLOY : 270°C



Q-114

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	875.00
3/4	20	875.00
1	25	1480.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

125

ITEM

BRONZE FUSIBLE PLUG (TWO PIECE DESIGN)

BODY MATERIAL CUM STANDARD:-

BRONZE [IBR CLAUSE 282(a) (iv) Gr. B]

END DETAILS :-

SCREWED MALE ENDS TO BSP TAPER THREADS TO BS : 21

TESTING:-

500 psig hyd.

WORKING PRESSURE :-

SUITABLE FOR STEAM UP TO 250 psig. MAX.

MELTING TEMP. OF FUSIBLE ALLOY : 270°C



Q-115

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	1375.00
3/4	20	1375.00
1	25	1635.00
1¼	32	2065.00
1½	40	2490.00
2	50	3540.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn BRONZE VALVES IBR CERTIFIED

Pinn

126

ITEM

BRONZE PARALLEL SLIDE BLOW OFF VALVE

BODY MATERIAL CUM STANDARD:-

BRONZE [IBR CLAUSE 282(a) (iv)Gr. B]

PRODUCT DETAILS :-

WITH SS RENEWABLE SEATS RACK AND PINION OPERATED HEAVY PATTERN (WITH KEY)

END DETAILS :-


FLANGED ENDS TO BS -10 TABLE 'H'

TESTING:-

500 psig. hyd.

WORKING PRESSURE :-

SUITABLE FOR STEAM UP TO 250 psig. MAX. WORKING TEMP. 437°F (225°C)



Q-116

SIZE		PRICE PER PC.
INCH.	MM	
1	25	29055.00
1½	40	37830.00
2	50	59025.00
STELLITED		
1	25	30720.00
1½	40	40335.00
2	50	61540.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

127

ITEM

BRONZE CONTROLLABLE FEED CHECK VALVE (RIGHT ANGLE OR STRAIGHTTYPE)

BODY MATERIAL CUM STANDARD:-

BRONZE [IBR CLAUSE 282(a) (iv)Gr. B]

PRODUCT DETAILS :-

OUTSIDE SCREW & YOKE TYPE WITH RENEWABLE STAINLESS STEEL SEAT & SPINDLE

END DETAILS :-

SCREWED FEMALE BSP TAPER THREADS TO BS:21

TESTING:-

500 psig. (35.15 kg./cm²G) hyd.

WORKING PRESSURE :-

SUITABLE FOR STEAM LINES UP TO 250 psig. (17.58 kg/cm²G) MAX. WORKING TEMP. 437°F (225°C)



Q-117

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	2530.00
3/4	20	3420.00
1	25	5580.00
1¼	32	8725.00
1½	40	20525.00
2	50	24290.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

128

ITEM

BRONZE VERTICAL NON RETURN VALVE

BODY MATERIAL CUM STANDARD:-

BRONZE [IBR CLAUSE 282(a) (iv)Gr. B]

PRODUCT DETAILS :-

WITH RENEWABLE STAINLESS STEEL SEATS

END DETAILS :-

SCREWED FEMALE BSP TAPER THREADS TO BS:21

TESTING:-

500 psig. (35.15 kg./cm²G) hyd.

WORKING PRESSURE :-

SUITABLE FOR STEAM LINES UP TO 250 psig. (17.58 kg/cm²G) MAX. WORKING TEMP. 437°F (225°C)



Q-118

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	2395.00
3/4	20	3350.00
1	25	4945.00
1¼	32	6080.00
1½	40	7050.00
2	50	9680.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn BRONZE VALVES IBR CERTIFIED

Pinn

129

ITEM

BRONZE PRESSURE REDUCING VALVE

BODY MATERIAL CUM STANDARD:-

BRONZE [IBR CLAUSE 282(a) (iv)Gr. B]

PRODUCT DETAILS :-

SPRING LOADED WITH METALLIC DIAPHRAGM

END DETAILS :-

SCREWED FEMALE ENDS, BSP TAPER THREADS TO BS:21

TESTING:-

500 psig. hyd.

WORKING PRESSURE :-

MAX. INLET PRESSURE 250 psig. STEAM OUTLET REDUCED PRESSURE RANGES, AVAILABLE (20/80, 40/125) MAX. WORKING TEMP. 437°F (225°C)

NOTE : PLEASE SPECIFY THE REDUCED OUTLET PRESSURE RANGE REQUIRED. IF NOT SPECIFIED VALVE WILL BE SUPPLIED WITH 40/125 psig. RANGE



Q-119

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	10460.00
3/4	20	14950.00
1	25	19830.00
1¼	32	28435.00
1½	40	32080.00
2	50	46465.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

130

ITEM

BRONZE SPRING LOADED SAFETY VALVE (ENCLOSED DISCHARGE)

BODY MATERIAL CUM STANDARD:-

BRONZE (IBR CLAUSE 282(a) (iv)Gr. B)

END DETAILS :-

SCREWED MALE INLET BSP TAPER & FEMALE OUTLET BSP PARALLEL THREADS TO BS:21

TESTING:-

300 psig. hyd.

WORKING PRESSURE :-

SUITABLE FOR STEAM LINES UP TO MAX. SET PRESSURE 150 psig. (10.68 kg/cm²G) MAX. WORKING TEMP. 437°F (225°C)



Q-120

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	3420.00
3/4	20	4905.00
1	25	6810.00
1¼	32	10040.00
1½	40	10820.00
2	50	16155.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

131

ITEM

BRONZE SPRING LOADED SAFETY VALVE OPEN DISCHARGE

BODY MATERIAL CUM STANDARD:-

BRONZE (IBR CLAUSE 282(a) (iv)Gr. B)

END DETAILS :-

SCREWED MALE BSPT THREADS TO BS:21

TESTING:-

300 psig. hyd.

WORKING PRESSURE :-

SUITABLE FOR STEAM LINES UP TO MAX. SET PRESSURE 150 psig. MAX. WORKING TEMP. 437°F (225°C)



Q-121

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	3280.00
3/4	20	4615.00
1	25	6600.00
1¼	32	9655.00
1½	40	10505.00
2	50	15830.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn BRONZE VALVES IBR CERTIFIED

Pinn

132

ITEM

BRONZE SPRING LOADED SAFETY VALVE (POPTYPE)

BODY MATERIAL CUM STANDARD:-

BRONZE [IBR CLAUSE 282(a) (iv)Gr. B]

END DETAILS :-

SCREWED BSP TAPER MALE INLET & FEMALE OUTLET BSPT ENCLOSED DISCHARGED (RIGHT ANGLE PATTERN)

TESTING:-

500 psig. hyd.

WORKING PRESSURE :-

SUITABLE FOR STEAM UP TO SET PRESSURE 250 psig. MAX. TEMP 437°F (225°C)



Q-122

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	7625.00
3/4	20	12970.00
1	25	13685.00
1¼	32	20170.00
1½	40	29625.00
2	50	45800.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

133

ITEM

BRONZE SPRING LOADED SAFETY VALVE (POPTYPE)

BODY MATERIAL CUM STANDARD:-

BRONZE [IBR CLAUSE 282(a) (iv)Gr. B]

END DETAILS :-


FLANGED ENDS TO BSP-10 TABLE 'H' ENCLOSED DISCHARGE (RIGHT ANGLE PATTERN)

TESTING:-

500 psig. hyd.

WORKING PRESSURE :-

SUITABLE FOR STEAM LINES UP TO SET PRESSURE 250 psig. (17.58 kg/cm²G) MAX. WORKING TEMP. 437°F (225°C)



Q-123

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	12785.00
3/4	20	15865.00
1	25	18550.00
1¼	32	28130.00
1½	40	35955.00
2	50	51325.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

134

ITEM

BRONZE SPRING LOADED SAFETY VALVE POPTYPE OPEN DISCHARGE

BODY MATERIAL CUM STANDARD:-

BRONZE [IBR CLAUSE 282(a) (iv)Gr. B]

END DETAILS :-

SCREWED MALE BSP TAPPER TO BS : 21

TESTING:-

500 psig. hyd.

WORKING PRESSURE :-

SUITABLE FOR STEAM LINES UP TO SET PRESSURE 250 psig. MAX. WORKING TEMP. 437°F (225°C)



Q-124

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	7625.00
3/4	20	12910.00
1	25	13685.00
1¼	32	20360.00
1½	40	29680.00
2	50	45840.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn BRONZE VALVES IBR CERTIFIED

Pinn

135

ITEM

BRONZE SPRING LOADED SAFETY VALVE POPTYPE OPEN DISCHARGE

BODY MATERIAL CUM STANDARD:-

BRONZE [IBR CLAUSE 282(a) (iv) Gr. B]

END DETAILS :-

FLANGED ENDS TO BS 10 TABLE 'H'

TESTING:-

500 psig. hyd.

WORKING PRESSURE :-

SUITABLE FOR STEAM UP TO MAX. SET
PRESSURE 250 psig. MAX. TEMP. 437°F (225°C)



Q-125

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	12785.00
3/4	20	15855.00
1	25	18550.00
1¼	32	28355.00
1½	40	36030.00
2	50	51235.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

136

ITEM

BRONZE SIGHT GLASS

BODY MATERIAL CUM STANDARD:-

BRONZE [IBR CLAUSE 282(a) (iv) Gr. B]

END DETAILS :-

SCREWED FEMALE BSP PARALLEL THREADS
TO BS : 21

TESTING:-

TESTED TO 34.5 bar hyd.

WORKING PRESSURE :-

SUITABLE FOR STEAM LINES UP TO MAX. BOP
17.24 bar AT 225°C



Q-126

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	2670.00
3/4	20	2695.00
1	25	3775.00
1¼	32	5580.00
1½	40	5690.00
2	50	6835.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

137

ITEM

BRONZE CONTROLLABLE FEED CHECK VALVE (RIGHT ANGLE OR STRAIGHTTYPE)

BODY MATERIAL CUM STANDARD:-

BRONZE [IBR CLAUSE 282(a) (iv) Gr. B]

PRODUCT DETAILS :-

OUTSIDE SCREW & YOKE TYPE WITH
RENEWABLE STAINLESS STEEL SEAT &
SPINDLE

END DETAILS :-

FLANGED ENDS TO BS 10 TABLE 'H'

TESTING:-

500 psig. hyd.

WORKING PRESSURE :-

SUITABLE FOR STEAM LINES UP TO 250 psig.
MAX. TEMP. 437°F (225°C)



Q-127

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	12135.00
3/4	20	14600.00
1	25	18180.00
1¼	32	21730.00
1½	40	36380.00
2	50	52990.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn BRONZE VALVES IBR CERTIFIED

Pinn

138

ITEM

**BRONZE SPRING LOADED SAFETY VALVE
OPEN DISCHARGE**

BODY MATERIAL CUM STANDARD:-

BRONZE [IBR CLAUSE 282(a) (iv) Gr. B]

END DETAILS :-

FLANGED TO BS-10 TABLE H

TESTING:-

300 PSIG HYD.

WORKING PRESSURE :-

SUITABLE FOR STEAM LINES UP TO SET
PRESSURE 150 PSIG., MAX. WORKING
TEMP 437° OF (225°C)



Q128

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	6940.00
3/4	20	7440.00
1	25	10035.00
1¼	32	15730.00
1½	40	16140.00
2	50	19665.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

139

ITEM

**BRONZE SPRING LOADED SAFETY VALVE
ENCLOSED DISCHARGE**

BODY MATERIAL CUM STANDARD:-

BRONZE [IBR CLAUSE 282(a) (iv) Gr. B]

END DETAILS :-

FLANGED TO BS-10 TABLE H

TESTING:-

300 PSIG HYD.

WORKING PRESSURE :-

SUITABLE FOR STEAM LINES UP TO SET
PRESSURE 150 PSIG., MAX. WORKING
TEMP 437° OF (225°C)



Q129

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	8170.00
3/4	20	8690.00
1	25	11345.00
1¼	32	16640.00
1½	40	17565.00
2	50	21365.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

140

ITEM

**BRONZE SPRING LOADED SAFETY VALVE WITH
SGI CHAMBER, ENCLOSED DISCHARGE**

BODY MATERIAL CUM STANDARD :-

BRONZE (IBR CLAUSE 282 (A) (IV) GRADE B)

END DETAILS :

SCREWED MALE INLET BSP TAPER & FEMALE OUTLET
BSP PARALLEL THREADS TO BS : 21

TESTING :

300 PSIG HYD.

WORKING PRESSURE :

SUITABLE FOR STEAM LINES UPTO MAX. SET PRESSURE
150 PSIG, MAX. WORKING TEMP. 437°F (225°C)



Q130

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	2855.00
3/4	20	3620.00
1	25	4985.00
1½	40	8210.00
2	50	9945.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn BRONZE VALVES IBR CERTIFIED

Pinn

141

ITEM

BRONZE SPRING LOADED SAFETY VALVE WITH SGI CHAMBER, ENCLOSED DISCHARGE

BODY MATERIAL CUM STANDARD :-

BRONZE (IBR CLAUSE 282 (A) (IV) GRADE B)

END DETAILS :

FLANGED ENDS TO BS:10, TABLE H

TESTING :

300 PSIG HYD.

WORKING PRESSURE :

SUITABLE FOR STEAM LINES UPTO MAX. SET PRESSURE 150 PSIG, MAX. WORKING TEMP. 437°F (225°C)



Q131

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	4530.00
3/4	20	6020.00
1	25	7855.00
1½	40	13035.00
2	50	15730.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn CAST IRON VALVES IBR CERTIFIED

Pinn

142

ITEM

CAST IRON GLOBE STEAM STOPVALVE

BODY MATERIAL CUM STANDARD :-

CAST IRON (IBR CLAUSE 86 TO 93 GR. A)

PRODUCT DETAILS :-

BOLTED BONNET, OUTSIDE SCREW & YOKE TYPE, RISING STEM WITH BACKSEAT ARRANGEMENT, RENEWABLE STAINLESS STEEL (AISI410) SEAT & STEM, HANDWHEEL OPERATED

END DETAILS :-

FLANGED TO DIN 2533 RF, PN 16 FOR SIZE UPTO 150mm

FLANGED TO DIN 2532 RF, PN 10 FOR SIZE 200mm

WORKING PRESSURE :-

SUITABLE FOR STEAM LINE NOMINAL PRESSURE

RATING PN 16/10, CONFORMING TO BS: 5152, MAX

WORKING TEMP 220°C (428 °F)

TESTING :- HYDRAULIC

TEST PRESSURE :- 26Bar (377psig.) For size up to 150mm

TEST PRESSURE :- 16Bar (232psig.) For size 200mm



Q-201

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	1825.00
3/4	20	2035.00
1	25	2215.00
1¼	32	3270.00
1½	40	4085.00
2	50	5205.00
2½	65	7465.00
3	80	9450.00
4	100	13835.00
5	125	20295.00
6	150	29050.00
8	200	57985.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

143

ITEM

CAST IRON JUNCTION STEAM STOP VALVE (RIGHT ANGLE PATTERN)

BODY MATERIAL CUM STANDARD :-

CAST IRON (IBR CLAUSE 86 TO 93 GR.A)

PRODUCT DETAILS :-

BOLTED BONNET, OUTSIDE SCREW & YOKE TYPE, RISING STEM WITH BACKSEAT ARRANGEMENT, RENEWABLE STAINLESS STEEL (AISI410) SEAT & STEM, HANDWHEEL OPERATED

END DETAILS :-

FLANGED TO DIN 2533 RF, PN 16 FOR SIZE UPTO 150mm

FLANGED TO DIN 2532 RF, PN 10 FOR SIZE 200mm

WORKING PRESSURE:-

SUITABLE FOR STEAM LINE NOMINAL PRESSURE

RATING PN 16/10, CONFORMING TO BS:5152, MAX.

WORKING TEMP. 220°C (428°F)

TESTING:- HYDRAULIC.

TEST PRESSURE :- 26bar (377psig.) For size up to 150mm

TEST PRESSURE :- 16bar (232 psig.) For size 200mm



Q-202

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	2110.00
3/4	20	2315.00
1	25	2495.00
1¼	32	3360.00
1½	40	4340.00
2	50	5565.00
2½	65	7990.00
3	80	10915.00
4	100	14525.00
5	125	21650.00
6	150	31080.00
8	200	62045.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

144

ITEM

CAST IRON HORIZONTAL LIFT CHECK (NON-RETURN) VALVE

BODY MATERIAL CUM STANDARD :-

CAST IRON (IBR CLAUSE 86 TO 93 GR.A)

PRODUCT DETAILS :-

BOLTED COVER, RENEWABLE STAINLESS STEEL (AISI 410) SEATS

END DETAILS :-

FLANGED TO DIN 2533 RF, PN 16 FOR SIZE UPTO 150mm

FLANGED TO DIN 2532 RF, PN 10 FOR SIZE 200mm

WORKING PRESSURE:-

SUITABLE FOR STEAM LINE NOMINAL PRESSURE

RATING PN 16/10, CONFORMING TO BS:5153, MAX.

WORKING TEMP. 220 °C (428 °F)

TESTING:- HYDRAULIC.

TEST PRESSURE :- 26BAR (377psig.) For size up to 150mm

TEST PRESSURE :- 16Bar (232 psig.) For size 200mm



Q-203

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	1660.00
3/4	20	1945.00
1	25	2175.00
1¼	32	3090.00
1½	40	3760.00
2	50	4745.00
2½	65	6775.00
3	80	9240.00
4	100	12205.00
5	125	19050.00
6	150	27935.00
8	200	56770.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn CAST IRON VALVES IBR CERTIFIED

Pinn

145

ITEM

CAST IRON LIFT CHECK (NON-RETURN) VALVE (RIGHT ANGLE PATTERN)

BODY MATERIAL CUM STANDARD :-
CAST IRON (IBR CLAUSE 86 TO 93 GR.A)

PRODUCT DETAILS :-
BOLTED COVER, RENEWABLE STAINLESS STEEL (AISI 410) SEATS

END DETAILS :-
FLANGED TO DIN 2533 RF, PN 16 FOR SIZE UPTO 150mm
FLANGED TO DIN 2532 RF, PN 10 FOR SIZE 200mm

WORKING PRESSURE:-
SUITABLE FOR STEAM LINE NOMINAL PRESSURE RATING PN 16/10, CONFORMING TO BS:5153, MAX. WORKING TEMP. 220° C (428° F)

TESTING:- HYDRAULIC.
TEST PRESSURE :- 26BAR (377psig.) For size up to 150mm
TEST PRESSURE :- 16Bar (232 psig.) For size 200mm



Q-204

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	1775.00
3/4	20	2080.00
1	25	2325.00
1¼	32	3310.00
1½	40	4020.00
2	50	5075.00
2½	65	7245.00
3	80	9885.00
4	100	13060.00
5	125	20385.00
6	150	29890.00
8	200	60745.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

146

ITEM

CAST IRON STOP CUM NON RETURN VALVE STRAIGHT/RIGHT ANGLE PATTERN

BODY MATERIAL CUM STANDARD :-
CAST IRON (IBR CLAUSE 86 TO 93 GR. A)

PRODUCT DETAILS :-
BOLTED BONNET, OUTSIDE SCREW & YOKE TYPE, RISING STEM WITH BACKSEAT ARRANGEMENT, STAINLESS STEEL (AISI 410) SEATS & STEM, HAND OPERATED

END DETAILS :-
FLANGED TO DIN 2533 RF, PN 16 FOR SIZE UPTO 150mm
FLANGED TO DIN 2532 RF, PN 10 FOR SIZE 200mm

WORKING PRESSURE :-
SUITABLE FOR STEAM LINE NOMINAL PRESSURE RATING PN 16/10, CONFORMING TO BS: 5152, MAX. WORKING TEMP 220° C (428° F)

TESTING :- HYDRAULIC
TEST PRESSURE :- 26Bar (377psig.) For size up to 150mm
TEST PRESSURE :- 16Bar (232psig.) For size 200mm



Q-205

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	2560.00
3/4	20	2820.00
1	25	3090.00
1¼	32	4315.00
1½	40	5690.00
2	50	7245.00
2½	65	10385.00
3	80	13150.00
4	100	19235.00
5	125	28185.00
6	150	38620.00
8	200	68545.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

147

ITEM

CAST IRON ACCESSIBLE FEED CHECK VALVE WITHOUT INSPECTION BRANCH

BODY MATERIAL CUM STANDARD:-
CAST IRON (IBR CLAUSE 86 TO 93 GR.A)

PRODUCT DETAILS :-
BOLTED BONNET, OUTSIDE SCREW & YOKE TYPE, RISING STEM WITH BACKSEAT ARRANGEMENT, STAINLESS STEEL (AISI 410) SEATS & STEM, HAND OPERATED

END DETAILS :-
FLANGED ENDS AS PER BS 10 TABLE 'F'

TESTING :-
300 psig. hyd.

WORKING PRESSURE :-
SUITABLE MAX. BOP 150 psig. MAX. WORKING TEMP. 220°C WITH STRAIGHT/CURVED IN LET



Q-206

SIZE		PRICE PER PC.
INCH.	MM	
1	25	9845.00
1¼	32	13430.00
1½	40	15605.00
2	50	21930.00
2½	65	29140.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn CAST IRON VALVES IBR CERTIFIED

Pinn

148

ITEM

CAST IRON 'Y' TYPE STRAINER

BODY MATERIAL CUM STANDARD:-

CAST IRON (IBR CLAUSE 86 TO 93 GR.A)

PRODUCT DETAILS :-

STAINLESS STEEL PERFORATED SHEET SCREEN

END DETAILS :-


SCREWED FEMALE BSP PARALLEL THREADS TO BS :21

TESTING:-

370 psig. (hyd.)

WORKING PRESSURE :-

SUITABLE FOR STEAM LINES UP TO 185 psig. 13 kg/cm²G MAX. WORKING TEMP. 220°C



Q-207

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	430.00
3/4	20	615.00
1	25	940.00
1¼	32	1200.00
1½	40	1720.00
2	50	2835.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

149

ITEM

CAST IRON 'Y' TYPE STRAINER

BODY MATERIAL CUM STANDARD:-

CAST IRON (IBR CLAUSE 86 TO 93 GR.A)

PRODUCT DETAILS :-

BOLTED COVER WITH STAINLESS STEEL PERFORATED SHEET SCREEN

END DETAILS :-

FLANGED ENDS AS PER BS 10 TABLE 'F'

TESTING :-

370 psig. (hyd.)

WORKING PRESSURE :-

SUITABLE FOR STEAM LINES UP TO 185 psig. MAX. WORKING TEMP. 220°C



Q-208

SIZE		PRICE PER PC.
INCH.	MM	
1	25	2440.00
1¼	32	2855.00
1½	40	3800.00
2	50	5670.00
2½	65	8795.00
3	80	9640.00
4	100	15940.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

150

ITEM

CAST IRON VERTICAL INVERTED BUCKET TYPE STEAMTRAP

BODY MATERIAL CUM STANDARD:-

CAST IRON (IBR CLAUSE 86 TO 93 GR.A)

END DETAILS :-

SCREWED FEMALE ENDS, BSP PARALLEL

TESTING :-

300 psig. (hyd.)

WORKING PRESSURE :-

SUITABLE FOR SATURATED STEAM UP TO 150 psig. AND MAX. WORKING TEMP. 220°C



Q-209

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	2475.00
3/4	20	3110.00
1	25	4785.00
1¼	32	10925.00
1½	40	10925.00
2	50	13835.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn STAINLESS STEEL VALVES IBR CERTIFIED

Pinn

151

ITEM

**CAST IRON SPRING LOADED SINGLE POST
HIGH LIFT SAFETY VALVE (ANGLETYPE)**

BODY MATERIAL CUM STANDARD:-

CAST IRON (IBR CLAUSE 86 TO 93 GR.A)

PRODUCT DETAILS :-

ANGLE TYPE WITH MONEL/SS (AISI 410)

SEATS AND SS STEM

END DETAILS :-

INLET FLANGED TO BS 10 TABLE 'F' OUTLET


FLANGED TO BS-10 TABLE 'D'

TESTING:-

370 psig. hyd.)

WORKING PRESSURE :-

MAX. BOP 150 psig., MAX. TEMP. 220°C



Q-210

SIZE		PRICE PER PC.
INCH.	MM	
1	25	16045.00
1½	40	21910.00
2	50	27825.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

152

ITEM

**STAINLESS STEEL THERMODYNAMIC STEAM
TRAP**

BODY MATERIAL CUM STANDARD:-

SS (AISI 420) INVESTMENT CASTED

PRODUCT DETAILS :-

THERMODYNAMIC TYPE WITH IN BUILT
STRAINER

END DETAILS :-

SCREWED FEMALE BSP (PARALLEL) BS-21

TESTING :-

B.T.P. 600 psig. hyd.)

WORKING PRESSURE :-

SUITABLE FOR MAX. BOP 31 bar AT 400°C



Q-211

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	1780.00
3/4	20	1780.00
1	25	2270.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

153

ITEM

CAST IRON BALL FLOAT STEAM TRAP

BODY MATERIAL CUM STANDARD:-

CAST IRON (IBR CLAUSE 86 TO 93-GR.A) &
WORKING PARTS SS (AS ISI:304)

PRODUCT DETAIL:

HORIZONTAL TYPE, SIDE INLET & OUTLET

END DETAIL:

SCREWED FEMALE BSP PARALLEL (BS-21)

WORKING PRESSURE:

SUITABLE FOR STEAM UP TO
150PSIG (10KG./CM²)



Q-212

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	3705.00
3/4	20	3705.00
1	25	5230.00
1½	40	12790.00
2	50	17575.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn CAST STEEL VALVES IBR CERTIFIED

Pinn

154

ITEM

CAST STEEL (ASTM A 216 GR.WCB) GLOBE VALVE

BODY MATERIAL CUM STANDARD:-

CAST STEEL (ASTM A 216 GR.WCB)

PRODUCT DETAILS :-

BOLTED BONNET, OUTSIDE SCREW & YOKE TYPE, RISING STEM WITH BACKSEAT ARRANGEMENT, RENEWABLE STAINLESS STEEL (AISI 410) TRIM, HAND OPERATED

END DETAILS :-


FLANGED ENDS AS PER BS : 4504 PART 1 TABLE 40/1

WORKING PRESSURE :-

SUITABLE FOR STEAM LINES NOMINAL PRESSURE RATING PN - 40 CONFORMING TO BS-5160/DIN 2401 MAX. WORKING TEMP. 400°C

BODY TESTED : 76 bar (1100 psig. hyd.)

SEAT TESTED : 40 bar (580 psig. hyd.)



Q-301

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	3605.00
3/4	20	3945.00
1	25	4655.00
1¼	32	6715.00
1½	40	7230.00
2	50	9280.00
2½	65	14695.00
3	80	17155.00
4	100	24285.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

155

ITEM

CAST STEEL (ASTM A 216 GR.WCB) HORIZONTAL LIFT CHECK (NON RETURN) VALVE

BODY MATERIAL CUM STANDARD:-

CAST STEEL (IBR CLAUSE A-216 GR.WCB)

PRODUCT DETAILS :-

BOLTED BONNET RENEWABLE STAINLESS STEEL (AISI 410) TRIM,

END DETAILS :-

FLANGED ENDS AS PER BS : 4504 PART 1 TABLE 40/1

WORKING PRESSURE :-

SUITABLE FOR STEAM LINES NOMINAL PRESSURE RATING PN - 40 CONFORMING TO BS-5160/DIN 2401 MAX. WORKING TEMP. 400°C

BODY TESTED : 76 bar (1100 psig. hyd.)

SEAT TESTED : 40 bar (580 psig. hyd.)



Q-302

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	3825.00
3/4	20	4050.00
1	25	4790.00
1¼	32	6885.00
1½	40	7200.00
2	50	9535.00
2½	65	14935.00
3	80	18140.00
4	100	25675.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

156

ITEM

CAST STEEL (ASTM A216 GR. WCB) GATE VALVE CLASS-150

BODY MATERIAL CUM STANDARD :-

CAST CARBON STEEL (ASTM A216 GR. WCB)

BS: 1414:75/API:600:97/API 6D:2002)

PRODUCT DETAILS :-

BOLTED BONNET, OUTSIDE SCREW & YOKE TYPE, RISING STEM, RENEWABLE STAINLESS STEEL (AISI410) SEAT, TRIM-SS (ASTMA276 TYPE 410 OR ITS EQUIVALENT), SOLID WEDGE, HAND WHEEL OPERATED.

WORKING TEMPERATURE - 425°C.

END DETAILS :-

FLANGED ENDS AS PER ASME B 16.5 CL-150 RF (UNDRILLED)

TESTING :- HYDRAULIC

BODY TEST PRESSURE :- 30 BAR HYD.

SEAT TEST PRESSURE :- 22 BAR HYD.



Q-310

SIZE		PRICE PER PC.
INCH.	MM	
1½	40	10980.00
2	50	13235.00
2½	65	15510.00
3	80	19080.00
4	100	25030.00
5	125	36415.00
6	150	42695.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn CAST STEEL VALVES IBR CERTIFIED

Pinn

157

ITEM

**CAST STEEL (ASTM A216 GR. WCB)
GLOBE VALVE CLASS-150**

BODY MATERIAL CUM STANDARD :-

CAST CARBON STEEL (ASTM A216 GR. WCB)
(IBR CLAUSE 73 TO 80 GR. B)

PRODUCT DETAILS :-

BOLTED BONNET, OUTSIDE SCREW & YOKE TYPE,
RISING STEM, RENEWABLE STAINLESS STEEL (AISI410)
SEAT & STEM, TRIM-SS (ASTM A276 TYPE 410 OR ITS
EQUIVALENT), SOLID WEDGE, HAND WHEEL OPERATED.
WORKING TEMPERATURE - 425°C.

END DETAILS :-

FLANGED ENDS AS PER ASME B 16.5 CL-150 RF (UNDRILLED)

TESTING :- HYDRAULIC

BODY TEST PRESSURE :- 30 BAR HYD.

SEAT TEST PRESSURE :- 22 BAR HYD.



Q-311

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	3375.00
3/4	20	3685.00
1	25	4390.00
1 1/4	32	6315.00
1 1/2	40	6675.00
2	50	8595.00
2 1/2	65	13585.00
3	80	15935.00
4	100	22480.00
6	150	52295.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

158

ITEM

**CAST STEEL (ASTM A216 GR. WCB)
HORIZONTAL LIFT CHECK VALVE CLASS-150**

BODY MATERIAL CUM STANDARD :-

CAST CARBON STEEL (ASTM A216 GR. WCB)
(IBR CLAUSE 73 TO 80 GR. B)

PRODUCT DETAILS :-

BOLTED COVER, RENEWABLE STAINLESS STEEL
(AISI410) SEAT, TRIM-SS (ASTM A216 TYPE 410)
WORKING TEMPERATURE - 425°C.

END DETAILS :-

FLANGED ENDS AS PER ASME B 16.5 CL-150 RF (UNDRILLED)

TESTING :- HYDRAULIC

BODY TEST PRESSURE :- 30 BAR HYD.

SEAT TEST PRESSURE :- 22 BAR HYD.



Q-312

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	3325.00
3/4	20	3565.00
1	25	4275.00
1 1/4	32	6190.00
1 1/2	40	6550.00
2	50	8480.00
2 1/2	65	13465.00
3	80	15810.00
4	100	22360.00
6	150	52135.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

159

ITEM

**CAST STEEL (ASTM A 216 GR.WCB) PARALLEL
SLIDE BLOW OFF VALVE**

BODY MATERIAL CUM STANDARD:-

CAST STEEL (ASTM A 216 GR.WCB)

PRODUCT DETAILS :-

WITH STAINLESS STEEL/STELLITED SEAT, RACK &
PINION OPERATED WITH OPERATING KEY

END DETAILS :-

FLANGED ENDS AS PER BS 10 TABLE 'J'

TESTING :-

700 psig. hyd.)

WORKING PRESSURE :-

SUITABLE FOR MAX. BOP 350 psig. MAX.
WORKING TEMP. 400°C



Q-303

SIZE		PRICE PER PC.
INCH.	MM	
1	25	11280.00
1 1/2	40	16915.00
2	50	21985.00
STELLITED		
1	25	12705.00
1 1/2	40	19035.00
2	50	24120.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn CAST STEEL VALVES IBR CERTIFIED

Pinn

160

ITEM

CAST CARBON STEEL (ASTM A 216 GR.WCB) GLOBE VALVE (RIGHT ANGLE PATTERN)

BODY MATERIAL CUM STANDARD:-

CAST CARBON STEEL (IBR CLAUSE 73 TO 80 GR.B) (ASTM A 216 GR.WCB)

PRODUCT DETAILS :-

BOLTED BONNET, OUTSIDE SCREW & YOKE TYPE, RISING STEM WITH BACKSEAT ARRANGEMENT, RENEWABLE STAINLESS STEEL (AISI 410) TRIM, HAND WHEEL OPERATED

END DETAILS :-

FLANGED ENDS AS PER BS : 4504 PART 1 TABLE 40/1 NOMINAL PRESSURE RATING PN 40, CONFIRMING TO BS 5160/DIN 2401 MAX. WORKING TEMP. 400°C

BODY TESTED : 76 bar (1100 psig. hyd.)

BACK SEAT & SEAT TESTED : 40 BAR (580 psig. hyd.)



Q-304

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	5330.00
3/4	20	7650.00
1	25	8245.00
1 1/4	32	10645.00
1 1/2	40	16835.00
2	50	19655.00
2 1/2	65	27820.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

161

ITEM

CAST CARBON STEEL (ASTM A 216 GR.WCB) ACCESSIBLE FEED CHECK VALVE

BODY MATERIAL CUM STANDARD:-

CAST CARBON STEEL (IBR CLAUSE 73 TO 80 GR.B) (ASTM A :216 GR.WCB)

PRODUCT DETAILS :-

BOLTED BONNET, OUTSIDE SCREW & YOKE TYPE, RISING STEM WITH BACKSEAT ARRANGEMENT, RENEWABLE STAINLESS STEEL/MONEL TRIM, WITH STRAIGHT INLET HAND WHEEL OPERATED

END DETAILS :-

FLANGED ENDS AS PER BS : 10 TABLE 'J'

TESTING :-

700 psig. hyd.)

WORKING PRESSURE :-

SUITABLE FOR MAX. BOP 350 psig. MAX. RECOMMENDED TEMP. 400°C



Q-305

SIZE		PRICE PER PC.
INCH.	MM	
1	25	15715.00
1 1/2	40	20605.00
2	50	32240.00
2 1/2	65	41810.00
3	80	62090.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

162

ITEM

CAST STEEL (ASTM A 216 GR.WCB) 'Y' TYPE STRAINER

BODY MATERIAL CUM STANDARD:-

CAST STEEL (ASTM A 216 GR.WCB)

PRODUCT DETAILS :-

BOLTED COVER WITH PERFORATED STAINLESS STEEL SHEET SCREEN

END DETAILS :-


FLANGED ENDS AS PER BS 10 TABLE 'J'

TESTING :-

700 psig. hyd.)

WORKING PRESSURE :-

SUITABLE FOR MAX. STEAM WORKING PRESSURE 350 psig., MAX. WORKING TEMP. 400°C



Q-306

SIZE		PRICE PER PC.
INCH.	MM	
1	25	5320.00
1 1/2	40	7470.00
2	50	8830.00
2 1/2	65	10780.00
3	80	20690.00
4	100	29435.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn CAST STEEL VALVES IBR CERTIFIED

Pinn

163

ITEM

CAST CARBON STEEL (ASTM A 216 GR.W CB) SINGLE POST HIGH LIFT SPRING LOADED SAFETY VALVE

BODY MATERIAL CUM STANDARD:-

CAST CARBON STEEL (IBR CLAUSE 73 TO 80 GR.B) (ASTMA 216 GR.W CB)

PRODUCT DETAILS:-

SINGLE POST HIGH LIFT SPRING LOADED SAFETY VALVE WITH MONEL SEATS & STAINLESS STEEL AISI-410 SPINDLE

END DETAILS:-

INLET FLANGE TO BS 10 TABLE 'H' OUTSIDE FLANGE TO BS 10 TABLE 'D'

TESTING:-

500 psig. hyd.)

WORKING PRESSURE:-

SUITABLE FOR STEAM LINES MAX. SET PRESSURE 250 psig.



P-307

SIZE		PRICE PER PC.
INCH.	MM	
1	25	19975.00
1½	40	27480.00
2	50	34170.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

164

ITEM

CAST STEEL (ASTM A 216 GR.W CB) SLEEVE PACKED WATER LEVEL GAUGE

BODY MATERIAL CUM STANDARD:-

CAST STEEL (ASTM A : 216 GR.WCB)

PRODUCT DETAILS:-

WITH AUTOMATIC SHUT OFF DEVICE IN THE WATER ARM (RH OR LH)

END DETAILS:-

FLANGED ENDS AS PER BS : 10 TABLE 'J'

TESTING:-

700 psig. hyd.)

WORKING PRESSURE:-

SUITABLE FOR MAX. BOP 350 psig. MAX. RECOMMENDED TEMP. 400°C



P-308

SIZE		PRICE PER PC.
INCH.	MM	
3/4	20	12640.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

165

ITEM

WAFER TYPE DISC CHECK VALVE

Product Details:-

Wafer Type, Integral Seating, Spring Loaded Lowest flow resistance and easy mounting

Body Material:-

Stainless Steel to ASTM A351(CF-8)

Trim Material:-

Stainless Steel to AISI:304

Pressure Rating:-

Upto Class 300 Steam Line

End Details:-

Compatible with flanged insertion TO BS:10, Table-D/E/F/H & BS:4504 PN/10/16 & ANSI: Class 150/300

Testing (Hyd.):

60 Kg/cm²



P-309

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	510.00
3/4	20	600.00
1	25	770.00
1½	40	1285.00
2	50	2030.00
2½	65	3275.00
3	80	3585.00
4	100	5415.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒



Pinn FORGED STEEL VALVES IBR CERTIFIED

Pinn

166

ITEM

DROP FORGED STEEL (ASTM A 105) WEDGE GATE VALVE

BODY MATERIAL CUM STANDARD:-

DROP FORGED CARBON STEEL

PRODUCT DETAILS :-

REDUCED BORE, BOLTED BONNET, OUTSIDE SCREW & YOKE TYPE, RISING STEM WITH BACKSEAT ARRANGEMENT, STAINLESS STEEL (AISI 410) TRIM, HAND WHEEL OPERATED, CONFIRMING TO BS 5352 CLASS 800


END DETAILS :-

SCREWED FEMALE NPT THREADS TO ANSI B1.20.1 OR SOCKET WELDED ENDS AS PER ASME B 16.11

TESTING:-

BODY TESTED : 207 bar 3000 psig. hyd.

BACK SEAT & SEAT TESTED : 152 bar 2200 psig. hyd. & 6.9 bar (100 psig.) AIR.



Q-401

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	1990.00
3/4	20	2435.00
1	25	3320.00
1¼	32	5990.00
1½	40	6890.00
2	50	9590.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

167

ITEM

DROP FORGED STEEL (ASTM A 105) GLOBE VALVE

BODY MATERIAL CUM STANDARD:-

DROP FORGED CARBON STEEL

PRODUCT DETAILS :-

REDUCED BORE, BOLTED BONNET, OUTSIDE SCREW & YOKE TYPE, RISING STEM WITH BACKSEAT ARRANGEMENT, STAINLESS STEEL (AISI 410) TRIM, HAND WHEEL OPERATED, CONFIRMING TO BS 5352 CLASS 800

END DETAILS :-

SCREWED FEMALE NPT THREADS TO ANSI B1.20.1 OR SOCKET WELDED ENDS AS PER ASME B 16.11

TESTING:-

BODY TESTED : 207 bar 3000 psig. hyd.

BACK SEAT & SEAT TESTED : 152 BAR 2200 psig. hyd. & 6.9 bar (100 psig.) AIR.



Q-402

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	1920.00
3/4	20	2435.00
1	25	3290.00
1¼	32	5870.00
1½	40	6790.00
2	50	9540.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒

Pinn

168

ITEM

DROP FORGED STEEL (ASTM A-105) HORIZONTAL LIFT CHECK VALVE

BODY MATERIAL CUM STANDARD:-

DROP FORGED CARBON STEEL

PRODUCT DETAILS :-

BOLTED BONNET, REDUCED BORE SS (AISI 410) TRIM, CONFIRMING TO BS 5352 CLASS 800

END DETAILS :-

SCREWED FEMALE NPT THREADS TO ANSI B 1.20.1 OR SOCKET WELDED ENDS AS PER ASME B 16.11

TESTING:-

BODY TESTED : 207 bar 3000 psig. hyd.

BACK SEAT & SEAT TESTED : 152 bar 2200 psig. hyd. & 6.9 bar (100 psig.) AIR.



Q-403

SIZE		PRICE PER PC.
INCH.	MM	
1/2	15	1890.00
3/4	20	2140.00
1	25	2645.00
1¼	32	4515.00
1½	40	6170.00
2	50	9005.00

Water ☒ Steam ☒ Gas ☒ Oil ☒ Air ☒