


Hemnil Protection

(ISO 9001:2015 Certified Company)



HP-CARBONSHIELD™

NON-ASBESTOS, 100% ITCHING FREE

NON-ASBESTOS FIRE/WELDING BLANKETS

Application:

Welding blankets provides protection from sparks, spatter, slags generated by welding or metal cutting application. It has been widely used in many industries include shipbuilding, construction, automotive parts, oil plants, flammable chemicals, and so on.

Description:

Various treatments and sizes could be fabricated on request. In addition, we can install with eyelets, clips or Velcro on the blankets in order to suit your individual needs.

Temperature Resistivity of fire/welding blankets - 240°C to 1260°C

	Description of Product	THICKNESS	WEIGHT	PRODUCT CODE	TEMPERATURE
1	Ceramic Fiber With SS Wire & Vermiculite Coating	3mm	1500GSM	HP/CVS	1260°C
2	Silica Fiber Product	1.4mm	1200GSM	HP/S88	1000°C
3	HP-Carbonshield Carbon Fiber	4mm	650GSM	CARBONSHIELD	900°C
4	E-Fiber Glass with Graphite Coating	1.7mm	1700GSM	HP/BLK	850°C
5	E-Fiber Glass with Silicon Coating	1mm	1100GSM	HP/SI/2G	750°C
6	Heat Treated Fiberglass Fabric with PU Coating	0.45 MM	450 GSM	HP/FG/HT/430/PU	550°C

HEMNIL PROTECTION

402, Gopalpuri, S.V. Road, Borivali (East), Mumbai - 400066

Mobile No: 09322212320 Email ID - jainav@gmail.com

Website - <http://www.hemnilprotection.net/>



Hemnil Protection



(ISO 9001:2015 Certified Company)



HP-CARBONSHIELD™

NON-ASBESTOS, 100% ITCHING FREE

NON-ASBESTOS FIRE/WELDING BLANKET SPECIFICATIONS

CODE NO.	ITEM DESCRIPTION	THICKNESS	WEIGHT	COLOUR	TEMPERATURE
Type: HP/CVS	Ceramic Fiber with SS Wire & Vermiculite Coating	3.0 MM	1500 GSM	BROWN	1260°C
Size:	1mtr X 30 Mtr/Roll Blankets- Customizable as per the Requirement				
Application:	Fire/Welding Blankets/ Curtain & Insulation; Welding Booth				
Type: HP/S88	Silica Fiber Product	1.4 MM	1200 GSM	GOLD	1000°C
Size:	920mm X 50 Mtr/Roll Blankets- Customizable as per the Requirement				
Application:	100% Itching Free; Welding Safety Welding Blanket/ Curtain				

HEMNIL PROTECTION

402, Gopalpuri, S.V. Road, Borivali (East), Mumbai - 400066


Mobile No: 09322212320 Email ID - jainav@gmail.com

Website - <http://www.hemnilprotection.net/>



Hemnil Protection

(ISO 9001:2015 Certified Company)



HP-CARBONSHIELD™

NON-ASBESTOS, 100% ITCHING FREE

FIRE/WELDING BLANKET SPECIFICATIONS

CODE NO.	ITEM DESCRIPTION	THICKNESS	WEIGHT	COLOUR	TEMPERATURE
Type: HP/CARBONSHIELD	"HP-Carbonshield" Carbon Fiber	4.0MM	650 GSM	BLACK	900°C
Size:	Roll - 1 Mtr X 50 Mtr/Roll Blankets- Customizable as per Customer Requirement				
Application:	100% Itching Free, Light Weight Fire/Welding Blankets/Curtain & Insulation				
Type: HP/BLK	E-Fiber Glass with Graphite Coating	1.7MM	1700 GSM	BLACK	850°C
Size:	1mtr X 30 Mtr/Roll Blankets- Customizable as per Customer Requirement				
Application:	Welding Safety Welding Blanket/Curtain				

HEMNIL PROTECTION

402, Gopalpuri, S.V. Road, Borivali (East), Mumbai - 400066


Mobile No: 09322212320 Email ID - jainav@gmail.com

Website - <http://www.hemnilprotection.net/>



Hemnil Protection



(ISO 9001:2015 Certified Company)



HP-CARBONSHIELD™

NON-ASBESTOS, 100% ITCHING FREE

FIRE/WELDING BLANKET SPECIFICATIONS

CODE NO.	ITEM DESCRIPTION	THICKNESS	WEIGHT	COLOUR	TEMPERATURE
Type: HP/SI/2G	E-Fiber Glass with Both Side Silicon Coating	1 MM	1100 GSM	SILVER/ RED	750°C
Size:	1mtr X 50 Mtr/Roll Blankets- Customizable as per Customer Requirement				
Application:	100% Water Proof/100% Itching Free Welder Tent/Portable Welding Booth/ Curtain/ Blanket				
Type: HP/FG/HT/430/PU	Heat Treated Fiberglass Fabric with PU Coating	0.45 MM	450 GSM	Golden	550°C
Size:	1mtr X 50 Mtr/Roll Blankets- Customizable as per Customer Requirement				

HEMNIL PROTECTION

402, Gopalpuri, S.V. Road, Borivali (East), Mumbai - 400066


Mobile No: 09322212320 Email ID - jainav@gmail.com

Website - <http://www.hemnilprotection.net/>



Hemnil Protection



(ISO 9001:2015 Certified Company)



HP-CARBONSHIELD™

NON-ASBESTOS, 100% ITCHING FREE

FIRE/WELDING BLANKET SPECIFICATIONS

CODE NO.	ITEM DESCRIPTION	THICKNESS	WEIGHT	COLOUR	TEMPERATURE
Type: HP/CFW	Ceramic Fiber Cloth	3 MM	1500 GSM	WHITE	1260°C
Size:	1mtr X 30 Mtr/Roll Blankets- Customizable as per Customer Requirement				
Application:	Fire/Welding Blankets/ Curtain & Insulation; Welding Booth				
Type: HP/KEV	Kevlar Cloth	1.8/2 MM	500 GSM	Yellow	300°C
Size:	1mtr X 50 Mtr/Roll Blankets- Customizable as per Customer Requirement				
Application:	Fire/Welding Blankets/ Curtain & Insulation; Welding Booth				

HEMNIL PROTECTION

402, Gopalpuri, S.V. Road, Borivali (East), Mumbai - 400066

Mobile No: 09322212320 Email ID - jainav@gmail.com

Website - <http://www.hemnilprotection.net/>



Hemnil Protection

(ISO 9001:2015 Certified Company)



HP-CARBONSHIELD™

NON-ASBESTOS, 100% ITCHING FREE

FIRE RETARDANT TARPAULINS



HP/FFRP800 Fire Retardant PVC Coated Fiber Glass Tarpaulin

Non-Conductive
100% Water Proof

Application: Welder Tent/Portable
Welding Booth

Weight – 800GSM
Thickness – 0.7mm
Temperature – 430°C (Sandwich
Fiber Glass Fabric)

HP/FRP700 Fire Retardant PVC Coated Polyester Tarpaulin

100% Water Proof

Application: Welder Tent/Portable
Welding Booth

Weight – 700GSM
Thickness – 0.7mm
Temperature – 250°C



HEMNIL PROTECTION

402, Gopalpuri, S.V. Road, Borivali (East), Mumbai - 400066


Mobile No: 09322212320 Email ID – jainav@gmail.com

Website – <http://www.hemnilprotection.net/>



Hemnil Protection

(ISO 9001:2015 Certified Company)



HP-CARBONSHIELD™

NON-ASBESTOS, 100% ITCHING FREE



Fire Blanket

CE Standard: EN 1869:1997

Material: 100% fiberglass fabric/fiberglass thread/fire resistant tapes/silicone coating

Size: 1.2 Mtr X 1.8 Mtr

Weight – 480GSM

Thickness – 0.43mm

Temperature – 550°C

Scaffolding Lifting Bag

Capacity: 25 Kg/30 Kg

Load limit safety factor 1:3

SIZE: 10" X 16"- 17"

MOC cut resistance coated waterproof fabric.



HEMNIL PROTECTION

402, Gopalpuri, S.V. Road, Borivali (East), Mumbai - 400066


Mobile No: 09322212320 Email ID – jainav@gmail.com

Website – <http://www.hemnilprotection.net/>



Hemnil Protection

(ISO 9001:2015 Certified Company)



HP-CARBONSHIELD™

NON-ASBESTOS, 100% ITCHING FREE



Aramid Fiber High Temperature Gloves with Woolen/ FR Lining

Size- 14"
Temperature – 300°C

ICY Gadget & Industrial Cooling Jacket & Bag (Used for High room temperature)

Material - FRP cotton
Protection Up to 100°C
Non-toxic as well as Non-flammable



HEMNIL PROTECTION

402, Gopalpuri, S.V. Road, Borivali (East), Mumbai - 400066


Mobile No: 09322212320 Email ID – jainav@gmail.com

Website – <http://www.hemnilprotection.net/>



Hemnil Protection


(ISO 9001:2015 Certified Company)



HP-CARBONSHIELD™

NON-ASBESTOS, 100% ITCHING FREE

SCAFFOLDING PRODUCTS



Galvanized Anti-Skid Scaffolding Plank

Size - 9-inch width X 1Mtr/ 2Mtr/ 3Mtr/ 4Mtr Length

Planks meet or exceed OSHA and ANSI recommendations

As per EN 12811-1: 2003(Clause 6.2.2) for platform class - 5

Scaffolding Clamps

Forged Fix Clamp
Forged Swivel Clamp
Beam Clamp

As per EN 74-1:2005



HEMNIL PROTECTION

402, Gopalpuri, S.V. Road, Borivali (East), Mumbai - 400066

Mobile No: 09322212320 Email ID - jainav@gmail.com

Website - <http://www.hemnilprotection.net/>

