



# MULTI HEAD WITH SERVO COLLAR TYPE MACHINE

## Technical Specification

Products	: Namkeen, Poteto Chips, Kurkure, Dryfruit, Granules, Fryums etc.
Filling system	: Loadcell Base(10 Head & 14 Head Weight Filler)
Filling Accuracy	: $\pm 1-1.5\%$ (Depend on nature of product)
Type of Seal	: Center Seal and Back Seal
Filling Range	: 10 gm upto 1000 gm(depend on nature of product)
Packing material	: Heat Sealable Laminated Films
Pouch Dimensions	: Width 100-450mm Length 50-300mm
Power Consumption:	3.0 KW, Single Phase
Production Output	: 20-60 pouches per minute (Depend on nature & quantity of product)
Weight	: 800 Kg (apprx.)
Optional	: Batch Cutting Device Batch Coating Device



- ❖ Easy to Operate
- ❖ Easy to Change Different Pouch Size
- ❖ Fully Automatic Compact Machine
- ❖ High Filling Accuracy
- ❖ Low Maintenance
- ❖ Air Compressor Require

# 4 HEAD PNEUMATIC POUCH PACKING MACHINE



## Technical Specification

Products	: Namkeen, Poteto Chips, Kurkure, Dryfruit, Granules, Fryums etc.
Filling system	: Loadcell Base(2 Head & 4 Head Weight Filler)
Filling Accuracy	: $\pm 1-1.5\%$ (Depend on nature of product)
Type of Seal	: Center Seal and Three Side Seal
Filling Range	: 10 gm upto 1000 gm(depend on nature of product)
Packing material	: Heat Sealable Laminated Films
Pouch Dimensions	: Width 100-450mm Length 50-300mm
Power Consumption:	2.5 KW, Single Phase
Production Output	: 10-30 Pouches per minute (Depend on nature & quantity of product)
Weight	: 400 Kg (apprx.)
Optional	: Batch Cutting Device Batch Coating Device



- ❖ Easy to Operate
- ❖ Easy to Change Different Pouch Size
- ❖ Fully Automatic Compact Machine
- ❖ High Filling Accuracy
- ❖ Low Maintenance
- ❖ Air Compressor Require

# AUTOMATIC PNEUMATIC CUP FILLER

## Technical Specification

Products	: Namkeen, Granules, Tea, Fryums Spices, Mouth Fresheners etc.
Filling system	: Adjustable Telescopic Disc, Volumetric Cup Filler
Filling Accuracy	: $\pm 1-1.5\%$ (Depend on nature of product)
Type of Seal	: Center Seal and Three Side Seal
Filling Range	: 10 gm upto 1000 gm(depend on nature of product) Different types of Machine
Packing material	: Heat Sealable Laminated Films
Pouch Dimensions	: Width 50-450mm Length 50-300mm
Power Consumption:	0.5 HP Single Phase Motor
Production Output	: 10-50 pouches per minute (Depend on nature & quantity of product)
Weight	: 300 Kg (apprx.)
Optional	: Batch Cutting Device Batch Coating Device



- ❖ Easy to Operate
- ❖ Easy to Change Different Pouch Size
- ❖ Fully Automatic Compact Machine
- ❖ High Filling Accuracy
- ❖ Low Maintenance
- ❖ Air Compressor Required



# AUGUR FILLER (POWDER)



## Technical Specification

Products	: Milk powder, O.R.S. Powder, Detergent Powder etc...
Filling system	: Screw Feeder
Filling Accuracy	: $\pm 1-1.5\%$ (Depend on nature of product)
Type of Seal	: Center Seal and Three Side Seal
Filling Range	: 10-50 gm, 50-100gm, 100-250gm, 250gm-1kg. Different types of Machine
Packing material	: Heat Sealable Laminated Films
Pouch Dimensions	: Width 50-450mm Length 50-300mm
Power Consumption:	0.5 HP Single Phase Motor
Production Output	: 10-50 pouches per minute (Depend on nature & quantity of product)
Weight	: 400 Kg (apprx.)
Optional	: Batch Cutting Device Batch Coating Device

- ❖ Easy to Operate
- ❖ Easy to Change Different Pouch Size
- ❖ Fully Automatic Compact Machine
- ❖ High Filling Accuracy
- ❖ Low Maintenance
- ❖ Air Compressor Required



# PNEUMATIC LIQUID FILLING MACHINE

## Technical Specification

Products	: Shampoo, Hair Oil, Lubricating Oil, Soft Drink, Pest
Filling system	: Volumetric Piston Filling
Filling Accuracy	: $\pm 1-1.5\%$ (Depend on nature of product)
Type of Seal	: Center Seal and Three Side Seal
Filling Range	: 10-50 ml., 50-100ml, 100-250ml., 250ml.-1Ltr. Different types of Machine
Packing material	: Heat Sealable Laminated Films
Pouch Dimensions	: Width 50-450mm Length 50-300mm
Power Consumption:	0.5 HP Single Phase Motor
Production Output	: 10-40 pouches per minute (Depend on nature & quantity of product)
Weight	: 300 Kg (apprx.)
Optional	: Batch Cutting Device Batch Coating Device



- ❖ Easy to Operate
- ❖ Easy to Change Different Pouch Size
- ❖ Fully Automatic Compact Machine
- ❖ High Filling Accuracy
- ❖ Low Maintenance
- ❖ Air Compressor Required



# FOAM FILL & SEAL MACHINE

## Technical Specification



Products	: Namkeen, Granules, Tea, Fryums Spices, Mouth Fresheners etc.
Filling system	: Adjustable Telescopic Disc, Volumetric Cup Filler
Filling Accuracy	: $\pm 1-1.5\%$ (Depend on nature of product)
Type of Seal	: Center Seal and Three Side Seal
Filling Range	: 10 gm upto 1000 gm(depend on nature of product) Different types of Machine
Packing material	: Heat Sealable Laminated Films
Pouch Dimensions	: Width 50-350mm Length 50-200mm
Power Consumption:	0.5 HP Single Phase Motor
Production Output	: 10-50 pouches per minute (Depend on nature & quantity of product)
Weight	: 300 Kg (apprx.)
Optional	: Batch Coating Device



- ❖ Easy to Operate
- ❖ Easy to Change Different Pouch Size
- ❖ Fully Automatic Compact Machine
- ❖ High Filling Accuracy
- ❖ Low Maintenance

# FOAM FILL & SEAL MACHINE (LIQUED)

## Technical Specification

Products	: Shampoo, Hair Oil, Lubricating Oil, Soft Drink, Pest
Filling system	: Volumetric Piston Filling
Filling Accuracy	: $\pm 1-1.5\%$ (Depend on nature of product)
Type of Seal	: Center Seal and Three Side Seal
Filling Range	: 10-50 ml., 50-100ml, 100-250ml., 250ml.-1Ltr. Different types of Machine
Packing material	: Heat Sealable Laminated Films
Pouch Dimensions	: Width 50-300mm Length 50-200mm
Power Consumption	: 0.5 HP Single Phase Motor
Production Output	: 10-40 pouches per minute (Depend on nature & quantity of product)
Weight	: 300 Kg (apprx.)
Optional	: Batch Coating Device

- ❖ Easy to Operate
- ❖ Easy to Change Different Pouch Size
- ❖ Fully Automatic Compact Machine
- ❖ High Filling Accuracy
- ❖ Low Maintenance



## AUTOMATIC ELIGIBLE OIL FILLING MACHINE



## Technical Specification

Products	: Hair Oil, Lubricating Oil, Soft Drink
Filling system	: Volumetric Piston Filling / Timer Filler
Filling Accuracy	: $\pm 1-1.5\%$ (Depend on nature of product)
Type of Seal	: Center Seal and Three Side Seal
Filling Range	: 10-50 ml., 50-100ml, 100-250ml., 250ml.-1Ltr. Different types of Machine
Packing material	: Low Density Polyethylene Films
Pouch Dimensions	: Width 225-325mm Length 50-225mm
Power Consumption	: 0.5 HP Single Phase Motor
Production Output	: 500-2100 pouches per Hour (Depend on nature & quantity of product)
Weight	: 300 Kg (apprx.)
Optional	: Batch Coating Device

- ❖ Easy to Operate
- ❖ Easy to Change Different Pouch Size
- ❖ Fully Automatic Compact Machine
- ❖ High Filling Accuracy
- ❖ Low Maintenance



# MILK & BUTTER MILK FILLING MACHINE

## Technical Specification

Products	:Mineral Water, Milk, Ghee, Shoft Drink, Butter Milk
Filling system	: Volumetric Piston Filling / Timer Filler
Filling Accuracy	: $\pm 1-1.5\%$ (Depend on nature of product)
Type of Seal	: Center Seal
Filling Range	: 10-50 ml., 50-100ml, 100-250ml., 250ml.-1Ltr.
	Different types of Machine
Packing material	: Low Density Polythylene Films
Pouch Dimensions	: Width 225-325mm Length 50-225mm
Power Consumption	: 0.5 HP Single Phase Motor
Production Output	: 500-2100 pouches per Hour (Depend on nature & quantity of product)
Weight	: 300 Kg (apprx.)
Optional	: Batch Coating Device

- ❖ Easy to Operate
- ❖ Easy to Change Different Pouch Size
- ❖ Fully Automatic Compact Machine
- ❖ High Filling Accuracy
- ❖ Low Maintenance



# PEPSEE POUCH PACKING MACHINE

## Technical Specification

Products	:Juice, Chuna Parcel & Paste
Filling system	: Valve & Proxy Based
Filling Accuracy	: $\pm 1-1.5\%$ (Depend on nature of product)
Type of Seal	: Center Seal
Filling Range	: 10-150 ml.
Packing material	: Low Density Polythylene Films
Pouch Dimensions	: Width 65-125mm Length 25-200mm
Power Consumption	: 0.5 HP Single Phase Motor
Production Output	: 1000-2100 Pouches per Hour (Depend on nature & quantity of product)
Weight	: 250 Kg (apprx.)
Optional	: Batch Coating Device

- ❖ Easy to Operate
- ❖ Easy to Change Different Pouch Size
- ❖ Fully Automatic Compact Machine
- ❖ High Filling Accuracy
- ❖ Low Maintenance



## HORIZONTAL FLOW WRAPPER MACHINE



### Technical Specification

Products	: Cake, Biscuit, Automobile Parts, any type of single product
Feeding Style	: Automatic / Manual
Packing Style	: Centre Seal
Filling Range	: 5gm upto 100 gm (depend on nature of product)
Packing material	:Heat Sealable Laminated Films
Pouch Dimensions:	Width 50-100mm Length - 50-150mm
Power Consumption:	3.0 KW, Single Phase
Production Output:	40-120 pouches per minute (Depend on packing size)
Weight	: 700 Kg (apprx.)

## SEMI AUTOMATIC WEIGHT FILLING MACHINE

### Technical Specification

Products	: Namkeen, Poteto Chips, Kurkure, Dryfruit, Granules, Fryums etc.
Filling system	: Loadcell Base(2 Head & 4 Head Weight Filler)
Filling Accuracy	: <u>+1-1.5%</u> (Depend on nature of product)
Filling Range	: 10 gm upto 1000 gm(depend on nature of product)
Power Consumption:	2.5 KW, Single Phase
Production Output	: 6000-8000 Pouches per Day (Depend on nature & quantity of product)
Weight	: 150 Kg (apprx.)
Optional	: Band Sealer Machine

- ❖ Easy to Operate
- ❖ Easy to Change Different Pouch Size
- ❖ Fully Automatic Compact Machine
- ❖ High Filling Accuracy
- ❖ Low Maintenance



## SEMI AUTOMATIC AUGER FILLER

### Technical Specification

Products	: Milk powder, O.R.S. Powder, Detergent Powder etc...
Filling system	: Screw Feeder
Filling Accuracy	: $\pm 1-1.5\%$ (Depend on nature of product)
Filling Range	: 10-50 gm, 50-100gm, 100-250gm, 250gm-1kg. Different types of Machine
Packing material	: Pouch, Jar, Containers, Bottles
Pouch Dimensions	: Width of Product & Height of Product (50-450 mm)
Power Consumption	: Single Phase, Three Phase Motor
Production Output	: 10-50 pouches/Jar/ Bottle per minute (Depend on nature & quantity of product)
Weight	: 200 Kg (apprx.)



- ❖ Easy to Operate
- ❖ Easy to Change Different Pouch Size
- ❖ Fully Automatic Compact Machine
- ❖ High Filling Accuracy
- ❖ Low Maintenance
- ❖ Air Compressor Require



## SEMI AUTOMATIC LIQUID FILLING



### Technical Specification

Products	: Shampoo, Hair Oil, Lubricating Oil, Soft Drink, Pest
Filling system	: Volumetric Piston Filling
Filling Accuracy	: $\pm 1-1.5\%$ (Depend on nature of product)
Filling Range	: 10-50 ml., 50-100ml, 100-250ml., 250ml.-1Ltr. Different types of Machine
Packing material	: Pouch, Jar, Containers, Bottles
Pouch Dimensions	: Width 50-300mm Length 50-200mm
Power Consumption	: 0.5 HP Single Phase Motor
Production Output	: 10-50 pouches/Jar/ Bottle per minute (Depend on nature & quantity of product)
Weight	: 200 Kg (apprx.)



- ❖ Easy to Operate
- ❖ Easy to Change Different Pouch Size
- ❖ Fully Automatic Compact Machine
- ❖ High Filling Accuracy
- ❖ Low Maintenance

## AUTOMATIC CARTOON SEALING MACHINE

### Technical Specification

Conveyor Speed	0 to 20 Mtrs/Min.
Min. Carton Size	140 mm (W) x 150 mm (H) x 700 mm (L)
Max. Cartoon Size	500 mm (W) x 600 mm (H) x 700 mm (L)
Width of Adhesive Tap	48 / 60 / 72 mm
Power Supply	Single Phase / 230 V AC Supply



### Salient Features :

- Low Maintenance Cost.
- Corrosion And Abrasion Resistant.
- Jerk Free And Noise Less Operation.
- Suitable For Various Types Of Cartoon



## AUTOMATIC STRAPPING MACHINE

### Technical Specification :

Machine Speed	2 Sec / Strap
Strap Width	6 to 15 mm
Power Consumption	0.5 KW
Power Supply	Single Phase / 230 V AC Supply



### Salient Features :

- ❖ Low Maintenance Cost.
- ❖ Corrosion And Abrasion Resistant.
- ❖ Jerk Free And Noise Less Operation.
- ❖ Suitable For Various Types Of Cartoon.
- ❖ Strapping Time For One Box With Three Strap Under 1 Secs.
- ❖ Strap Is Joined By Heat Welding.
- ❖ No Need To Use Metal Clips For Welding Or Locking Strap




## ACCESSORIES BELT CONVEYOR, COADING

CONVEYOR BELT



HOT COADING MACHINE



CONTNUS BAND SILING MACHINE



HAND COADING MACHINE



SEMI AUTOMATIC PEST SEALING MACHINE



AUTOMATIC POUCH COADING MACHINE



## ABOUT US

PERFECT Packaging Solution began in 2020 with a decision to produce the best packaging machinery possible for world-wide market. We are one of the most prominent names among the manufacturers, exporters, and suppliers of all type of pouch packing machines,. Our range of Automatic Packing Machine includes VFFS Machine with multi-head Weigher, VFFS Machine with volumetric Cup Filler, VFFS Machine with Servo Auger Filler, VFFS Machine for Small Sachet

Our engineers are not limited to yesterday's technology. New highly efficient, mechanical and electrical components are available and we are following the latest technology. Every machine component is designed with reliability, longevity, durability and a minimum of operator involvement as its top priorities. Our Machineries are highly appreciated by our clients for its high performance, durability, low maintenance and less power consumption.

PERFECT Packaging Solution vision is to be the leading global resource for packaging, and its mission is to improve and promote members abilities to succeed in a global marketplace. We understand the importance and necessity for going the extra mile in today's business environment. We are globally renowned for making the highest quality equipment, offering responsive service and committing to meeting their customers needs. We are able to offer accurate delivery dates, control pricing, reduce our customers parts inventory. We have developed the good working relationships with many of our clients. They are satisfied with our products and after sale services.



# PERFECT PACKAGING SOLUTION

**Manufacturer of All Kind of Packaging Machinery and Spare Parts**

Shed No.08, Radhe Krishna Industrial Estate-01, Opp. Satadha Industrial Hub,  
Kathwada-Singarva Road, Kathwada, Ahmedabad-382330.(GUJARAT)

+91 6353800368

[www.perfectpackaging.com](http://www.perfectpackaging.com)

perfectpackaging311@gmail.com



Authorised Dealer

