



**HITISHENG<sup>®</sup>**



**Model :- 016**  
**Outer box 70 pcs**

**23/-**



**HITISHENG<sup>®</sup>**




**Model :- 017**  
**Outer box 50 pcs**  
**26/-**

Generated by ONEPLUS ✨ AI



**HITISHENG<sup>®</sup>**




**Model :- 018**  
**Outer box 45 pcs**  
**30/-**

Generated by ONEPLUS ✨ AI



**HITISHENG<sup>®</sup>**



**Model :- 019**  
**Outer box 35 pcs**  
**34/-**

Generated by ONEPLUS ✨ AI



**888. 2m. 40/-**



M.NO - A49  
1.5m. 40/-



**A44. 2m. 45/-**



**555. 2m. 45/-**



**A114. 3m. 50/-**



**A302. 2m. 50/-**



004. 3m 50/-



M.NO - 008  
3m. 55/-



**A67 4yard 50/-**

Generated by [GPT4U.com](#)



M.NO - 007  
3m. 50/-



M.NO - A14  
3m. 50/-



M.NO - A26

3m. 50/-



M.NO - A50  
3m. 55/-

**A122. 3m. 65/-**





**Model - Venus**  
**3m. 55/-**



**A301. 3m. 50/-**



M.NO - 020

2y. 50/-



M.NO - 021  
2y. 55/-



M.NO - 022  
2y. 60/-

**220. 1.5m. 42/-**





**221. 1.5m. 47/-**



**222. 1.5m. 52/-**



**A202. 3m. 55/-**



**A103. 3m. 75/-**



**A104. 3m. 80/-**



**A92. 3m. 65/-**



**A93. 3m. 80/-**



**A94. 3m. 85/-**



M.NO - A33

3m. 65/-



M.NO - A43  
3m. 70/-



M.NO - A53

3m. 75/-




M.NO - A20  
2.5y. 70/-



M.NO - A21

2.5y. 75/-



M.NO - A22

2.5y. 80/-



**A57. 1.5m. 65/-**



**A58. 1.5m. 70/-**

B1. 2.5m. 85/-



B2. 2.5m. 90/-





**P55. 4y. 60/-**

M no. A102 4Yards

60/-





**A502. 4y. 65/-**



**A47. 4y. 70/-**

**777. 3m. 60/-**



LKC<sup>®</sup>

For Better World

A108. 4y. 55/-



LKC ENTERPRISES 



<https://m.facebook.com/LKC-power-strips/>

# LKC<sup>®</sup>

For better world

Model-A313

3+6 power strip for usage of 6amp  
with long length of wire of 4 yards



6 Sockets



3 Switches



4 Yard Wire



A313. 4y. 65/-



M.NO - 207  
3m. 75/-



M.NO - A16

4y. 55/-



M.NO - B+  
5m. 75/-



M.NO - A+  
5m. 75/-



M.NO - A12  
3m. 60/-

A62 3yards 80/-





M.NO - A15  
3y. 90/-

**BALENO. 3Y. 50/-**



**MS31. 3Y. 55/-**





M.no. Swift  
3 yards 55/-



**Nano. 3y. 55/-**

LKC<sup>®</sup>

For Better World

Eeco. 6y. 55/-



LKC ENTERPRISES 



<https://m.facebook.com/LKC-power-strips/>



M.NO - Creta  
6y. 65/-



M.NO - HD 13  
3y. 60/- 6y. 70/-



M.NO - SULTAN  
6y. 75/-



M.NO - Dhoom

6y. 75/-



**HD14. 6Y 80/-**

Generated by ONEPLUS AI

**BREZZA. 3M. 60/-**





M no. Sonata  
6y. 90/-



M.NO - LKC DLX

6y. 90/-



**GALAXY. 6Y. 110/-**

Generated by ONEPLUS AI



**Surya. 6y. 120/-**



**Swing. 6y. 120/-**



M.NO - Google  
10y. 120/-



M.NO - 5/15 LKC

4y. 130/-

**AMAZE. 6y. 80/-**



LONG WIRE



SHORT WIRE

MODEL NO- AMAZE



**Prime 6y. 95/-<sup>®</sup>**

**LKCC**

For better world

Presents

**PRIME**

Premium range of  
flex box

LKC  
Presents

# ALPHA



Grip Handle



4 sockets



Smooth flow



Switch



Relaible



Indicator

**6y. 105/-**



Generated by ONEPLUS ✨ AI

**BOSS. 6y.120/-**



**Hero. 6y. 90/-**

BAAHUBALI 5/15

**160/-**





M.NO - A111  
4y. 70/-



M.NO - A222  
4y. 75/-

M no. 666

4y. 75/-





M.NO - 011  
3m. 75/-

M.no. RK Flex

3core 4yards 140/-



2 core 7y. 140/-

**XL6. 4y. 55/-**



**A130. with night lamp  
3m. 65/-**



**LKC**<sup>®</sup>  
FOR BETTER WORLD



6 AMP  
240 AC



ON-OFF  
SWITCH



LED  
INDICATOR


**mono blister. 3m. 90/-**



M.NO - L-25  
2.5y. 90/-



**B3. 4y. 90/-**



**A110. 2.5m. 110/-**



M.NO - 045  
3m. 70/-



M.NO - 8+1  
4yards 70/-



M.NO - 8+6  
4yards **80/-**



M.NO - 6+1  
2y. 60/- 4y 70/-



M.NO - 6+6

**2y. 70. 4y. 80/-**



**4+4 shakti 5m 110/-**



**6+6. shakti 5m. 120/-**

**001. 4y. 75/-**



001. 3m. 85/-





**B41. 4y. 90/-**



B44. 4yards wire

100/-



**A505. 4y. 110/-**



**A37. 3m. 80/-**



**A36. 3m. 90/-**



**7+1 joy. 3m. 90/-**



**4+1. PVC. 3m. 100/-**



4+4 pvc 3m. 110/-



**5+1. pvc. 3m 105/-**



**5+5 pvc. 3m. 115/-**

## UNIVERSAL SOCKET




SHOCK PROOF


**A77. 4y. 90/-**



**7+7. Grey. 2.5m. 110/-**



**401. 4y. 140/-**



**404. 4y. 150/-**



**A140. 3m. 90/-**



**4+1 Kia. 140/-  
3m**



**4+4 Kia 3m. 160/-**




**4+1 mini. 4y. 60/-**



**4+1. Big bull. 3m. 120/-**



**A414. 3m. 140/-**



**A400. 4m. 150/-**

# LKC MULTI-PURPOSE POWER STRIP

601. 3m 80/-



Maximum current to  
1000w only

Wire and plug are meeting  
national standards



SOCKETS



240V AC



6AMP



LED  
OFF ON  
Specification:  
125V/230V, 60 Hz/50 Hz  
13 Amp. A/c.  
UNIVERSAL POWER STRIP  
With Spark Suppressor



MADE IN INDIA



610. 3m. 90/-

LKG

MULTIPURPOSE

POWER

STRIP



Maximum current 1000w only.

Wire and plug are meet national standard

SOCKETS

240V AC

6AMP





MADE IN



GAMP

240VAC

SOCKETS

Wire and plug are national standard

Maximum current 1000W only



STRIP

MULTIPURPOSE POWER

LKC

660. 3m. 100/-




**Omega. 3m. 105/- 5m. 125/-**




**omega. 3m. 100/- 5m. 120/-**






**A440. 4m. 190/-**



**A1010. 3m. 160/-**



**4+1 pvc 5m. 170/-**

M no. 1401  
5m



155/-

M no.- 1404  
5m

Universal standard socket  
fits all type of plugs

175/-

Heavy Plug

4 Mt 3 Core pure  
copper heavy duty wire

2 Widely spacing outlets  
50 mm






**Innova. 2m. 140/-**

**3.5m. 160/-**



**AURA 5/15amp**



6 Amp. Power Strip

**A515 m/plug.  
120/-**

**LKC**  
For Better  
world



M.NO - 040  
m/plug. 35/-



M.NO - 051  
m/plug. 45/-



M.NO - 033  
m/plug. 55/-

**203 m/plug.  
50/-**



**A303 M/plug. with night lamp 60/-**



**A116. USB M/PLUG. 120/-**

**LKC<sup>®</sup>** ○ ○ ○ ○





A115 multiplug  
with night lamp

night lamp on top





**A403 m/plug.  
60/-**

FOLLOW US ON:



# HILEX<sup>®</sup>

Your smart choice for quality

## 3 WAY MULTIPLUG

WITH NIGHT LAMP

### HEPL-6684

SHOP NOW

 HILEXELECTRONICS.CO.IN



6684. m/plug. 110/-

# 6668. usb m/ plug. 160/-





# Hilex mini strip

6676

1.8m

95/-




**HILEX**®

Your smart choice for quality

**6651. 3.6m. 100/-**

# *Extension Cord*



**HILEX**<sup>®</sup>

Your smart choice for quality

**6616. 3.6m. 105/-**

**EXTENSION CORD**



**OUR TOP  
IS ONLY  
QUALITY**

6682. 2.7m. 130/-



**HILEX**  
Your smart choice for quality

**2 SOCKET**

**POWER STRIP**

**2.7**  
Mtr.

THE LENGTH OF THE LINE CORD IS  
2.7 METERS.

MAXIMUM CURRENT UPTO  
1000W ONLY.

WIRE AND PLUG ARE MEET  
NATIONAL STANDARDS

  
2 SOCKETS


  
240V AC

  
6 AMP

OFF ON  
LED  
FUSE




**HILEX**



OFF ON  
LED

A/c 125V/230V, 60Hz/50Hz, 6 Amp  
MADE IN INDIA  
MODEL NO. HEPL : 6682



**6685. 2.7m. 155/-**



# HILEX<sup>®</sup>

MULTI SOCKET EXTENSION

**6671. 2.7m. 155/-**

**CONNECTED POWER LINE  
MORE SECURE PLUG**

Design of the connecting power line.  
The length of line is 1.6 meters. Line body can withstand high current 10A,  
2500W power. Wire and plug are meeting national standards.



CE ISO CERTIFIED CO.  
MADE IN INDIA



6677. 2.7m. 175/-



**HILEX**<sup>®</sup>  
Your smart choice for quality

CE ISO CERTIFIED CO.  
MADE IN INDIA



**MULTIPURPOSE  
4 SOCKET STRIP**

**6614. 1.8m. 170/-**  
**6614. 4.5m. 195/-**

**HILEX**<sup>®</sup>  
Your smart choice for quality

**HEPS 6614**



**MULTIPURPOSE  
4 SOCKET STRIP**


SWITCH LIGHT  
INDICATOR WITH  
FUSE

EASY TO CARRY  
**TRAVEL  
COMPANION**



UNIVERSAL  
SOCKET  
  
COMPACT  
SIZE

COMPATIBLE  
WITH ALL HOUSEHOLD ITEMS



**HILEX**<sup>®</sup>  
Your smart choice for quality

**MULTIPURPOSE  
4 SOCKET STRIP**

SWITCH LIGHT INDICATOR  
WITH FUSE

**SAFETY INSTRUCTION**

It is 6Amp, 240V Extension cord. Please read your appliances manual and check for compatibility before use.

The appliance or tool that you are using the cord with will have a wattage rating on it. Match this up with your extension cord, and don't use a cord that has a lower rating.

Unplug extension cord when they are not in use.

Suitable for TV / DTH / COMPUTER / PRINTER / ROUTER Charger and home lighting.

Keep away from children. Don't overload extension cord. Not recommended for Iron, Heater, Geyser, Etc.

Name of Commodity : 4+1 Socket Strip  
Net Quantity : 12 No.  
Manufacturing Date of Packing Detail : Printed on Product  
Model No : HEPS 6614  
Weight : 4 KG  
All India M.R.P. : 1.8 mtr. ₹ 600/-  
4.5 mtr. ₹ 650/-



Manufactured By:  
**HILEX ELECTRONICS**  
RZ -3A, Ravi Nagar, Ext. New Delhi- 110018  
Customer Care No. 08527 488995  
E-mail: hilexelectronics@gmail.com | info@hilexelectronics.com  
Website: www.hilexelectronics.com

2025	2026	2027
1	2	3
4	5	6
7	8	9
10	11	12




**6615. 4.5m. 210/-**





**6614. 10m. 350/-**



**6686. usb. 2.7m. 240/-**



**6667. usb. 4.5m.  
300/-**



**Individual socket soor  
power indicator ndic**



**3 - Pin  
Indian Plug**

**HEUB :6667**



**Multiple USB  
Charging Ports**



**Copper wire**

**HiLEX**®

high power  
**2500 W**

For maximum efficiency use the devices  
in an alternate manner



BIS certificate cord



Switch



3 Plug  
Switch



**6683. 2m. 320/- 5m. 420/-**



**HEPL-6683**



**HILEX**  
Your smart choice for products

ADVANCE TECHNOLOGY  
POWER STRIP  
6679 & 668 Models

LED INDICATOR  
OVERHEAT PROTECTION  
CHILD PROOF SWITCH  
1.5 AMP  
6 OUTLETS  
Premium  
3.6Mtrs.  
Long Cord

LED  
PUSH ON/OFF  
A/c 125V/230V/60Hz/50Hz 6 Amp  
MADE IN INDIA  
MODEL NO. HEPL. 6679

3.6  
MTR. WIRE  
Certified  
Type  
Performance

WATER OVERFLOW ALARM  
WATER OVERFLOW ALARM

**6679. 3.6m. 320/-**

6680. 3.6m. 340/-

**HILEX**<sup>®</sup>  
Your smart choice for quality



**NO MORE  
STRETCHING AND  
STRAINING!**



+91-8527488995

www.hilexelectronics.com

hilexelectronics@gmail.com

Your smart choice for quality  
**HILEX**<sup>®</sup>

**HILEX**<sup>®</sup>  
 Your smart choice for quality

MULTIPURPOSE  
**5** Power Strip  
 socket



ISO CERTIFIED CO.  
 MADE IN INDIA



**2.7**  
 Mtr.



**HEPL 6696**

5 SOCKETS    240V AC    6 AMP

SWITCH LIGHT INDICATOR WITH FUSE

MULTIPURPOSE  
**5** Power Strip  
 socket


**6696. 2.7m.  
 165/-**

**HILEX**<sup>®</sup> MULTIPURPOSE  
 5+1 Power Strip



- 10,000 cycles push switch ON-OFF
- Long life span with 5,000 cycles insertion
- High-temperature and fire resistant plastic material

DIFFERENT STANDARDS OF PLUGS CAN BE USED :



**CAUTIONS**

- Maximum current upto 1000w only.
- Don't use in wet, damp or moist conditions.
- Don't use if the plug, lead or the socket is damaged.
- Wire and plug are meeting national standards.

Name of Commodity	: 5+1 Socket Power Strip
Net Quantity	: <b>20 No.</b>
Manufacturing Date of Packing Detail	: Printed on Product
Model No	: HEPL 6696
Weight	: 7 Kg
All India M.R.P.	: Per Peice ₹500/-

Manufactured By :  
**HILEX ELECTRONICS**  
 RZ -3A, Ravi Nagar, Ext. New Delhi- 110018  
 Customer Care No.: 08527488995  
 E-mail : hilexelectronics@gmail.com | info@hilexelectronics.com  
 Website : www.hilexelectronics.com



**6665. 3m. 450/-**






**HILEX**<sup>®</sup>  
AC 125V/230V/50Hz/30Hz 15 Amp  
MADE IN INDIA  
MODEL NO HEPL / 6689

**Overload  
Switch**

**6689. 3m. 450/-**



**6688. 3m. 550/-**



6692. 3 ctype. 3  
usb. 2500w  
load. 2m 700/-





**6660. usb. 3.6m. 200/-**

# M.no 4+1 RK 5yards



# 240/-

M. no. 4+4 RK 5 meter



260/-



**311USB. 4y. 250/-**




**2+2 combined. 3m. 210/-**




**2+1. metal. 3.5m. 90/-**



M.NO - 3+1 METAL  
1.5y. 120/- 4y. 140/-



M.NO - 3+1 METAL  
1.5y. 120/- 4y. 150/-



**4+1. metal. 1.5y. 130/- 4y. 160/-**




M.NO - 5+1 METAL  
1.5m. 150/-



**M.NO - 5+1 METAL**

**1.5m. 150/- 4y. 180/-**



M.NO - 6+1 METAL  
1.5m. 150/-



M.NO - 4+4 METAL

1.5m. 150/-

3+1 mute Eco. 1.8m 160/-




4+1 mute Eco. 2y. 170/-



3+3 mute Eco. 1.8m 180/-





**4+1 metal. 5m. 170/-**

Generated by ONEPLUS AI




**3+1 metal black 5m. 210/-**




**5+1. mute. 2.5y. 230/-**



**3+1 Light to power 3m 170/-**



M.NO - 3+1 15AMP  
1.5m. 250/-



M.NO - 4+1 16AMP  
1.5m. 280/-

**2+1 15amp. 3m. 220/-**



**4+1. 15amp metal. 5m. 370/-**

**LKC<sup>®</sup>**  
For Better World..

FITTED WITH HEAVY BRASS SWITCH AND SOCKET

Heavy Duty

**16 AMP. POWER STRIP**






3+1 metal black 15amp. 4.5m 450/-

**3+1. 15amp mute**  
**2.5y. 350/-**



 **Switch Used**

**16 Amp. Power Strip**



**4+1. 15amp mute. 2.5y. 400/-**

3+3 15amp mute. 2.5m 450/-



**2+1 MCB 3m and 5m.**



**360/-**

**460/-**



**3+1 MCB. 3m. 400/-    5m. 500/-**

# 3 Way Extension Board



**3010 1.8m 350/- 4.5m 470/-**

**4 Way**

**Extension Board**

**4010. 1.8m. 370/- 4.5m. 490/-**



**3 Way**

Extension Board

**3030 1.8m. 400/-**



**4 Way**

**Extension Board**

**4040. 1.8m. 500/- 4.5m. 620/-**






**6010 1.8m. 420/-**  
**6010 4.5m. 540/-**




**6 Way**  
Extension Board

# 6 Way Extension Board




**6060. 1.8m. 600/- 4.5m. 720/-**

6+1. PDU. 1.5m. 270/-



## 6 AMPS RACK EXTENSION BOARD



## 16 AMPS RACK EXTENSION BOARD