



Powerful COOLING for Refreshing SUMMERS





Why Orient Electric Air Coolers?

Today, when the air pollution levels are breaking records every day, the home is our only safe haven. Therefore, we must ensure that the indoor air remains pure and healthy.

This is why, Orient Electric Air Coolers are designed to give you not just a cool breeze. Unlike other air-cooling devices, these coolers ensure fresh air ventilation and not just the circulation of the same air. With revolutionary technologies like DenseNest Honeycomb for efficient water retention and premium Aerofan technology for the strongest air throw, Orient Air Coolers make summertime truly blissful.

A range as diverse as your preferences

As the summers step in, we all crave that cool and fresh breeze from an air cooler. While the basic function remains the same, different customers have unique preferences when it comes to air coolers.

Orient Electric is a one-stop solution for your air cooling needs. We have a complete range of air coolers of all sizes, shapes, capacities, and features. Whichever cooler you choose, it's an Orient promise that your home will be filled with cool, fresh, and healthy air the moment you turn that switch on.





Trust the bestOrient's wide range of air coolers

Recognized for quality and performance that merit awards





Superbrand India 2023-24



The Economic Times Best Brands 2021



Best Design Award India 2019



Frost And Sullivan New Product Innovation Leadership Award India 2019



AER\$FAN TECHNOLOGY

Experience revolutionary cooling efficiency with Aerofan Technology's innovative fan blade unit. With a lift coefficient ranging from 1.50 to 1.95, it ensures optimal air circulation and swift cooling, boasting an average air velocity of 10.2 m/s.

What sets Aerofan apart is the integration of the gurney flap within the fan blade unit, enhancing aerodynamic performance through advanced tooling processes. Aerofan Technology promises superior cooling and enhanced user experience, marking a breakthrough in air cooler design.

Best in class features



Densenest Honeycomb

Stay cool and comfortable with Densenest Honeycomb pads, designed to efficiently cool even in humid coastal areas by retaining more water for continuous airflow.



Concealed Pump

Ensure durability and safety with our air coolers featuring concealed pumps, protected from dust and debris for long-lasting performance.



Inverter Compatibility

Enjoy uninterrupted cooling with inverter compatibility, adapting seamlessly to power fluctuations for reliable operation.



Dust Filter

Breathe clean, healthy air with our dust filter, trapping dust and pollen while extending the lifespan of the honeycomb pads.



Select the right air cooler for your space

	ТҮРЕ	DESERT	PERSONAL	TOWER	WINDOW	COMMERCIAL	
	REGION	All Regions	East West South	East West South	East South	All Regions	
	CLIMATE Dry Heat		Coastal Lightly Humid	Coastal Lightly Humid	Dry Heat Lightly Humid	Dry Heat Humid	
RO	OOM SIZE	300 Sq Ft & Above	Below 300 Sq Ft	Below 300 Sq Ft	Upto 250 Sq Ft	400 Sq Ft & Above	
	USAGE Indoors Outdoors		Small Rooms Spot Cooling	Small Rooms	Rooms With A Window Outdoors	Indoors Outdoors	
C	APACITY	50-125L	8-50L	10-60L	45-55L	80-125L	



DESERT COOLERS

With the temperature breaking records every summer, Orient Electric Desert Coolers are the perfect solution. The combination of large tank capacity and powerful fan motor allows these sturdy air coolers to throw fresh air all day long.











t (Y) P









Powerful Air Delivery 5000 m³/hr




4-Way CoolingMotorised Vertical
Louvres



Longest Air Throw Aerofan Technology



Quick CoolingOpenable Ice Chamber





SMARTCHILL 125L CD1251H



TITAN 100L & 75L CD1002H, CD7501H









Powerful Air Delivery 4500 m³/hr

4-Way Cooling

Louvres

Motorised Vertical



Quick Cooling Openable Ice Chamber



Noiseless Cooling Propeller Fan Blade



AVANTE 105L & 90L CD1051H, CD9001H



Powerful Air Delivery 3650 m³/hr



Quick Cooling Openable Ice Chamber





Prevents Mosquito Breeding Mosquito Repellent









KNIGHT 70L CD7003H









Powerful Air Delivery 3650 m³/hr

Inverter

Compatible

Fully Collapsible Louvres



4-Way CoolingMotorised Vertical
Louvres



Quick CoolingOpenable Ice Chamber



Prevents Mosquito BreedingMosquito Repellent



ULTIMO 88L & 50L CD8803H, CD5003H



ULTIMO 65L CD6501H



Powerful Air Delivery 3650 m³/hr



4-Way CoolingMotorised Vertical
Louvres



Inverter Compatible



TORNADO 88L, 65L & 52L CD8804H, CD6508H, CD5202H









Powerful Air Delivery 4000 m³/hr





Adjustable Fan Speed 3-Speed Motor



AEROSTORM 92L & 71L CD9201H, CD7101H





Powerful Air Delivery Aerofan Technology



4-Way CoolingMotorised Vertical
Louvres



Adjustable Fan Speed 3-Speed Motor



Longer LifeBall Bearing Motor



OCEAN AIR 70L CD7001H



AEROCHILL 51L CD5102H

Name	Air Delivery
Ocean Air	3600 m ³ /hr
Aerochill	3200 m³/hr



COMMERCIAL COOLERS

Cooling big spaces at a pocket-friendly price just got easier with Orient Electric Commercial Air Coolers. These are equipped with a bigger vent area, DenseNest honeycomb pads, and Aerofan technology for high air delivery. Even at high speeds, its lockable castor wheels keep the cooler stable while the in-built autofill feature and higher tank capacity dispense powerful cooling throughout the day.







Powerful Air Delivery 8000 m³/hr



Longer Air Throw 20" Air Sweep



Uninterrupted Cooling Auto-Fill Feature



Lockable Castor Wheels Heavy Duty For Higher Stability



STARK 110L CC1101H



















Enhanced Load Efficiency Thermal Overload Protector

Uninterrupted Cooling

Auto-Fill Feature



Additional **Water Inlet**



Lockable Castor Wheels Heavy Duty For Higher Stability



Powerful Air Delivery 8500 m³/hr



Longer Air Throw 22" Air Sweep



= 150 cm

= 130 cm

140 cm

- 120 cm

110 cm

- 100 cm

90 cm

80 cm

70 cm

50 cm

<u>=</u> 60 cm

<u>=</u> 40 cm

=___ 30 cm

=___ 20 cm

= 10 cm



Lockable Castor Wheels Heavy Duty For Higher Stability



Name

Maxochill 100L

Maxochill 80L



MAXOCHILL 100L CC1001H

Air Delivery

7000 m³/hr

12000 m³/hr





MAXOCHILL	80L
CC8001H	
CC800IH	



STARK PLUS 125L CC1251H





Air Sweep

20"

24"

PERSONAL COOLERS

Different people, different choices. With this thought at the core of its design, Orient's range of Personal Coolers offers coolers of different shapes, and designs. You can simply pick one that complements your home or workspace perfectly. They're equipped with a powerful blower that packs a punch when it comes to air delivery. Their easy-lift handles and castor wheels make it easy to move them around so that you can enjoy fresh air wherever you want.








Powerful Air Delivery 1300 m³/hr




4-Way Cooling Motorised Vertical & Horizontal Louvres



Dust Filter



SUPERCOOL 30L CP3001H

















Powerful Air Delivery 2100 m³/hr







All image sizes are representative, for actual size of the products, please refer the specification table.

AEROCOOL 40L & 20L CP4001H, CP2005H



Openable Ice Chamber





Dust Filter



SMARTCOOL DX 37L, 24L, 18L CP3701H, CP2401H, CP1801H



PREMIA 45L, 36L & 26L CP4502H, CP3602H, CP2602H



Name	Air Delivery
Smartcool	1300 m³/hr
Premia	1500 m³/hr



WINDOW COOLERS

Our Window Cooler range is equipped with a myriad of features that make your life easier. Large water tank capacity ensures that you do not need to worry about repeatedly filling the cooler, just fill it and forget it for a long time. The advanced 4-way deflection system cools the room evenly. The combo of special Humidity Control and the Fragrance Chamber turns humid air into a fresh, healthy, and pleasantly cool breeze. The icing on the cake is that these coolers are built to consume less energy and save power.





















Powerful Air Delivery 2000 m³/hr



4-Way Cooling Motorised Vertical Louvres



Inverter Compatible





MAGICOOL+ 55L CW5502B, CW5501B

Also available in white color



MAGICOOL DX 50L CW5002B

IDEAL FOR () Office Bedroom













TOWER COOLERS

Comfort shouldn't depend on how much space you've got. Bring home these sleek and tall air coolers specially designed for rooms with limited space. They can easily fit into one corner of the room while ensuring a powerful flow of cool air throughout the room. Amp up your style as well as your comfort quotient with Orient's range of Tower Coolers.







Powerful Air Delivery 1500 m³/hr



Quick Cooling Openable Ice Chamber



4-Way Cooling Motorised Vertical Louvres



Dust Filter



Fully Collapsible Louvres



10 cm

ULTIMO TOWER 55L CT5502HR, CT5506H



ULTIMO TOWER 40L CT4002HR, CT4006H




ULTIMO TOWER 26L

CT2604HR, CT2603H, CT2606H

IDEAL FOR















Best Design Award India 2019







— DESERT COOLERS —



















Model Number		CD1251H	СD1002Н	CD7501H	CD1051H	CD9001H	СD7007Н	CD7003H	CD8803H	CD5003H
Model Name		SmartChill 125	Titan 100	Titan 75	Avante 105	Avante 90	Knight+ 70	Knight 70	Ultimo 88	Ultimo 50
Mode of Operation		Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual
Cooling Medium		DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb
Water Tank Capa (Litres upto brim)		125 Ltrs.	100 Ltrs	75 Ltrs	105 Ltrs	90 Ltrs	70 Ltrs	70 Ltrs	88 Ltrs	50 Ltrs
Power Consumpt (Wattage)	ion	190 W	190 W	190 W	190 W	190 W	190 W	190 W	190 W	190 W
Air Delivery (m3/l	hr)	5000	5000	5000	4500	4500	3650	3650	3650	3650
Air Throw Distanc (Metres)	e	18.5 m.	18.5 m.	18.5 m.	18.0 m.	18.0 m.	18.3 m.	18.3 m.	18.3 m.	18.3 m.
Auto Fill		No	Yes	Yes	No	No	Yes	Yes	Yes	Yes
Water Level Indic	ator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Speed Control-3/	/RPM	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L
Blower/Fan Type		Fan / 18" Metal Blade	Fan / 18 inch	Fan / 18 inch	Fan / 16 inch	Fan/ 16 inch	Fan / 16 inch	Fan / 16 inch	Fan / 16 inch	Fan / 16 inch
Wheels/Trolley		5 Castor Wheels	5 castor Wheels	5 castor Wheels	5 castor Wheels	5 castor Wheels	4 Castor Wheels	4 Castor Wheels	5 Castor Wheels	4 Castor Wheels
Prevents Mosquit Breeding	0	No	No	No	No	No	Yes	Yes	Yes	Yes
Anti Bacterial Tan	nk	No	No	No	No	No	No	No	No	No
Dust Filter		No	No	No	No	No	Yes	No	No	No
Ice Chamber		Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Vertical Louvres Movement		Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised
Horizontal Louvre Movement	s	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual
	L	68.5	70	70	62	62	61.2	61.2	65.0	65.0
Dimensions Without Packaging (cm)	w	46.5	45	45	46.5	46.5	43.0	43.0	42.6	42.6
	н	135.3	127	118	127.5	118.5	124.8	124.8	130.0	112.0
Dimensions With Packaging (cm)	LxWxH	75.5x50x135	79.5x57x130.5	79.5x57x119.5	71.5x52.5x135	71.5x52.5x125	65x48x131	65.5x48x131	69x47x137	69x47x121
Net Weight (kg)	1	19	18	17	19.2	17.7	19.7	19.7	18.0	16.5
Gross Weight (kg)	24	23	21.5	24.8	23.4	24.0	24.0	21.5	19.5
Stacking		2	2	2	2	2	2	2	2	2
Product Warranty	r#	12 Months	12 months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months
Cooling Area		500 sqft	400 sq ft	400 sq ft	400 sq ft	400 sq ft	380 sq ft	400 sq ft	350 sq ft	350 sq ft

All the technical parameters are as per Orient testing standards. Specifications of DenseNest* Honeycomb may vary from product to product. Estimated area based on 3 mtrs (10ft) ceiling height and an all sides covered room. As product upgradation is a continuous process, design and specifications are subject to change without notice. "Warranty is applicable in India only.

DESERT COOLERS -

















Model Number		CD6501H	CD8804H	CD6508H	CD5202H	CD9201H	CD7101H	CD7001H	CD5102H
Model Name		Ultimo 65	Tornado 88	Tornado 65	Tornado 52	Aerostorm 92	Aerostrom 71	Ocean Air	Aerochill 51 HC
Mode of Operation		Manual							
Cooling Medium		DenseNest® Honeycomb	DenseNest* Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest* Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb
Water Tank Capacity (Litres upto brim)		65 Ltrs	88 Ltrs	65 Ltrs	52 Ltrs	92 Ltrs	71 Ltrs	70 Ltrs	51 Ltrs
Power Consum (Wattage)	ption	190 W	190 W	190 W	190 W	180 W	180 W	190 W	190 W
Air Delivery (m	3/hr)	3650	3650	3650	3650	4000	4000	3600	3200
Air Throw Distar (Metres)	nce	18.3 m.	18.3 m.	18.3 m.	18.3 m.	17 m.	17 m.	18.3 m.	11 m.
Auto Fill		Yes	Yes	No	No	Yes	No	No	No
Water Level Ind	icator	Yes							
Speed Control-	3/RPM	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L H,M,L		H,M,L
Blower/Fan Typ	е	Fan / 16 inch							
Wheels/Trolley		4 Castor Wheels	5 Castor Wheels	4 Castor Wheels	4 Castor Wheels	5 Castor Wheels	5 Castor Wheels	4 Castor Wheels	4 Castor Wheels
Prevents Mosqu Breeding	uito	Yes	No	No	No	No	No No		No
Anti Bacterial T	ank	No	No	No	No	No	No No		No
Dust Filter		No							
Ice Chamber		Yes	No						
Vertical Louvres Movement	6	Motorised							
Horizontal Louv Movement	res	Manual							
	L	65.0	63.0	63.0	63.0	66	66.0	65.0	64.5
Dimensions Without Packaging (cm)	w	42.6	41.0	41.0	41.0	50	50	38.0	50.5
	н	121.0	133.0	122.0	113.0	123	113	124.5	102.0
Dimensions With Packaging (cm)	LxWxH	69x47x130	69x47x140	69x47x127	69x47x118	73x53x132	73x53x122	68x40x130	67x53.5x108
Net Weight (kg)	17.0	15.7	14.8	14.3	18	17	18.0	15.0
Gross Weight (kg)	20.5	21.0	18.6	18.0	22.5	21	21.5	19.0
Stacking		2	2	2	2	2	2	2	2
Product Warrar	nty#	12 Months							
Cooling Area		380 sq ft	350 sq ft	350 sq ft	350 sq ft	450 Sq ft	400 Sq ft	400 sq ft	300 Sq. ft

COMMERCIAL — PERSONAL COOLER COOLERS

















Model Number		СС1101Н	СС1001Н	CC8001H	CC1251H	СР3001Н	CP4001H	CP2005H	СР3701Н	CP2401H
Model Name	Model Name		Maxochill 100 L	Maxochill 80 L	Stark Plus 125L	Supercool 30	Aerocool 40	Aerocool 20	Smartcool DX 37	Smartcool DX 24
Mode of Operation		Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual
Cooling Medium		DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb
Water Tank Capaci (Litres upto brim)	ty	110 Ltrs	100 Ltrs	80 Ltrs	125 Ltrs	30 Ltrs	40 Ltrs	20 Ltrs	37Ltrs	24 Ltrs
Power Consumption (Wattage)	n	450 W	320 W	540 W	450 W	140 W	125 W	125 W	140 W	140 W
Air Delivery (m3/hr))	8000	7000	12000	125 Ltrs.	1300	2100	2100	1300	1300
Air Throw Distance	(Metres)	18 m.	25 m.	30 m.	18 m.	7.6 m.	8.0 m.	8.0 m.	7.6 m.	7.6 m.
Auto Fill		Yes	Yes	Yes	Yes	No	No	No	No	No
Water Level Indicate	or	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Speed Control-3/RF	РМ	H,M,L	Yes	Yes	Yes	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L
Blower/Fan Type		Fan / 18.5 inch	Fan / 18.5 inch	Fan / 24 inch	Fan / 22 inch	Blower	Fan / 12 inch	Fan / 12 inch	Blower	Blower
Wheels/Trolley		4 Heavy Duty Castor Wheels	4 Heavy Duty Castor Wheels (2 Front wheels with Lock)	4 Leaf Metal Blade	Fan / 18.5"	2 Trolley Wheels & 2 Castor Wheels	4 Castor Wheels	4 Castor Wheels	4 Castor Wheels	4 Castor Wheels
Prevents Mosquito Breeding		No	No	No	No	No	No	No	No	No
Anti Bacterial Tank		No	No	No	No	No	No	No	No	No
Dust Filter		No	No	No	No	Yes	No	No	Yes	Yes
Ice Chamber		No	No	No	No	No	No	No	Yes	Yes
Vertical Louvres Movement		No	No	No	No	Motorised	Motorised	Motorised	Motorised	Motorised
Horizontal Louvres Movement		No	No	No	No	Motorised	Manual	Manual	Manual	Manual
	L	85	80	96	85	34.5	46.0	46.0	46.0	46.0
Dimensions Without Packaging (cm)	w	62	53	53.5	60	41.8	36.4	36.4	34.0	34.0
	н	144	138	147	150	93.0	88.5	74.0	82.5	70.0
Dimensions With Packaging (cm)	LxWxH	90.0 x 63.0 x 149.0	87 x 61.5 x 135	103 x 62 x 142	87 x 63 x 155	39.6 x 46.6 x 99.5	51x40.5x90	51x40.5x77	51x38.5x89	51x38.5x74.5
Net Weight (kg)		28	22.9	31.1	29	10.3	7.8	7.1	9.2	8.6
Gross Weight (kg)		35	28.1	36.9	36	12.2	10.5	9.2	11.0	10.1
Stacking		2	2	2	2	3	2	2	3	3
Product Warranty#		12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months
Cooling Area		800 sqft	750 sqft	1400 sqft	800 sqft	180 sqft	200 sqft	200 sqft	150 sqft	150 sqft

All the technical parameters are as per Orient testing standards. Specifications of DenseNest® Honeycomb may vary from product to product. Estimated area based on 3 mtrs (10ft) ceiling height and an all sides covered room. As product upgradation is a continuous process, design and specifications are subject to change without notice. "Warranty is applicable in India only.

PERSONAL WINDOW TOWER COOLERS COOLERS

















Model Number		CP1801H	CP4502H	СР3602Н	СР2602Н	CW5501B/CW5502B	CW5002B	CT5506H/ CT5502HR	CT4006H/ CT4002HR	CT2604HR/ CT2603H/CT2606H
Model Name		Smartcool DX 18	Premia 45	Premia 36	Premia 26	Magicool+ 55	MAGICOOL DX 50	Ultimo Tower 55	Ultimo Tower 40	Ultimo Tower 26
Mode of Operation		Manual	Manual	Manual	Manual	Manual	Manual	Manual/Remote	Manual/Remote	Manual/Remote
Cooling Medium		DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	Wood Wool	Wood Wool	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb
Water Tank Capa (Litres upto brim)		18 Ltrs	45 Ltrs	36 Ltrs	26 Ltrs	55 Ltrs	50 Ltrs	55 Ltrs	40 Ltrs	26 Ltrs
Power Consumpti (Wattage)	on	140 W	140 W	140 W	140 W	200 W	220 W	160 W	160 W	160 W
Air Delivery (m3/h	nr)	1300	1500	1500	1500	2000	2000	1500	1500	1500
Air Throw Distance	e (Metres)	7.6 m.	7.6 m.	7.6 m.	7.6 m.	10.7 m.	10.7 m.	9.14 m.	9.14 m.	9.14 m.
Auto Fill		No	No	No	No	No	No	No	No	No
Water Level Indica	itor	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Speed Control-3/	RPM	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L
Blower/Fan Type		Blower	Blower	Blower	Blower	Blower	Blower	Blower	Blower	Blower
Wheels/Trolley		4 Castor Wheels	4 Castor wheels	4 castor wheels	4 castor wheels	Trolley Optional	Trolley Optional	4 Castor Wheels	4 Castor Wheels	4 Castor Wheels
Prevents Mosquito Breeding		No	No	No	Yes	No	No	Yes	Yes	Yes
Anti Bacterial Tan	k	No	No	No	No	No	No	No	No	No
Dust Filter		Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes
Ice Chamber		Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes
Vertical Louvres Movement		Motorised	Motorised	Motorised	Motorised	Motorized	Motorised	Motorised	Motorised	Motorised
Horizontal Louvres Movement	3	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual
	L	46.0	52.5	52.5	52.5	65.1	66	39	39	39
Dimensions Without Packaging (cm)	w	34.0	40.5	40.5	40.5	54.9	53.5	34.6	34.6	34.6
	н	66.0	98	90	81	58.3	55.5	138.8	124.8	105.3
Dimensions With Packaging (cm)	LxWxH	51x38.5x70.2	53.5x42x98	53.5x42x90	53.5x42x98	69.5 X 59.5 X 67.0	72 x 60 x 63	51.7 x 41.5 x 134.3	51.7 x 41.5 x 120.3	51.7 x 41.5 x 104.3
Net Weight (kg)		8.0	11	10	9	12	13.0	12	11	10.5
Gross Weight (kg)		9.3	13.5	12	11	16	16.0	15.5	15	13
Stacking		3	3	3	3	3	3	2	2	2
Product Warranty	#	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months
Cooling Area		150 sqft	200 sqft	200 sqft	200 sqft	230 sq ft	230 sq ft	200 sqft	200 sqft	200 sqft

All the technical parameters are as per Orient testing standards. Specifications of DenseNest® Honeycomb may vary from product to product. Estimated area based on 3 mtrs (10ft) ceiling height and an all sides covered room. As product upgradation is a continuous process, design and specifications are subject to change without notice. "Warranty is applicable in India only.

BRANCH OFFICES

NORTH REGION

Head Office: 240, Okhla Industrial Estate Phase III, New Delhi 110020 Chandigarh: 840, First Floor, NAC Manimajara, UT Chandigarh - 160101 Rajasthan: C176 Road Number 9J, V.K.I. Area Jaipur – 302013 Uttar Pradesh: 607, 6th floor, Ratan Square Marg, Lucknow - 226001 Noida: C-130, Sector 63, Noida - 201301



EAST REGION

Assam: Nilakshi Talukdar Campus, Opp Vodafone Head Office, NH - 37, Katabari, Guwahati - 781035 Bihar: 4th Floor, Sai Tower, Beside Hotel Utsay, New Dak Bunglow Road. Patna - 800001 Jharkhand: Modi Heights, Phase-1, 4th Floor, Office No - 401, Ratu Road, Near Durga Mandir Ranchi - 834001 Odisha: Badadhanpur, Puri Bypass Road, Bhubaneswar - 751002 West Bengal: 6, Ghore Bibi Lane, Behind Swabhumi, Kolkata - 700054

SOUTH REGION

Telangana: 6-3-1090/C, R K Plazs, 2nd Floor, Raj Bhawan Road, Somajiguda, Hyderabad - 500082 Chennai: Heavitree' 2nd Floor, Unit – B, No-47, Spur Tank Road, Chetpet, Chennai – 600031 Karnataka: SY No. 73, harokyathanahalli dasanapura hobli, makali post Tumkur main road Bangalore - 562162 Kerala: Kollamkuzhi Business Square, 5th Floor, NH bypass, Vytila, Cochin - 682019

WEST REGION

Chhattisgarh: G.D. Warehousing, Opp. Reliance Petrol Pump Ring Road No. 2, Gondwara, Raipur - Chhattisgarh, India. - 493221 Gujarat: Survey no 107 village jetalpur, near gokulesh rice milltaluka dascroi N.H, 8 Ahmedabad - 382426 Madhya Pradesh: Survey no 275/1/1, Kelodhala, SDA Compound, Dewas Naka Indore - 452010 Mumbai: 604, 6th Floor, Dev Corpora, Cadbury Junction, Eastern Express Highway, Thane (West), Mumbai - 400601 Pune: Gate no 173 Wade bolhai road Vill Kesnand Tal Gaveli Dist Pune - 412207 Nagpur: Shriyash Heights, Block No. 402, 4th Floor, Plot No. 95, Lendra West Precinct, Ramdaspeth, Nagpur - 440010







FANS • HOME APPLIANCES • LIGHTING • SWITCHGEAR

Orient Electric Limited (a CK Birla Group Company | 240, Okhla Industrial Estate, Phase III, New Delhi-110020

