

INSPIRATION BOARD





MOROCCO PP Graphic Loop Pile





DIAMOND PP Graphic Loop Pile



LINEA PP Graphic Loop Pile



CHASE Scroll Loop Pile with Tip Shear



SPEED PP Level Loop Pile

























































TECHNICAL SPECIFICATIONS

LINEA, MOROCCO, DIAMOND

CONSTRUCTION	LEVEL LOOP PILE
FIBRE	100% OLEFIN
DYE METHOD	SOLUTION DYED
TUFTING GAUGE	1/10"
PILE WEIGHT	450 GSM +/-5%
TOTAL WEIGHT	1400 GSM +/-5%
TOTAL HEIGHT	5-6 MM
CARPET WIDTH	4 MTR
ROLL LENGTH	35-40 MTR
BACKING	GREY FELT BACK

SPEED

CONSTRUCTION	LEVEL LOOP PILE
FIBRE	100% OLEFIN
DYE METHOD	SOLUTION DYED
TUFTING GAUGE	1/10"
PILE WEIGHT	400 GSM +/-5%
TOTAL WEIGHT	1380 GSM +/-5%
TOTAL HEIGHT	5-6 MM
CARPET WIDTH	4 MTR
ROLL LENGTH	35-40 MTR
BACKING	ACTION BACK

CHASE

CONSTRUCTION	SCROLL LOOP PILE WITH TIP SHEAR
FIBRE	100% OLEFIN
DYE METHOD	SOLUTION DYED
TUFTING GAUGE	1/10"
PILE WEIGHT	550 GSM +/-5%
TOTAL WEIGHT	1600 GSM +/-5%
TOTAL HEIGHT	9-10 MM
CARPET WIDTH	4 MTR
ROLL LENGTH	35 MTR
BACKING	GREY FELT BACK

Note:

- 1. Specifications are subject to change as we continuously improve product design, materials, and performance to enhance durability, functionality, and overall quality.
- Slight color variations may occur from dye to dye lot due to the natural characteristics
 of textile production. These variations do not affect the quality or performance of the
 product.
- 3. Shading or pile reversal is an inherent characteristic of carpets caused by light reflection on fibers due to usage and natural changes in pile direction. This is a normal occurrence and should not be considered a manufacturing defect.



Sound Insulation



Heat Insulation



Anti-static




Colorfast



Wearproof







"DYNAMIC"

PERTAINING TO OR
CHARACTERIZED BY ENERGY OR
EFFECTIVE ACTION; VIGOROUSLY
ACTIVE OR FORCEFUL;
ENERGETIC



"SOURCED FOR INDIA FROM ACROSS THE GLOBE"