



MH HOSPITAL FURNITURE
MANUFACTURER

AN ISO 9001:2015 CERTIFIED CO.

Product Catalogue

DEVOTION & DEDICATION FOR HEALTH

Hospital & O. T. Equipments

MORE INFO



Rajendar Kumar : 9958387189
Sanjay Kumar : 9818604077
Customer Care Number : 8368952982



Works : Ground Floor Plot No.
197, Kh. No. 197 Village Nangli
Sakrawati, Najafgarh, New
Delhi-110043



COMPANY PROFILE

MS Hospital Furniture Manufacturer is manufacturing & working in the field of design and development of critical care areas of healthcare premises, including medical gas management systems and prefabricated operated rooms. Specialised hospital furniture and related equipment. Our product range includes medical gas management systems (plant, piping layout, and bedside accessories along with ceiling pendants and bedhead units) and modular operation theatres (surgeon control panels, laminar airflow systems, wall and ceiling constructions, flooring, etc.) and specialised hospital furniture. Nursing Station, specialised carts and Storage Solutions, Designing, supply with all accessories etc.

We are one of the good manufacturers of hospital furniture & O.T. equipment and associated with leading manufacturers of medical gas pipeline components and modular operation theatres. All our and associated factories' G.E. products are as per the international standard CE-marked and manufactured in ISO-certified markets. A brief look at our infrastructure strength:

Having a strong distributor network all over India for sales and service of our products.

A dedicated group of highly skilled and professional employees meet customers for their specific requirements/demand.

MS Hospital Furniture Manufacturer is a three-decade-old company, and we have management professionals and engineers committed to achieving all set goals of the organisation in the direction of health care. The goal of the company is to cover the hospital market by understanding changing scenarios in healthcare industries and by promoting the world's best equipment, followed by prompt and efficient service to meet customers' expectations.

We provide efficient and prompt services to our customers with our prime vision. We have high-quality products and an experienced, qualified service team to keep our systems satisfactorily working.

Seeing our association with quality-orientated companies and work done in this field, we hope the provided details will be helpful to make you understand our position. Indian and International Healthcare Markets.

Quality Standards

Our products and company are 150 9001:2015 certified co.

Thanking you and looking forward to serve you

With Thanks and Regards,

For MS Hospital Furniture Manufacturer



Index

**ICCU / ICU BEDS RECOVERY / FOWLER
BEDS SEMI FOWLER PEDIATRIC /
ATTENDANT BEDS HOSPITAL BEDS
ACCESSORIES EXAMINATION COUCH
WARD EQUIPMENTS WARD O.T.
EQUIPMENTS PATIENT TRANSFER
TROLLEYS STRETCHERS DELIVERY
TABLES DELIVERY BEDS O.T. TABLE
HOLLOW WARES / O.T. EQUIPMENTS
VERTICAL ACCESSORIES HORIZONTAL
AUTOCLAVES O.T. LIGHTS NEONATAL
EQUIPMENT INVALID WHEELCHAIR
WALKING AIDS SUCTION UNITS**

5001

ICU BED ELECTRIC (ABS PANELS & ABS RAILINGS)

Description

- Framework made of strong rectangular CRCA pipe.
- Four section top made of a CRCA sheet.
- Back Rest , Knee Rest , TB , RTB & Hi-Low Position operated with hand remote only.
- Heavy-duty ABS head & foot panel.
- Heavy-duty ABS tuck-away safety side rails with angle indicator.
- Bed mounted on 125mm Dia double tier Castors(2 with breaks)
- S.S telescopic IV Rod with 4 foldable hooks.
- Provision for Mattress guard & urine bag holder on both side.
- 4" Thick Medical Grade Mattress of 40 Density.
- Overall Size:-2200L X 1000W X 600-800H mm.
- Finish : Epoxy powder coated.



MH HOSPITAL FURNITURE
MANUFACTURER

5002


ICU BED MECHANICAL

Description

- Advance linear actuator system [04Pcs Motor, 01Pc Control box, 01Pc Handset]
- Collapsible side railing
- Heavy ABS Head and Foot Panel with buffer
- A 4-section top made up of an oval perforated CRCA M.S. sheet.
- Framework made up of M.S. tubes
- Bed mounted on 5" ABS castors durable and quiet
- S.S. Telescopic I.V. Rod with 4 location
- Holder for Urine Bag
- Sitting position adjustable
- Finish: Pre-treated & Epoxy Powder Coated
- Overall approx. size: 2090L x 900W x 550-800H mm
- Positions obtained by Hand Remote:
- Hi-Low
- Backrest elevation
- Kneerest elevation
- Trendelenburg / Reverse Trendelenburg

Optional :

- C4 Section Mattress
- S.S. Telescopic I.V. Rod with 4 location



5003

WAITING AREA CHAIR

Description

- Perforated sheet
- Galvanized arm rest
- Chrome plated finish

Also available in full Stainless Steel



5004

WHEELCHAIR FIX / FOLDING

Description

- Folding wheelchair: 600 X 790 X 870 mm
- Folding wheelchair with cushion: 600 X 790 X 870 mm
- Sturdy structures
- High loadbearing
- Durable wheels
- Brake handles provided
- Available in Chrome and powder coated



5005

PATIENT TRANSFER TROLLEY IMPORTED TYPE

Description

- Frame is made of CRCA Sheet & pipes
- Trolley is mounted over 125 mm diagonally locking castor wheels
- Provision for saline stand
- Provide swing-down, polymer-moulded safety side rails
- Dimension (overall): 2025 x 760 x 560 - 825 H mm
- The Backrest can be adjusted via gas spring up to 65"
- High-Low can be adjusted via crank mechanism

Also available in ABS Top



5006

EXAMINATION COUCH

Description

- Back section adjustable to 75 degree
- Powder-coated steel frame, firm and anti-rust
- With a shelf to assemble non-woven, easy-to-clean and more anti-infection
- High quantity leather, it is waterproof
- Size: 190 X 80 X 45cm
- Other size and material offered



5007

EXAMINATION COUCH

Description

- Overall approx. dimension : 1800 X 500 X 810 mm
- Construction made from mild steel CRCA tubes and sheets
- Two section mild steel CRCA sheet top
- Headrest adjustable on gas spring
- Three drawers
- Three cabinets with lock
- Complete with B.P. apparatus tray, foam mattress covered with rexine and built in step stool pre-treated and powder coated finish



5008

EXAMINATION COUCH

Description

- Overall approx. dimension: 1800 X 500 X 810 mm
- Construction made from mild steel CRCA tubes and sheets
- Two-section mild steel CRCA sheet top
- Headrest adjustable on gas spring
- Three drawers
- Three cabinets with lock
- Complete with BP apparatus tray, foam mattress covered with rexine and a built-in step stool pre-treated and powder coated finish



5009

BLOOD TRANSFUSION CHAIR

Description

Specification

- **Dimensions**
 - Length: 1800mm
 - Width: 600mm
 - Height: 540 mm-830 mm
 - Back cushion: 390*220*100 mm
 - Caster: 125mm, PU Caster
- **Material**
 - Chair: Mild Steel
 - Outside: PVC leather
- **Adjustment**
 - Back adjustment: -129C-809C
 - Knee Adjustment
 - Chair Position



5010

DIALYSIS CHAIR

Description

- Castor wheels with locks for effortless manual shifting and parking at convenient locations.
- High density cushion seating for firm supporting of patient.
- Foldable Handrest for easy patient entry and exit.
- Optional provisions for I-V Rod, Foot rest cushion etc.
- 200 Kg Patient weight capacity.

Specification

- **Dimensions**
 - Length: 1800mm
 - Width: 600mm
 - Height: 540mm-830mm
 - Back cushion: 390*220*100 mm
 - Caster: 125mm, PU Caster
- **Adjustment**
 - Back adjustment: -12°C - 80°C
 - Knee Adjustment
 - Chair Position
 - Trendelenburg /Reverse Trendelenburg



5011

OBSTETRIC LABOUR TABLE TELESCOPIC ADJUSTABLE HEIGHT

Description

- Approx. dimensions: 72"L x 27"W x 24"-32"H
- Tubular framework mounted on swivelling castors
- Bakelite sheet top in three sections with a 3-section mattress
- Trendelenburg / Reverse Trendelenburg positions, adjustable by gas spring from back end
- Hydraulically height-adjustable by foot pedal from side
- Backrest section adjustable crank mechanism from back end.
- The leg end section can slide under the main section
- Height adjustable by a pair of knee crutches
- Pre-treated & Epoxy Powder Coated

5012

LABOUR TABLE

Description

- Overall approx. size: 72" x 27" x 30"
- Framework made up of S.S. tube
- Legs fitted with PVC stumps
- 3-section top made up of Bakelite Sheet
- Backrest section adjustable ratchet mechanism from back end
- The leg end section can slide under the main section
- The entire tabletop gives trendelenburg positions by gas spring from back end.
- Drop down S.S. safety side railing are provided on 3 sides of the table
- Height adjustable a pair of foam padded knee crutches
- Patient hand grips made up of S.S. tubes
- Supplied with waste collecting S.S. Bowl on S.S. Bracket and one S.S. I.V. Rod

5013

GYNECOLOGICAL COUCH

- Made in 3 sections with independent controls and a Trendelenburg position
- Adjustable backrest and leg section with mechanism to varying positions capable of tilting for obstetric and gynecological use
- Size of assembled table : approx. 1800L x 550W x 800H mm
- Framework made up of chrome plated rectangular steel tube with upholstered top
- Supplied completely with S.S. bowl and two standard padded leg holders Knockdown construction

DELIVERY TABLES



Also available in S.S. Frame & S.S Top

Also available in M.S. Frame



5014

DELIVERY TABLES



LABOUR DELIVERY ROOM BED HYDRAULIC

Description

- Overall Size : 1880L x 660W x 600 - 800H mm
- Tubular framework mounted on 125 mm dia. central locking castors
- A three-section top made up of Bakelite Sheet with a three-section mattress
- Trendelenburg / Reverse Trendelenburg positions adjustment through gas spring
- Height adjustment through hydraulic pump
- Back section adjustment through crank mechanism
- Leg end section can slide under the main section
- Provided with a pair of Upholstery Lithotomy positions
- S.S. Telescopic IV Rod
- Detachable S.S. Tray



5015

LABOUR DELIVERY ROOM BED ELECTRIC

Description

- Overall size: 1880L x 660W x 600-800H mm
- Tubular frame work mounted on 125 mm dia central locking castors
- Three section top made up of Bakelite Sheet covered with 3section mattress
- Trendelenburg / Reverse Trendelenburg positions, height adjustment, Back section adjustment through electric actuator system
- Leg end section can slide under the main section
- Provided with a pair of Upholstery Lithotomy positions
- S.S. Telescopic IV Rod
- Detachable S.S. Tray



5016

PATIENT SHIFTER

Description

- Maintenance free
- Easy to use



5017

BABY CRADLES

Description

- Overall approx. size: 36" x 15" x 39"
- Stand framework made up of 25 mm x 1.22 mm M.S. tubular pipe
- Legs fitted with PVC stumps
- Wire mesh hanging cradle made up of 19 mm x 1.22 mm
- CRC tube and wire mesh on 5 mm thick
- Finish: Pre-treated epoxy powder Coated



5018

MEDICAL CLIP BOARDS

Dimensions: 340 x 230 mm

- ABS Plastic Material
- Colours Available:
- Blue, Grey & Pink



5019

BABY BASSINET

Description

- Dimension: 870x520x780-980 mm
- Hi-Low 780-980mm
- Head upward angle: 0-12 degree
- Height Adjustable by Gas Spring
- Easy for moving & for the baby to communicate
- Aluminium Column
- Transparent and high-intensity baby basin
- PP cart Basis
- Four Silent Wheels with cross brakes, dia. 100 mm
- Colours Available: Green, Blue & Pink



5020

CASE HISTORY TROLLEY (SINGLE & DOUBLE)

Description

- ABS Plastic Material, Double rows (60 Layers) Single rows (50 Layers)
- Noiseless Castors
- Available with 2 drawers in double & single with single drawer
- Double dimension: 750 x 465 x 810 mm, Weight: 15 Kg
- Single dimension: 460 x 430 x 810 mm, Weight: 9 Kg



5021

INSTRUMENTS CABINET

Description

- Made from CRC sheet three side closed
- Front glass door and glass shelves
- Pre-treated epoxy
- Powder Coated
- Approximate size: 63" x 24"
- x 78"

Also available in five shelves, double door



5022

FOOT STEP SINGLE STEP

Description

- Push handle at one end
- Framework made up of CRC tube on 10 cms castors
- A superior-quality plastic bucket
- Pre-treated & Epoxy Powder Coated
- Also available in S.S. frame
- Complete in S.S. frame

Also available in Complete S.S.



5023

FOOT STEP DOUBLE STEP

Description

- Overall approx. step size: 505 mm L x 305 mm W
- The first step height is 230 mm, and the second step size is 450 mm.
- Step made up of CRC A sheet fitted with Aluminium Tread flats by pop rivets
- Frame made up of 1"x18G CRCA tubes fitted with PVC stubs.
- Finish: Pre-treated and epoxy powder-coated

Also available in Complete S.S.



5024

CHAIR POSITION ICU BED


Description

Advance linear actuator system [6 Pcs Motor, 01 Pc Control box, Pc Handset, 01 Pc Nurse Control System (ACP)]

Extra-long four-piece underside occidental-style side rails with inclination degree indicator

- Heavy ABS Head and Foot Panel with locking and membrane system
- Four-section top
- Back section X-Ray Translucent
- Framework made of M.S. tubes
- Bed mounted on 6" central locking ABS castors, durable and quiet.
- S.S. Telescopic I.V. Rod with 4 Location
- Holder for Urine Bag
- Sitting position adjustable
- Leg Section Extendable
- Finish: Pre-treated & Epoxy Powder Coated
- Overall Approx. Size: 1970-2120L x 900W X 460-740H MM
- C4 Section Mattress
- LED Lamp as reading lamp or under-bed lamp Positions Obtained by Hand Remote:
 - Hi-Low
 - Backrest elevation
 - Knee rest elevation
 - Trendelenburg/Reverse Trendelenburg


- Positions obtained by membrane
- Hi-Low
- Backrest elevation
- Knee rest elevation
- Trendelenburg/Reverse Trendelenburg
- Electric CPR for zero positioning of the bed, Fowler position
- Positions obtained/Functions on Nurse Control System (ACP)
 - Hi-Low with Locking function for handset
 - Backrest elevation with locking function for handset
 - Kneerest elevation with locking function for handset
 - Trendelenburg/reverse Trendelenburg with locking function for handset
 - One-button Electric CPR Position and manual CPR Function for any Emergency case.
 - One-Touch Chair Position



Nurse Control



Central Locking




5024

ICU BED ELECTRIC

Description

- Advance linear actuator system [04Pc Control box, 01Pc handset, 01Pc nurse control system (ACP)]
- All positions can be controlled by a wired handset
- Extra long 4 pcs. Underside Occidental-style side rails with inclination degree indicators
- Heavy ABS head and foot panel with locking and a corner-buffer ABS top.
- Framework made up of MS tubes
- Bed Mounted on 5" Central Locking ABS Castors, Durable
- S.S. Telescopic I.V. Rod with 4 Location
- Holder for Urine Bag
- Sitting position adjustable
- Finish: Pre-treated & Epoxy Powder Coated
- Overall Approx. Size: 2060L x 900W x 470-810H mm
- C4 Section Mattress (MP-2001C)
- LED lamp as a reading lamp or under-bed lamp.
- Positions Obtained by Hand Remote:
 - Hi-Low
 - Backrest elevation
 - Kneerestelevation
 - Trendelenburg/Reverse Trendelenburg
- Positions obtained/Functions on Control System (ACP)
 - Hi-Low with a locking function for the handset.
 - Backrest elevation with a locking function for the handset.
 - Knee rest elevation with a locking function for the handset.
 - Trendelenburg/Reverse Trendelenburg
 - Trendelenburg/Reverse Trendelenburg with locking function for handset
 - One-button electric CPR Position and manual CPR Function for any emergency case.



Nurse Control



Central Locking



5025

ICU BED ELECTRIC

Description

- Advance linear actuator system [04Pc Control box, handset, 01Pc nurse control system (ACP)]
- All positions can be controlled by a wired remote handset.
- placed on the side rail or by ACP (attendant control panel) at the foot end
- Easily detachable polymer head and foot bows with buffer
- Extra long 4 pcs. Underside Occidental-style side rails with inclination degree indicators
- Four-section ABS top
- Framework made up of MS tubes
- Bed mounted on 5" central locking ABS castors, durable and quiet.
- S.S. Telescopic I.V. Rod with 4 Location
- Holder for Urine Bag
- Sitting position adjustable
- Finish: Pre-treated & Epoxy Powder Coated
- Overall Approx. Size: 2060L x 900W x 470-810H mm
- C4 Section Mattress (MP-2001C)
- LED Lamp as reading lamp or under-bed lamp

- Positions Obtained by Hand Remote:
 - Hi-Low
 - Backrest elevation
 - Knee rest elevation
 - Trendelenburg / Reverse Trendelenburg
- Positions obtained by membrane
 - Hi-Low • Backrest elevation
 - Knee rest elevation
 - Trendelenburg/Reverse Trendelenburg
 - Electric CPR for zero positioning of bed
 - Fowler position
- Positions obtained/Functions on Nurse Control System (ACS)
 - Hi-Low with Locking function for handset
 - Backrest elevation with a locking function for handset
 - Kneerest elevation with locking function for handset
 - Trendelenburg / Reverse Trendelenburg with locking function for handset
 - One-button Electric CPR Position and manual CPR Function for any emergency case.



Nurse Control



Central Locking Castors.



5026

FIVE FUNCTIONS ELECTRIC ICU BED

Description

- Framework made of strong rectangular CRCA pipe.
- A four-section top made of a CRCA sheet.
- Back Rest, Knee Rest, TB, RTB & Hi-Low Position operated with hand remote only.
- Heavy-duty ABS head & foot panel.
- Heavy-duty ABS tuck-away safety side rails with angle indicator.
- Bed mounted on 125mm diameter double-tier castors (2 with brakes)
- S.S. telescopic IV rod with 4 foldable hooks.
- Provision for mattress guard & urine bag holder on both sides.
- 4" Thick Medical-Grade Mattress of 40 Density.
- Overall Size:-2200L X 1000W X 600-800H mm.
- Finish : Epoxy powder coated.




Optional :



Nurse Control
System(ACP)



Central Locking
Castors.




5027

FIVE FUNCTIONS ELECTRIC ICU BED

Description

- Framework made of strong rectangular CRCA pipe.
- A four-section top made of a CRCA sheet.
- Back Rest, Knee Rest, TB, RTB & Hi-Low Position operated with hand remote only.
- ABS Head & Foot Panel.
- ABS tuck-away safety side rails.
- Bed mounted on 125mm dia. double-tier Castors (2 with brakes)
- S.S. telescopic IV rod with 4 foldable hooks.
- Provision for mattress guard & urine bag holder on both sides.
- 4" Thick Medical-Grade Mattress of 40 Density.
- Fibre base cover to protect from dust.
- Overall Size : 2200L X 1000W X 600-800H mm.
- Finish :- Epoxy powder coated .




5028

FIVE FUNCTIONS ELECTRIC ICU BED

Description

- Framework made of strong rectangular CRCA pipe. •
- A four-section top made of perforated ABS structure
- Backrest, knee rest, TB, RTB & hi-low positions operated with hand remote & nurse control panel.
- Heavy-duty ABS curved head & foot panel with attached buffer.
- Heavy-duty ABS full-length tuckaway safety side rails with angle indicators on both sides.
- Nurse control panel which operates all functions with electronic CPR & provision for locking positions of the bed.
- Battery backup option for uncertain power cut.
- Bed mounted on 125mm dia. double-tier Castors (2 with brakes)
- S.S. telescopic IV rod with 4 foldable hooks.
- Provision for mattress guard & urine bag holder on both sides.
- 4" Thick Medical-Grade Mattress of 40 Density.
- Fibre base cover to protect from dust.
- Overall Size: 2200L X 1000W X 600-800H mm.
- Finish:- Epoxy powder coated .



5029

MEDICINE TROLLEY WITH 4 DRAWERS

- Overall approx. size: 76L x 46W x 81H cms
- Framework made up of M.S. tubes mounted on 10 cm castors
- Two S.S. shelves with three side railing on top shelf
- Two drawers under the each shelf
- Finish: Epoxy Powder Coated

Description



5030

UTILITY TROLLEY TWO SHELVES

- M.S. Framework
- S.S. Shelves
- One M.S. Drawer
- 10 cms Castors

Description

Also available in three shelves

5031

DRESSING TROLLEY

- Approx. size: 30"x18"x32"
- Framework made up of S.S. tubes
- Two S.S. shelves up with S.S. railings on all four sides
- The trolley fitted S.S. bucket and S.S. bowl.
- The trolley mounted on 100 mm diameter castors.
- S.S. frame, S.S. shelves with S.S. basin & bucket

Description

Also available in epoxy powder-coated frame & S.S Top



5032

INSTRUMENT TROLLEY TWO SHELVES

- Frame work made up of 1"x 18G vertical M.S. tubes
- 30"x18"x32"
- Two 22G S.S. shelves with three sides railing
- 36"x24"x32"
- The trolley mounted on 100 mm dia castors
- 24"x18"x32"
- Finish : S.S. frame with S.S. shelves

Description



5033

LAPAROSCOPIC / MONITOR TROLLEY

Description

- Overall approx. size: 820 mm L x 620 mm D x 1680 H
- Four shelves and one drawer
- Trolley having two handle
- The trolley mounted on 125 mm dia. castors, 2 with brakes
- Switch & Socket for medical equipment
- Supplied with S.S. IV Rod and M.S. Oxygen Gas Cylinder Cage
- Finish: Pre-treated and epoxy powder-coated

Also available in Complete S.S.



EMERGENCY TROLLEYS



5034

CRASH CART

Description

- Overall approx. size: 960 L x 500 W x H mm
- Framework made up of S.S. tubes
- Two light polystyrene boxes, each with three drawers
- Upper drawer with medicine container of different sizes
- A provision to hold oxygen cylinder made up of M.S. massage boards for cardiac patients is provided.
- Six-number colour hand out small bins at eye level.
- A total of three S.S. shelves with railings to carry medical equipments
- Provided with S.S. IV Rod, corner buffers
- The cart mounted on 125 mm diameter castors, 2 with brakes

5035

EMERGENCY MEDICINE TROLLEY

Description

- Overall approx. size: 750 x 500 W x H mm
- Mild steel framework with five drawers for medicine
- Upper drawer with medicine container of different sizes
- Provision to hold an oxygen cylinder made up of M.S.
- S.S. shelves with railings to carry medical equipments
- Provided with S.S. IV Rod, corner buffers
- The cart mounted on 125 mm dia castors 2 with brakes

Also available in Complete S.S.



5036

FOLDING STRETCHER



Description

- Overall approx. size: 76L x 46W x 81H cms
- Framework made up of M.S. tubes mounted on 10 cm castors
- Two S.S. shelves with three side railing on top shelf
- Two drawers under the each shelf
- Finish : Epoxy Powder Coated

5037

SPINE BOARD



Description

- Product Size: 184L x 45W x 5H cm
- Load Bearing: < 159 kg
- Net Weight: 9 kg
- Gross weight: 12 kg
- Dimension of the packing box: 187L x 48W x 8H cm

5039

AMBULANCE STRETCHER

- Utilises high-precision mechanical transmission
- Can be used automatically folded through the left & right hand control handle
- Made of high-quality aluminium alloy tubes
- Dimensions: A - High Position: 1900 x 560 x 900mm B - Low Position: 1900 x 560 x 280 mm
- Load weight up to 120 Kg
- Product weight: 40 Kg
- Diameter of the castors: 125 mm
- Applicable for various kind of hospitals, emergency centers, ambulances & battlefields

Description

PATIENT TRANSFER TROLLEYS



Head Immobilizer




Air Splint



Stair Stretcher

5038

SPINE BOARD



Description

- Product size (LxWxH): 164x43x8 cm (min.)
20x14x8 cm (Max)
- Net weight: 9 kg
- The bearing pressure: < 159 kg
- Dimension of the packing box: 123x45x11 cm
- Gross weight: 11 kg



5040

EMERGENCY & RECOVERY TROLLEY (HYDRAULIC)

Description

- Indian Recovery Trolley Highly customizable for best patient care
- Excellent maneuverability to reduce the risks related with patient handling
- Easy to operate and maintain; also prevent injury to patient
- Easy to access and allow unlimited control of all the function

FACILITIES

- X-ray cassette can be slide under the translucent X-ray platform
- The recovery trolley frame allows the undercarriage and wide range of height adjustment make handling with the C-arm easier The recovery trolley allows treatment of patients easily and quickly.
- The diagnostics is facilitated by possibility of X-ray examination and C-arm Systems directly on the stretcher, reducing time for diagnostics

EASY TO MOVE

- The recovery trolley is easy to manoeuvre & has 360° rotation on the 5th wheel (optional). Adjustment of height is operated by foot controls through hydraulic pumps. Trendelenburg & reverse positions by gas spring.

PATIENT TRANSFER TROLLEYS



Standard Accessories



Oxygen
Cylinder Holder



Side Rails



Monitor/Ventilator Tray



I.V. Rod

5041

EMERGENCY & RECOVERY TROLLEY (ELECTRIC)

Description

- Framework made of rectangular M.S. tube.
- 4-section top made of perforated M.S. sheet.
- Back Rest, Knee Rest, TB , RTB & Hi-Low Position operated with cable remote control
- S.S 304 solid tubular handles on head-foot side for easy movement
- S.S. collapsible side rails • Nursing control panel which operates all functions with CPR & locks positions of the bed.
- Mounted on 125mm Dia castors (2 with brakes)
- S.S IV Rod of four foldable hooks with four locations
- Overall Size:-2000L X 700W X 600-800H mm.
- PU-made base cover to protect from dust.
- Finish: Epoxy powder coated.



5042

EMERGENCY & RECOVERY TROLLEY (HYDRAULIC)

Description

- Two section top height adjusted by foot operated imported hydraulic pump from 660 mm to 910 mm
- Gas spring assisted Trendelenburg/Reverse Trendelenburg positions
- Complete with corner buffers, synthetic rubber covered handles, sliding X-ray cassette, accessories tray, oxygen cylinder holder
- S.S. Telescopic IV rod and swing away S.S. side rails
- Finish : Pre-treated and Epoxy Powder Coated
- Four swivel castors, 5" dia, two with total lock
- Xray translucent removable stretcher, backrest raised on ratchet • Overall approx size: 210L x 65W x 65-95H cms


Also available in complete S.S.

PATIENT TRANSFER TROLLEYS



5043

STRETCHER ON TROLLEY



5044

STRETCHER TROLLEY WITH MATTRESS

Description

- Overall approx. size: 180L x 56W x 81H cms
- Framework made of tubular M.S. pipe with S.S. handle
- Swing-away type safety side railing
- Adjustable I.V. Rod, Utility tray, Cylinder cage foam-padded top
- Trolley mounted on 15 cm diameter castors – 2 with brakes
- Finish: Pre-treated & Epoxy Powder Coated

Also available in complete StainlessSteel

Description

- Framework made of 1.25" x 16G vertical and 1" x 18G horizontal CRC tubes
- Trolley mounted on 15 cms. dia castors, 2 with brakes
- Removable stretchers top made of M.S. Sheet with S.S. handle
- Overall size: 213L x 56W x 81H cms
- Finish: Pre-treated and epoxy powder-coated

Optional

- Mattress • Side railings M.S./S.S.

Also available in complete stainless steel



WARD EQUIPMENTS

5045

BED SIDE SCREEN (4 PANELS)

Description

- Overall size: 1680H x 2450L mm
- M.S. tubular framework made up of 19mm x 18G in four section
- Legs made of 25mm x 18G mounted on 5 cms castors with hooks and springs along with curtains
- Each span is 610 mm wide
- Finish: Pre-treated and epoxy powder-coated



5046

BED SIDE SCREEN (3 PANELS)

Description

- Overall size: 1680H x 2450L mm
- M.S. tubular framework made of 19mm x 18G in three section
- Legs made up of 25mm x 18G mounted on 5 cm castors
- With hooks and springs along with curtains • Each span is 610mm wide
- Finish : Pre-treated and epoxy powder-coated



WARD EQUIPMENTS

5047

WASH BASIN STAND (DOUBLE)

Description

- Five-leg base mounted on 5 cm diameter castors
- With two S.S. basin approx. 35 cms
- Vertical S.S. tube made of 25mm x 18G
- Basin holder S.S. tube made of 16mm x 18G
- Finish: Stainless Steel frame with Stainless Steel Basin

Optional

- Also available in an epoxy powder-coated frame



5048

WASH BASIN STAND (SINGLE)

Description

- Five-leg base mounted on 5 cm diameter castors
- With one S.S. basin approx. 35 cms
- Vertical S.S. tube made of 25mm x 18G
- Basin holder S.S. tube made of 16mm x 18G
- Finish: Stainless Steel frame with Stainless Steel Basin

Optional

- Also available in an epoxy powder-coated frame

5049

OVER BED TABLE (ADJUSTABLE BY PNEUMATIC GAS SPRING)

Description

- Rectangular framework mounted on 5 cm castors
- 30" x 18" laminated / membrane-pressed top adjustable by pneumatic gas spring.
- Finish: Pre-treated and epoxy powder-coated.



5051

OVER BED TABLE MAYO'S TYPE S.S. (ADJUSTABLE BY PNEUMATIC GAS SPRING)

Description

- S.S. rectangular framework mounted on 5 cm castors.
- 30" x 16" laminated top adjustable by gear handle.



5053

O.T. MAYO'S INSTRUMENTS TROLLEY WITH S.S. TRAY

Description

- Tray S.S. size : 56 L x 40 W cms
- Rectangular CRC tubes mounted on 5 cms castors
- Height adjustable by side knob
- S.S. frame with S.S. top



WARD EQUIPMENTS

5050

OVER BED TABLE MAYO'S TYPE (ADJUSTABLE HEIGHT WITH GEAR HANDLE)

Description

- M.S. rectangular framework mounted on 5 cm castors.
- A 30" x 16" laminated top adjustable by gear handle.
- Epoxy Powder Coated



5052

OVER BED TABLE (MANUAL)

Description

- Rectangular framework mounted on 5 cm castors
- A 30" x 16" laminated top adjustable by side knob.
- Epoxy Powder Coated
- Also available in All Stainless Steel



5054

O.T. MAYO'S INSTRUMENTS TROLLEY OVER THE O.T. TABLE (MECHANICALLY)

Description

- Approx. tray S.S. Size: 91 L x W cms
- Framework of S.S. tubes mounted on 10 cm castors
- Height adjustable by gear handle
- S.S. frame with S.S. top



5055

PATIENT'S MEDICINE CUPBOARD (DLX)

Description

- Overall size: 400L x 400W x 810H mm
- CRCA sheet constructions having one box and one drawer
- Jointless S.S. top with three raised sides
- Finish: Pre-treated and epoxy powder-coated

Optional

- Also available in Complete S.S.



5057

PATIENT'S ME CUPBOARD (ABS)

Description

- Overall size: 450L x 450W x 760H mm
- One drawer
- One towel rail
- Four 50mm Castors

WARD EQUIPMENTS



5056

PATIENT'S MEDICINE CUPBOARD (STD)

Description

- Overall size: 400L x 400W x 810H mm
- Jointless S.S. top with three raised sides
- One box with door made of M.S. sheet
- Four MS legs fitted with PVC stumps
- Finish: Pre-treated and epoxy powder-coated

Optional

- Also available in Complete S.S.



5058

PATIENT'S MEDICINE CUPBOARD (DLX)

Description

- Tubular Head and Foot Bows of unequal height with vertical tube support
- Framework made up of M.S. tubes
- Top made up of oval perforated CRCA M.S. sheet
- Legs fitted with PVC stumps
- Four location for I.V. Rod
- Full-length drop-side rails on both sides
- Finish: Pre-treated & Epoxy Powder Coated
- Overall approx. size: 1460L x 830W x 600H mm
- Bed frame approx. size: 1370L x 760W mm
- Also available in electric

Optional

- Plain Mattress
- S.S. Telescopic I.V. Rod • Full-length S.S. Side Rails



5059

PEDIATRIC BED



5060

MOTORIZED BACKREST/ RECLINER BED

Description

- Headrest adjustable to 750
- Can be used on the existing bed without any modification; just plug & play
- Size with mattress: 1820 x 900 x 200 mm
- The recliner frame can be attached over a normal home bed.

5061

PATIENT'S OPD COUCH

Description

- Overall approx. size: 1800L x 600W x 460H mm
- Framework made up of Rectangular / square M.S. tubes
- Also available in 5 cm from upholstery top.
- Legs fitted with PVC stumps.
- Finish: Pre-treated & Epoxy Powder Coated

Optional:

- Plain Mattress • 5 cm foam padded fixed mattress covered with rexine.



PATIENT'S OPD COUCH CHAIR



5062

BLOOD TRANSFUSION CHAIR

- Dimension : 890 x 600 x 300 mm
- Net Wt. 26 kg
- Made of MS Powder Coated with Back Adjustable

5063

ATTENDANT CHAIR CUM BED

Description

- Overall approx size: 1880mm L x 500mm W x 400mm H.
- M.S. tubular framework mounted on PVC Stumps
- Epoxy Powder Coated.



5064

HOSPITAL SEMI FOWLER BED (ABS PANELS)

Description

- ABS moulded Head & Foot Panel with locking & corner buffer.
- 2 section top made up of oval perforated CRCA M.S. sheet.
- Framework made up of M.S. tubes
- Legs fitted with PVC stumps.
- Four location for I.V. Rod.
- Finish: Pre-treated & Epoxy Powder Coated
- Overall approx. size: 2000L x 900W x 600H mm
- Positions obtained by Smooth Crank System with foldable handle : • Backrest elevation
- Optional : • 2 Section Mattress • S.S. Telescopic I.V. Rod • S.S. Collapsible Railing • Advance linear actuator system (01 Pc Motor, 01 Pc control box, 01 Handset) • M.S or S.S. Head & Foot Panels.



M.S. Head & Foot Panel




S.S. Head & Foot Panel



1
Crank

1
Functions



5065

HOSPITAL BED (GENERAL)

Description

- Mild steel tubular Head & Foot Bows of unequal height with vertical tube support.
- Top made up of oval perforated CRCA M.S. sheet.
- Framework made up of M.S. tubes
- Legs fitted with PVC stumps.
- Four location for I.V. Rod.
- Finish: Pre-treated & Epoxy Powder Coated • Overall approx. size: 2000L x 910W x 600H mm
- Optional : • Plain Mattress • S.S. Telescopic I.V. Rod • S.S. Collapsible Railing



5066


ICU BED MECHANICAL (ABS PANELS)

Description

- Two individual detachable collapsable side-rail pieces.
- ABS-moulded head and foot panels.
- A 4-section top made up of an oval perforated CRCA M.S. sheet.
- Framework made up of M.S. tubes
- Bed mounted on 4" castors, 2 with brakes.
- Four locations for I.V. rods.
- Finish: Pre-treated & Epoxy Powder Coated
- Overall approx. size: 2000L x 900W x 600H mm
- Positions obtained by the smooth crank system with a foldable handle: • Backrest elevation • Kneerest elevation
- Optional: 4-Section Mattress • S.S. Telescopic I.V. Rod • Four pieces of individual side rails, ABS moulded. • Stainless Steel Head & Foot Panels



S. S. Head & Foot Panel



5067

FOWLER BED MECHANICAL (ABS PANELS & ABS RAILINGS)

Description


- Two individual detachable collapsable side-rail pieces.
- ABS-moulded head and foot panels.
- A 4-section top made up of an oval perforated CRCA M.S. sheet.
- Framework made up of M.S. tubes
- The bed is mounted on 4" castors, 2 with brakes.
- Four locations for I.V. rods.
- Finish: Pre-treated & Epoxy Powder Coated
- Overall approx. size: 2000L x 900W x 600H mm
- Positions obtained by the smooth crank system with a foldable handle: • Backrest elevation • Kneerest elevation
- Optional: 4-Section Mattress • S.S. Telescopic I.V. Rod
- Four pieces of individual side rails, ABS moulded.
- Stainless Steel Head & Foot Panels



S.S. Head &



Foot Panel



5068

HOSPITAL FOWLER BED (ABS PANELS)

Description

- Frame work made of rectangular M.S. Tube.
- 4 Section top made of oval/round perforated M.S. CRC Sheet.
- ABS moulded head & foot panels.
- Bed mounted on 4" dia castor two brakes.
- Overall approx. Size: 210 L x 90 W x 60 H cms.
- Finish: Epoxy Powder Coated.
- Positions obtained smooth crank system with foldable handles.
- Backrest elevation.
- Kneerest elevation.
- Optional.
- Four Section Mattress (ASC-620-C)
- S.S. Telescopic IV Rod with two locations (ASC-628).
- Powder Coated Collapsible safety railing (ASC-627)




5069


ICU BED MECHANICAL FIXED HEIGHT (ABS PANELS)

Description

- Four individual pieces of side rails, ABS moulded.
- Heavy ABS Head and Foot Panel with buffer
- A 4-section top made up of an oval perforated CRCA M.S. sheet.
- Framework made up of M.S. tubes
- Bed mounted on 5" ABS castors, 2 with brakes.
- Holder for Urine Bag
- Sitting position adjustable
- Finish: Pre-treated & Epoxy Powder Coated
- Overall approx. size: 2090L x 900W x 550-750H mm
- Positions obtained by the smooth crank system with a foldable handle:
- Hi-Low
- Backrest elevation
- Kneerest elevation
- Trendelenburg / Reverse Trendelenburg
- Optional:
- C4 Section Mattress • S.S. Telescopic I.V. Rod with 4 locations.
- Stainless Steel / Mild Steel Railing • Stainless Steel Head & Foot Bows



S. S. Head & Foot Panel




5070

HOSPITAL FOWLER BED

Description

- Mild steel tubular Head & Foot Bows of unequal height with vertical tube support.
- 4 section top made up of oval perforated CRCA M.S. sheet.
- Framework made up of M.S. tubes
- Bed mounted on 4" castors 2 with brakes.
- Four location for I.V. Rod.
- Finish: Pre-treated & Epoxy Powder Coated
- Overall approx. size: 2000L x 910W x 600H mm
- Positions obtained by Smooth Crank System with foldable handle :
- • Backrest elevation • Kneerest elevation • Optional : • 4 Section Mattress • S.S. Telescopic I.V. Rod • S.S. Collapsible Railing



S. S. Head & Foot Panel



5071

MOSQUITO NET POLE (GENERAL)

Description

- Four vertical M.S. tubes of 19mm, two longitudinal & two transverse tubes of 15.8mm, knocked-down condition, pre-treated & epoxy powder-coated.



5072

ANTI-DECUBITUS MATTRESS

Description

- This air mattress is specially made for short-term patients.
- it is simple in structure, easy in operation and is better in prevention and cure of bed sores.
- Pressure sores develop when constant pressure on a certain area of the body interrupts blood circulation



5073

I.V. STAND

Description

- Five Pronged base fitted with 5 cms Castors
- S. S. adjustable
- I.V. Rod with double / four hook
- (A) S.S. Pipe with plastic base
- (B) M.S. Pipe with plastic base (C) S.S. Pipe with S.S. base
- (D) M.S. Pipe with M.S. base



5074

MATTRESS FOR HOSPITAL BEDS

Description

- Mattress for Plain Beds



- Two Section Mattress for Semi-Fowler Beds




5075

ANTI-DECUBITUS MATTRESS

Description

- Made of Aluminium tubes.
- Packing: 1 pair 0.022 CBM.
- N.W.: 6.4 KGS.
- G.W.: 7.0 KGS.
- Finish: Epoxy Powder Coated.



5076

I.V. ROAD FOR HOSPITAL BED



5077

ABS PANNEL FOR BUFFER (DELUXE)



5078

ABS TUCK AWAY RAILING IN 2PCS.



5079

ABS TUCK AWAY RAILING IN 4PCS.




5080

TROLLEY FOR OXYGEN CYLINDER

Description

- Frame work made up of CRC tube mounted on 10 cms/15cms castors
- Finish: Epoxy Powder Coated
- (A) For D type cylinder
- (B) For B type cylinder



5082

PATIENT'S STOOL

Description

- Approx. size: 12"x 12"x 20"H
- Top made up of CRCA sheet double bent
- Legs made up of 25 mm x 18 G and
- horizontal support of 19 mm x18 G CRCA tube fitted with PVC stumps
- Finish : Pre-treated and Epoxy Powder Coated



5081

PATIENT REVOLVING STOOL S.S. TOP

Description

- Four leg base fitted with PVC stumps
- Height adjustment by machine screw from 18" x 27"
- Rest ring support made up of M.S. tube
- S.S. top supported with M.S. sheet top
- Finish : Pre-treated and Epoxy Powder Coated

Also available in S.S. Frame work



5082

SURGEON CHAIR

Description

- Cushioned seat and back
- Pneumatic height adjustable
- Height adjustable and swinging back rest
- Legs chrome plated base with foot ring
- Base fitted with 50 mm dia castors



MH HOSPITAL FURNITURE
MANUFACTURER

MH HOSPITAL FURNITURE
MANUFACTURER

WARD EQUIPMENTS



MH HOSPITAL FURNITURE
MANUFACTURER

5083

SOLID LINEN TROLLEY WITH CANVAS BAG

Description

- Frame work made up of CRC tube mounted on 10cms castors Superior quality canvas bag
- Finish: Pre-treated and Epoxy Powder Coated

Also available in Complete S.S.



5085

LENEN CHANGE TROLLEY

Description

- M.S. Tubular frame mounted on 10cms dia castors.
- Three shelves made of M.S. Sheet A Canvas Bag fitted on front side.
- Epoxy Powder Coated Finish
- Also available in Complete Stainless Steel Model.

5086

KICK BOWL / BUCKET

Description

- Approx. S.S. Bowl of 350 mm dia/SS Bucket • Frame work made up of M.S. tubes
- Mounted on 50 mm castors
- Finish : Stainless Steel Also available in M.S. frame work and S.S. Basin/Bucket

5084

SOLID LINEN TROLLEY WITH CANVAS BAG

Description

- Push handle at one end
- Frame work made up of CRC tube on 10 cms castors Superior quality plastic bucket
- Pre-treated & Epoxy Powder Coated
- Also available in S.S. frame
- Complete in S.S. frame

Also available in Complete S.S.





MH HOSPITAL FURNITURE
MANUFACTURER

5087

LAB TECHNICAL STOOL

Description

- Cushioned seat
- Pneumatic height adjustable
- 5 Legs plastic base fitted with 50 mm dia castors



5089

SURGEON STOOL

Description

- Cushioned seat
- Pneumatic height adjustable
- 5 Legs chrome plate Heavy base with S.S. foot ring.
- Base fitted with 50 mm dia castors.
- Optional
- Also Available with Backrest.



5088

LAB TECHNICAL STOOL

Description

- A - For one film
- B - For two film
- C - For three film
- D - For four film



5090


FOWLER BED ELECTRIC (ABS PANELS & ABS RAILINGS)

Description

- Advance linear actuator system [04 Pcs Motor, 01 Pc Control Box, 01 Pc Handset]
- Four individual pieces of side rails, ABS moulded.
- ABS-moulded Head and foot panels with locking & corner buffer
- A 4-section top made up of an oval perforated CRCA M.S. sheet.
- Framework made up of M.S. tubes
- The bed is mounted on 4" castors, 2 with coating.
- Finish: Pre-treated & Epoxy Powder Coated
- Overall approx. size: 2000L x 900W x 600H mm
- Positions obtained by hand remote:
- Backrest elevation
- Knee rest elevation
- Optional:
- C4 Section Mattress
- S.S. Telescopic I.V. Rod with 4 locations.
- 2 individual detachable collapsable side rails.



S. S. Head & Foot Panel





Office Address :
Ground Floor Plot No.197, Kh. No.197
Village Nangli Sakrawati, Najafgarh,
Industrial Area, New Delhi-110043.

Phone :
+91-9958387189
+91-9818604070
+91-9625136365

Email : golaenterprises082@gmail.com
Website : golaenterprise.com

Authorised Dealer / Channel Partner

