



WAHLCO[®]

Dream it. Design it. Weld it



Machine Tools



87587 62219
63524 00399



wahlco2024@gmail.com

• Product List



-  **All Size Inverter Welding Machine**
-  **Drill Vise**
-  **Bench Grinder**
-  **Air Blower**
-  **Coil Based Welding Machine**
-  **Cut off Machine**
-  **Sliding table**
-  **Belt & Disc sander**
-  **Lathe Machine**
-  **All Welding Accessories**

• Accessories

- Lug Type Connector**
- Male/Female Connector**
- Nozzle**
- Torch**
- Inverter Switch**
- Holder**
- Earth Clamp**
- Argon flow meter**
- Fan**
- Welding cable**
- Tungsten rod**



Inverter Welding Machine

ARC.TIG.MIG.CUT.PLASMA.SAW



ARC 200 AMPS
1 Phase Mosfet



ARC 250 ST



ARC 300 AMPS
3 Phase Mosfet



ARC 400IJ

ARC\STICK WELDING	ARC 200 1PH.MOSFET	ARC 250 ST 1 PH	ARC 300 2&3 PH.MOSFET	ARC 400 3 PH.MOSFET
	INPUT VOLTAGE	AC 230V+15%	AC230V+10%	AC415V+15%
	Frequency	50/60	-	50/60
	Rated input current	21.6	4.5	18.5
	No load Voltage	58	-	66
	Output Current Range	20-200	20-200	20-300
	Input Power Capacity	4.5	-	12
	Duty Cycle	60	60	60
	No Load Loss	60	70	60
	Efficiency	85	85	85
	Power Factor	0.73	0.93	0.93
	Insulation Grade	F	F	F
TIG/ARGON WELDING	Housing Protection Grade	IP21	IP21S	IP21
	Net Weight	7	10	17.5
	Dimension	20*8*13	480*205*355	20*8*13
				22.5*12*20



TIG 200 AMPS



TIG 300 AMPS



TIG 315 AC/DC



TIG 400 IGBT

TIG/ARGON WELDING	TIG 200 AMPS.MOSFET	TIG 300 AMPS.MOSFET	TIG 315 AC/DC	TIG 400 IGBT PULES
	INPUT VOLTAGE	AC 230V+15%	AC415V+15%	AC380V+15% 3P
	Frequency	50/60	50/60	50/60
	Rated input current	43/28	18.4/12.7	27.6/20
	No load Voltage	56	60	65
	Output Current Range	7-200	7-300	7-400
	Input Power Capacity	6.6	12/8/4	18.2/13.1
	Duty Cycle	60	60	60
	No Load Loss	40	60	100
	Efficiency	80	85	85
	Power Factor	0.73	0.93	0.93
	Insulation Grade	F	F	F
TIG/ARGON WELDING	Housing Protection Grade	IP21	IP21	IP21
	Net Weight	9	19	28
	Dimension	15.5*6*12	20*8*15	22.5*17*16
				22.5*12*20

- Photos & Specification may vary Subject to each machine
- Only Warranty of pcb card

Mini Coil Welding Machine with Fan



200 Amp
52 Voltage
2 to 3.5 mm
8 KVA
230 V 1 Phase
75 to 200 Amp
22 to 30
22 Kg.
110 Amp

Max Welding Current
Open Circuit Voltage
Welding Electrode Range
Rated KVA
Input Supply Voltage
Welding Current Range
Welding Voltage Range
Weight
Duty Cycle

250 Amp
52 Voltage
2 to 3.5 mm
10 KVA
230 V 1 Phase
75 to 250 Amp
23 to 28
30 Kg.
160 Amp



Coil based welding machine
1|2|3 PH




Regulator Coil based welding machine
2|3 PH



Spot welding machine
5|8|10|12|15|20|25 KVA



Pillar Drill Machine



Module No.	14
Machine Size	14"
Table Size	14" x 20"
Max Cutting Size	5"
Cutter Block Rpm	2000
HP/Rpm	2/1440



Radial Drill Machine



Air Compressor



Hydraulic Testing Pump