



The most powerful
and comfortable
machines for your
Commercial Kitchen

Commercial Tilting Grinder



Tilting you towards success, this grinder reduces the grinding workload and brings you immediate gains.

Technical Specification

Capacity	5ltr	7ltr	10ltr	15ltr	20ltr	40ltr
Motor	0.5 hp	1 hp	1 hp	1.5 hp	2 hp	3 hp
Voltage	220	220	415	415	415	415
Sizes 5ltr	L81 x B66 x H107 / Weight 140kg					
Sizes 7ltr	L82 x B67 x H108 / Weight 140kg					
Sizes 10ltr	L89 x B76 x H122 / Weight 160kg					
Sizes 15ltr	L89 x B76 x H122 / Weight 180kg					
Sizes 20ltr	L89 x B76 x H130 / Weight 200kg					
Sizes 40ltr	L135 x B107 x H183 / Weight 550kg					
Utility	Grinds Rice, Dhal, Masala and other					

Conventional Grinder



In this we can grind Vada, Batter, Masala, Chutney & Kurma and we can attach coconut scrapper for scrapping coconut Flakes/Flowers.

Technical Specification

Capacity	3 Litre	5 Litre	7 Litre	10 Litre	15 Litre
Motor	0.5 hp	0.75 hp	1 hp	1.5 hp	2 hp
Voltage	220v	220v	220v	415v	415v
Mounting	Floor Type				
Size 3 Ltr	L28 x B18 x H30 inch / Weight 120 kg				
Size 5 Ltr	L31 x B19 x H34 inch / Weight 150 kg				
Size 7 Ltr	L31 x B19 x H34 inch / Weight 175 kg				
Size 10 Ltr	L31 x B21 x H39 inch / Weight 200 kg				
Size 15 Ltr	L36 x B26 x H45 inch / Weight 240 kg				
Utility	Grinds Rice/Dhal, Chutney, Masala, Kurma & for vada				

Idli/Dosa Batter Machine



This Idli/Dosa Batter machine helps you make batter in minutes and let profits flow instantly.

Technical Specification

Capacity	50 to 70kg / hour
Motor	3 hp, 3φ, 415 v, 50 hz
Weight	98 kgs
Size	L46 x B77 x H132 cm
Utility	Grinds Wet Rice

Rice Washer Machine



Through this machine unparalleled purity is assured. It is indispensable for all types of kitchens.

Technical Specification

Capacity	20 kg, 40kg
Water Pump	1.0 hp Monoblock 220v, 1φ, 50hz
Weight	18 kgs
Bowl & Stand	5 kgs
Main Vessel Size	L66 x B66 x H75 cm
Collection Bowl Size	L40 x B40 x H45 cm
Water Pressure	20 psi
Utility	Washes Rice and Pulses

Batter Mixer Machine



Helps to mix the Rice and Dhal Batter (which has been ground already) thoroughly and uniformly within 3 to 5 minutes time according to the capacity.

Mixes the batter in double quick time when compared to manual operations, besides it mixes uniformly.

Technical Specification

Capacity	50 ltr
Motor	0.5 hp, 3φ, 415 v, 50 hz
Weight	90 kgs
Size	L61 x B122 x H117 cm
Output	3" Butterfly Ball Valve
Movable	Fitted with castor wheels
Utility	Mixing the Rice and Dhal Batter uniformly within 10 minutes

Batter Filling Machine



This machine suitable for filling Idli/Dosa batter in packets/containers with high speed and accurate quantity. It is a manual operation machine.

Technical Specification

Capacity	75 ltr
Filling Capacity	250 gms to 1.5 kg
Packing Speed	300 to 400 nos / hour
Operation	Manual
Size	L64 x B64 x H168 cm
Weight	44 kg
Utility	Weighed Batter

OUR INDIAN CUSTOMERS

Packs Sealing Machine



This Sealing Machine ensures that all packs are foul proof while sealing it in equally fast time.

Date and Mfg. Code can be embossed on packets.

Technical Specification

Capacity	200 to 600 packs / hour
Power	500 w, 220 v, 50 hz
Seals Speed	0.12 mtr / minute
Sealing Width	8 to 10 mm
Temperature	0 - 300°C
Film Thickness	50 Micron onwards
Weight	27 kg
Size	L90 x B38 x H57 cm
Utility	Seals all type of Bags (LD, HD & Nylon)

Instant Masala Grinder



Grinds Masala, Kuruma, Gravy items within minutes. Capable of grinding and spicy items in wet operations.

Technical Specification

Capacity	30 kg / hour
Motor	5 hp / 7.5 hp, 3φ, 415 v, 50 hz
Weight	140 kgs
Size	L51 x B80 x H153 cm
Utility 5hp	Grinds Chutney, Masala Items, Kuruma, Tomato, Puri etc.
Utility 7.5hp	Ginger Garlic Paste

Variety Rice & Curd Rice Mixer



Mixing comfort with speed. Suitable for making Curd Rice, Sambar Rice, Lemon Rice and more. With evenly mixing speed and excellent formation.

Technical Specification

Capacity	40 ltr
Motor	1 hp, 3φ, 415 v, 50 hz
Weight	40 ltr - 130 kg
Size	L92 x B72 x H140 cm
Utility	Variety Rice Mix (Lemon, Tomato, Sambar, Curd Rice etc.)

Portable Coconut Scraper



The Portable Coconut Scrapers have stainless steel body and are compact in designs.

Technical Specification

Capacity	75 to 100 nos
Motor	0.25 hp, 1φ, 1440 rpm, 220 v, 50 hz
Scraper Speed	400 rpm (approx.)
Mounting	Floor Type
Size	L41 x B61 x H61 cm
Weight	38 kg
Rotation	Clockwise Direction
Utility	Scraping Coconuts

Standing Coconut Scraper



The Standing Coconut Scrapers have stainless steel body and are compact in designs.

Technical Specification

Capacity	75 to 100 nos
Motor	0.25 hp, 1φ, 1440 rpm, 220 v, 50 hz
Scraper Speed	400 rpm (approx.)
Mounting	Floor Type
Size	L41 x B71 x H94 cm
Weight	44 kg
Rotation	Clockwise Direction
Utility	Scraping Coconuts

Potato Peeler Machine



Durable and high performance potato peelers from premium grade stainless steel.

Technical Specification

Capacity	10 kg	20 kg	30 kg
Motor	1.0 hp	2.0 hp	3.0 hp
Voltage	220v/50hz	415v/50hz	415v/50 hz
Mounting	Floor Type		
Size 10 kg	L61 x B61 x H92 cm / Weight 55 kg		
Size 20 kg	L73 x B60 x H113 cm / Weight 85 kg		
Size 30 kg	L74 x B62 x H120 cm / Weight 90 kg		
Utility	Peeling Potato Skin with faster		

OUR INTERNATIONAL CUSTOMERS



Le MERIDIEN



Versatile Vegetable Cutter



This versatile vegetable cutter is ideal for cutting, slicing, shredding, mincing, grating and dicing large quantities in minutes, Unique designed of the tempered stainless steel blades ensures matchless performances.

Technical Specification	
Capacity	75 kg / hour
Motor	0.5 hp, 1 ϕ , 1440 rpm, 230 v, 50 hz
Machine RPM	375 rpm
Belt	224.5 fhp
Blade Sizes	3, 6, 5, 6x6, 10x10, 15x15mm, Crater French Fry
Weight	33 kgs
Size	L39 x B64 x H61 cm
Utility	Cuts all vegetables to the required size

Soundless Dough Kneader



It has brake system which help in maintaining the speed of the vessel. It has two belts and offers soundless working easy greasing and oiling for all parts.

Technical Specification	
Capacity	10 kg, 20 kg & 40 kg
Motor	1 hp - 2 hp, 3 ϕ , 415 v, 50 hz
Weight	80 kg, 110 kg & 230 kg
Size 10 kg	L112 x B56 x H97 cm
Size 20 kg	L132 x B66 x H105 cm
Size 40 kg	L147 x B76 x H117 cm
Material	100% stainless steel (drum and arm)
Speed	Can be controlled
Utility	Kneads the Wheat Flour and Maida dough in 15 minutes

Instant Chapathi Maker

Compact in size and occupies minimum space. Operated in single phase. Production capacity 300 to 400 pcs per hour Chapatti, Poori, Paratha & Poli.



Technical Specification	
Chapathi Production Capacity	300 to 350 Pieces per hour
Poori & Paratha Production Capacity	200 to 300 nos per hour
Thickness	Chapatti 1mm, Poori 1.2mm & Paratha 5mm
Poori & Paratha Heating Capacity	3 Kw / Voltage AC 220-50Hz with 1.5 meter wire cord
Timer setting for cooking	0.3 sec to 1 min
Temp Control	Up to 300° C
Sizes of the Machine	L520 x B340 x H510 mm
Weight of the Machine	35 Kg
Utility	To make bulk quantity of half cooked Chapatti, Poori, Paratha & Poli

Vada Making Machine



The Vada Machine can produce 30 to 40nos of Vadas of 20 & 30grams with frying time of 6 to 8mins. Production capacity 200 to 250pcs per hour.

Technical Specification	
Vadai Weight	20, 30 & 40grams
Vadai Production	30nos (6 to 8mins per batch)
SS Kadai	Dia 30 & Size 40 inch
Oil Capacity	20 litre
Heating	T 35 - LPG Gas Connection
Frying time per batch	6 to 8mins
Motor Capacity	25 watts Single phase
Power Consumption	2 units per hour
Size	L46 x B41 x H63 inch
Weight	70 kg
Utility	For making crispy Ulundu Vadai

Idiyappam Machine




To make idiyappams in uniform size and weight in large quantities. Production capacity 500 to 700pcs per hour.

Technical Specification	
Production Capacity	500 to 700 Iddiyappam per hour
Barrel Capacity	3kg
Hydraulic Capacity	2Ton
Hydraulic Motor	1Hp 440volts 50Hz
Sizes of the Machine	L30 x B36 x H92 inch
Weight of the Machine	275 Kilograms
Iddiyappam Size & Weight	Increasing or decreasing the Speed Control Knob
Utility	To make bulk quantity of Iddiyappam

100L Tiltng Wet Grinder

Semi Automatic Tiltng Wet Grinder Designed to produce 100 to 150 Litre Idli and Dosa batter.



Technical Specification	
Rice/Dhal Grinding	50-75 kg Rice 45mins time 10-15 kg Dhal 60-85mins
Drive Motor	10 Hp 3 Phase 50 Hz (TEFC Motor)
Tiltng Motor	1 Hp 3 Phase 50 Hz
SS Control Panel	3 Phase, Energy Switch, Speed control for Drum, Forward / Reverse Button & Timer Switch
Timer Control	Grinding automatically stops as per production timing set by client
Drum Tiltng	Both Side - Front side for batter discharge back side for washing
Automatic Tiltng	After grinding it will stop and grinder tilt automatically for discharging batter as per set timing
Size & Weight	L4x B5x H8 feet & 1750 kg approx.
Accessories	3 step stand
Utility	Bulk / Heavy / Large batter production