

MC-015_VEGETABLE DE-WATERING VIBRATOR



OPTYTECH ENGINEERS

4356 - PAHSE- 3 ROAD NO - E END DARE JAMNAGER - GUJARAT - 361005 - INDIA sales@optytechdryers.com optimy@rediffmail.com

+91- 9227733535 / +91- 7567869495





APPLICATION

This is oscillating type vibrator. Manually used for material feeding and also optional with Dewatering facilities. Wet material from dicer, slicer or blancher uniformly feed into the vibrator. where surface water drain out through screen and dispose to waste pipe and remain dry product feed to elevator conveyor to next process.

Mostly use for vegetable process and other food Products.

	TECHNICLE SPECIFICATION						
SR	MODEL	CAPACITY	KW	SIZE (L X W X H)			
1	OTE- 1000	1000 KGHR	0.4 KW	1100 X 800 X 925 MM			
2	OTE- 2000	2000 KGHR	0.6 KW	1500 X 1055 X 925 MM			
3	OTE- 3000	3000 KGHR	1.0 KW	2000 X 1200 X 1100 MM			
4	OTE- 4000	4000 KGHR	1.5 KW	2500 X 1500 X 1100 MM			
5							



MOC DETAILS & FEATURE						
SR	COMPONENT	MOC / BRAND DETAILS				
1	Mc Structure	Hr Plates 5/3 mm framed with Heavy Sq, pipe full welded.				
2	Vibro Motor	Vibro Motor Imported as par IP - 65/67				
	VIDIO IVIOLOI	VIDIO Motor Imported as par II - 00/07				
3	Vibrator Tray	SS304 3/4 mm thick fully heavy welded				
4	Vibrator isolater	ES-25_Imported				
5	Magnet	magnet road to eleminte matel part				
6	Finishing	Complete Structure SS glass beed blasted mate surface finish				
7	Paints	High Grad Zinc cromate Surfacer Double coat				
		Industrial Hemmer tone base Stoving paint double coat				
		FEATURES				
1	Operation	Countineus Opearation - 24*7 Working				
2	Handling	Adustable Very pot for speed and feed parameters				
3	Waste collection	Automated Waste Vacuum fan for skin disposal				
4	Feedrate data	Load cell record hourly raw feeding data				
5	5 Control Automation Integrated with central control panel Fully Auto					
	4. /					



	PREVENTIVE MANTANCE SCHDULE				
1	DAILY Waste Disposal_SOS				
		Clean with Air every 12 hours			
		Calibrate Load cell everyday			
		(e)			
2	BIOWEEKLY SCHDL	Clean with Air			
		Check Vibrator Fastners			
		Clean Very pot Controll			
		Calibrate Load cell			
		1,5.			
		9 70,			
3	YEARLY SCHOL	Clean with Air			
		Calibrate Load cell			
		Check Vibrator Fastners			
		Change Gear oil			
		Clean Electric Motor - Geardrive and Very pot Controll			



SPARE PART LIST (EXCLUSION - EXTRA COST)							
SR	PART SPECIFICATION		PRICE	NOS			
1	Vibro Motor	SC-200 / SC- 300 / SC- 500		1 NOS			
2	Isolater	ES-25 / ES- 35 / DE- R 60		2 NOS			
		(2)					
			5				
			(
			60,				
			15.				
		1					
		10013					
	7 19	000					
		1.07					
		72					



