

Eye Nuts - Style A C1030

Drop Forged Carbon Steel, Self-Colored
ASTM A105 Tapped: UNC-2B

	T	A	B	C	D	E	F	G		
	Dia. & Thread		Thread	Eye	Eye	Overall	Bail	I.D.	Rated	Weight
Stock No.	UNC-2B	Bell	Length	I.D	O.D.	Length	Dia. Thick.	Length	Capty. Lbs.	Lbs.
K-EN-3	3/8-16	7/8	5/8	1 1/4	2	2 1/2	3/8	1 1/2	2,700	0.25
K-EN-5	1/2-13	7/8	5/8	1 1/4	2	2 1/2	3/8	1 1/2	2,700	0.23
K-EN-7	5/8-11	1 3/8	3/4	1 1/2	2 1/2	3	1/2	1 3/4	5,000	0.56
K-EN-8	3/4-10	1 3/8	3/4	1 1/2	2 1/2	3	1/2	1 3/4	5,000	0.55

Blanks in stock. Inquire for price.

Eye Nuts - Style A C1030 - Metric

Drop Forged Carbon Steel, Self-Colored
ASTM A105 Tapped: ISO Coarse Thread-6H

		T	A	B	C	D	E	F	G			
	Approx. Equiv. in Inches	Dia. & Thread		Thread Length	Eye I.D	Eye O.D.	Overall Length	Bail Dia. Thick.	I.D. Length	Rated Capty. in Kgs.	Rated Capty. in Lbs.	Weight Lbs.
Stock No.			Bell									
K-EN-M8	3/8	M8 x 1.25	7/8	5/8	1 1/4	2	2 1/2	3/8	1 1/2	1,225	2,700	0.25
K-EN-M10	7/16	M10 x 1.50	7/8	5/8	1 1/4	2	2 1/2	3/8	1 1/2	1,225	2,700	0.24
K-EN-M12	1/2	M12 x 1.75	7/8	5/8	1 1/4	2	2 1/2	3/8	1 1/2	1,225	2,700	0.23
K-EN-M16	5/8	M16 x 2.00	1 3/8	3/4	1 1/2	2 1/2	3	1/2	1 3/4	2,268	5,000	0.56
K-EN-M18	3/4	M18 x 2.50	1 3/8	3/4	1 1/2	2 1/2	3	1/2	1 3/4	2,268	5,000	0.55

Blanks in stock. Inquire for price.

Eye Nuts - Style A C1030 - Zinc Plated

Drop Forged Carbon Steel
ASTM A105 Tapped: UNC-2B before plating

	T	A	B	C	D	E	F	G		
	Dia. & Thread		Thread	Eye	Eye	Overall	Bail	I.D.	Rated	Weight
Stock No.	UNC-2B	Bell	Length	I.D	O.D.	Length	Dia. Thick.	Length	Capty. Lbs.	Lbs.
K-EN-5-ZN	1/2-13	7/8	5/8	1 1/4	2	2 1/2	3/8	1 1/2	2,700	0.23

Eye Nuts - Style A C1030 - Galvanized

Drop Forged Carbon Steel
ASTM A105 Tapped oversized: UNC-2B 3/8"-3/4" + 0.21 Thou.

	T	A	B	C	D	E	F	G		
	Dia. & Thread		Thread	Eye	Eye	Overall	Bail	I.D.	Rated	Weight
Stock No.	UNC-2B	Bell	Length	I.D	O.D.	Length	Dia. Thick.	Length	Capty. Lbs.	Lbs.
K-EN-3-HDG	3/8-16	7/8	5/8	1 1/4	2	2 1/2	3/8	1 1/2	2,700	0.25
K-EN-5-HDG	1/2-13	7/8	5/8	1 1/4	2	2 1/2	3/8	1 1/2	2,700	0.23
K-EN-7-HDG	5/8-11	1 3/8	3/4	1 1/2	2 1/2	3	1/2	1 3/4	5,000	0.56
K-EN-8-HDG	3/4-10	1 3/8	3/4	1 1/2	2 1/2	3	1/2	1 3/4	5,000	0.55


EYE NUTS

Eye Nuts - Style A C1045

Drop Forged Carbon Steel, Self-Colored
ASTM A194-2H Tapped: UNC-2B

Stock No.	T Dia. & Thread UNC-2B	A Bell	B Thread Length	C Eye I.D.	D Eye O.D.	E Overall Length	F Bail Dia. Thick.	G I.D. Length	Rated Capty. Lbs.	Weight Lbs.
K-EN-3-2H	3/8-16	7/8	5/8	1 1/4	2	2 1/2	3/8	1 1/2	2,700	0.25
K-EN-5-2H	1/2-13	7/8	5/8	1 1/4	2	2 1/2	3/8	1 1/2	2,700	0.23
K-EN-7-2H	5/8-11	1 3/8	3/4	1 1/2	2 1/2	3	1/2	1 3/4	5,000	0.56
K-EN-8-2H	3/4-10	1 3/8	3/4	1 1/2	2 1/2	3	1/2	1 3/4	5,000	0.55

Blanks in stock (Not heat treated). Inquire for price.



Style A

Eye Nuts - Style A C1045 - Zinc Plated

Drop Forged Carbon Steel
ASTM A194-2H
Tapped: UNC-2B before plating

Stock No.	T Dia. & Thread UNC-2B	A Bell	B Thread Length	C Eye I.D.	D Eye O.D.	E Overall Length	F Bail Dia. Thick.	G I.D. Length	Rated Capty. Lbs.	Weight Lbs.
K-EN-3-2H-ZN	3/8-16	7/8	5/8	1 1/4	2	2 1/2	3/8	1 1/2	2,700	0.25
K-EN-5-2H-ZN	1/2-13	7/8	5/8	1 1/4	2	2 1/2	3/8	1 1/2	2,700	0.23
K-EN-7-2H-ZN	5/8-11	1 3/8	3/4	1 1/2	2 1/2	3	1/2	1 3/4	5,000	0.56
K-EN-8-2H-ZN	3/4-10	1 3/8	3/4	1 1/2	2 1/2	3	1/2	1 3/4	5,000	0.55

Eye Nuts - Style A 304 Stainless

Drop Forged Stainless Steel, Passivated & Electropolished

Stock No.	T Dia. & Thread UNC-2B	A Bell	B Thread Length	C Eye I.D.	D Eye O.D.	E Overall Length	F Bail Dia. Thick.	G I.D. Length	Rated Capty. Lbs.	Weight Lbs.
K-EN-3-SS	3/8-16	7/8	5/8	1 1/4	2	2 1/2	3/8	1 1/2	2,700	0.25
K-EN-5-SS	1/2-13	7/8	5/8	1 1/4	2	2 1/2	3/8	1 1/2	2,700	0.23
K-EN-7-SS	5/8-11	1 3/8	3/4	1 1/2	2 1/2	3	1/2	1 3/4	5,000	0.56
K-EN-8-SS	3/4-10	1 3/8	3/4	1 1/2	2 1/2	3	1/2	1 3/4	5,000	0.55

Blanks in stock (Not passivated or electropolished). Inquire for price.

Eye Nuts - Style A 316 Stainless

Drop Forged Stainless Steel, Passivated & Electropolished
ASTM A194-8M
Tapped: UNC-2B

Stock No.	T Dia. & Thread UNC-2B	A Bell	B Thread Length	C Eye I.D.	D Eye O.D.	E Overall Length	F Bail Dia. Thick.	G I.D. Length	Rated Capty. Lbs.	Weight Lbs.
K-EN-3-316SS	3/8-16	7/8	5/8	1 1/4	2	2 1/2	3/8	1 1/2	2,700	0.25
K-EN-5-316SS	1/2-13	7/8	5/8	1 1/4	2	2 1/2	3/8	1 1/2	2,700	0.23
K-EN-7-316SS	5/8-11	1 3/8	3/4	1 1/2	2 1/2	3	1/2	1 3/4	5,000	0.56
K-EN-8-316SS	3/4-10	1 3/8	3/4	1 1/4	2 1/2	3	1/2	1 3/4	5,000	0.55

Blanks in stock (Not passivated or electropolished). Inquire for price.

Eye Nuts - Style B C1030

Drop Forged Carbon Steel, Self-Colored
ASTM A105
Tapped: UNC-2B

Stock No.	T Dia. & Thread UNC-2B	A Bell	B Thread Length	C Eye I.D.	D Eye O.D.	E Overall Length	F Bail Dia. Thick.	G I.D. Length	Rated Capty. Lbs.	Weight Lbs.
K-EN-9-HD	7/8-9	2 1/32	1 11/32	1 5/8	3 3/8	3 31/32	7/8	1 3/4	14,400	1.82
K-EN-10-HD	1-8	2 9/32	1 11/16	1 3/4	3 3/4	4 27/32	1 1/32	2 3/16	18,800	2.80
K-EN-12-HD	1 1/4-7	3 1/8	2 7/32	2 1/2	5 1/4	6 5/8	1 3/8	3 1/32	29,400	7.83
K-EN-14-HD	1 1/2-6	3 1/8	2 7/32	2 1/2	5 1/4	6 5/8	1 3/8	3 1/32	35,600	7.43

Blanks in stock. Inquire for price.

Eye Nuts - Style B C1030 - Galvanized

Drop Forged Carbon Steel
ASTM A105
Tapped oversized: UNC-2B 7/8" + .021 Thou. / 1"-1 1/2" + 0.31 Thou.


Stock No.	T Dia. & Thread UNC-2B	A Bell	B Thread Length	C Eye I.D.	D Eye O.D.	E Overall Length	F Bail Dia. Thick.	G I.D. Length	Rated Capty. Lbs.	Weight Lbs.
K-EN-9-HD-HDG	7/8-9	2 1/32	1 11/32	1 5/8	3 3/8	3 31/32	7/8	1 3/4	14,400	1.82
K-EN-10-HD-HDG	1-8	2 9/32	1 11/16	1 3/4	3 3/4	4 27/32	1 1/32	2 3/16	18,800	2.80
K-EN-12-HD-HDG	1 1/4-7	3 1/8	2 7/32	2 1/2	5 1/4	6 5/8	1 3/8	3 1/32	29,400	7.83
K-EN-14-HD-HDG	1 1/2-6	3 1/8	2 7/32	2 1/2	5 1/4	6 5/8	1 3/8	3 1/32	35,600	7.43

Eye Nuts - Style B C1045

Drop Forged Carbon Steel, Self-Colored
ASTM A194-2H
Tapped: UNC-2B

Stock No.	T Dia. & Thread UNC-2B	A Bell	B Thread Length	C Eye I.D.	D Eye O.D.	E Overall Length	F Bail Dia. Thick.	G I.D. Length	Rated Capty. Lbs.	Weight Lbs.
K-EN-9-HD-2H	7/8-9	2 1/32	1 11/32	1 5/8	3 3/8	3 31/32	7/8	1 3/4	14,400	1.82
K-EN-10-HD-2H	1-8	2 9/32	1 11/16	1 3/4	3 3/4	4 27/32	1 1/32	2 3/16	18,800	2.80
K-EN-12-HD-2H	1 1/4-7	3 1/8	2 7/32	2 1/2	5 1/4	6 5/8	1 3/8	3 1/32	29,400	7.83
K-EN-14-HD-2H	1 1/2-6	3 1/8	2 7/32	2 1/2	5 1/4	6 5/8	1 3/8	3 1/32	35,600	7.43

EYE NUTS



Eye Nuts - Style B 304 Stainless

Drop Forged Stainless Steel, Passivated & Electropolished
ASTM A194-8
Tapped: UNC-2B

Stock No.	T Dia. & Thread UNC-2B	A Bell	B Thread Length	C Eye I.D.	D Eye O.D.	E Overall Length	F Bail Dia. Thick.	G I.D. Length	Rated Capty. Lbs.	Weight Lbs.
K-EN-9-HD-SS	7/8-9	2 1/32	1 11/32	1 5/8	3 3/8	3 31/32	7/8	1 3/4	14,400	1.82
K-EN-10-HD-SS	1-8	2 9/32	1 11/16	1 3/4	3 3/4	4 27/32	1 1/32	2 3/16	18,800	2.80
K-EN-12-HD-SS	1 1/4-7	3 1/8	2 7/32	2 1/2	5 1/4	6 5/8	1 3/8	3 1/32	29,400	7.83
K-EN-14-HD-SS	1 1/2-6	3 1/8	2 7/32	2 1/2	5 1/4	6 5/8	1 3/8	3 1/32	35,600	7.43

Blanks in stock (Not passivated or electropolished). Inquire for price.

Eye Nuts - Style B 316 Stainless

Drop Forged Stainless Steel, Passivated & Electropolished
ASTM A194-8M
Tapped: UNC-2B

Stock No.	T Dia. & Thread UNC-2B	A Bell	B Thread Length	C Eye I.D.	D Eye O.D.	E Overall Length	F Bail Dia. Thick.	G I.D. Length	Rated Capty. Lbs.	Weight Lbs.
K-EN-9-HD-316SS	7/8-9	2 1/32	1 11/32	1 5/8	3 3/8	3 31/32	7/8	1 3/4	14,400	1.82
K-EN-10-HD-316SS	1-8	2 9/32	1 11/16	1 3/4	3 3/4	4 27/32	1 1/32	2 3/16	18,800	2.80
K-EN-12-HD-316SS	1 1/4-7	3 1/8	2 7/32	2 1/2	5 1/4	6 5/8	1 3/8	3 1/32	29,400	7.83
K-EN-14-HD-316SS	1 1/2-6	3 1/8	2 7/32	2 1/2	5 1/4	6 5/8	1 3/8	3 1/32	35,600	7.43

Blanks in stock (Not passivated or electropolished). Inquire for price.

Eye Nuts - Style D C1030


Drop Forged Carbon Steel, Self-Colored
ASTM A105
Tapped: UNC-2B

Stock No.	T Dia. & Thread UNC-2B	A Bell	B Thread Length	C Eye I.D.	D Eye O.D.	E Overall Length	F Bail Dia. Thick.	G I.D. Length	Rated Capty. Lbs.	Weight Lbs.
k-EN-9	7/8-9	1 9/16	1	2 1/4	4	5	7/8	3	10,000	2.13
k-EN-10	1-8	1 9/16	1	2 1/4	4	5	7/8	3	10,000	2.10

Blanks in stock. Inquire for price.



Style D



Eye Nuts - Style D C1030 - Metric

Drop Forged Carbon Steel, Self-Colored
ASTM A105
Tapped: ISO Coarse Thread-6H

Stock No.	T Approx. Equiv. in Inches	A Dia. & Thread	B Bell	C Thread Length	D Eye I.D.	E Eye O.D.	F Overall Length	G Bail Dia. Thick.	I.D. Length	Rated Capty. in Kgs.	Rated Capty. in Lbs.	Weight Lbs.
k-EN-M20	7/8	M20 x 2.50	1 9/16	1	2 1/4	4	5	7/8	3	4,536	10,000	2.13
k-EN-M24	1	M24 x 3.00	1 9/16	1	2 1/4	4	5	7/8	3	4,536	10,000	2.10

Blanks in stock. Inquire for price.

Eye Nuts - Style D C1030 - Galvanized

Drop Forged Carbon Steel
ASTM A105
Tapped oversized: UNC-2B 7/8" +.021 Thous. / 1" +.031 Thous.

Stock No.	T Dia. & Thread UNC-2B	A Bell	B Thread Length	C Eye I.D.	D Eye O.D.	E Overall Length	F Bail Dia. Thick.	G I.D. Length	Rated Capty. Lbs.	Weight Lbs.
k-EN-9-HDG	7/8-9	1 9/16	1	2 1/4	4	5	7/8	3	10,000	2.13
k-EN-10-HDG	1-8	1 9/16	1	2 1/4	4	5	7/8	3	10,000	2.10

Eye Nuts - Style D C1045

Drop Forged Carbon Steel, Self-Colored
ASTM A194-2H
Tapped: UNC-2B

Stock No.	T Dia. & Thread UNC-2B	A Bell	B Thread Length	C Eye I.D.	D Eye O.D.	E Overall Length	F Bail Dia. Thick.	G I.D. Length	Rated Capty. Lbs.	Weight Lbs.
k-EN-9-2H	7/8-9	1 9/16	1	2 1/4	4	5	7/8	3	10,000	2.13
k-EN-10-2H	1-8	1 9/16	1	2 1/4	4	5	7/8	3	10,000	2.10

Blanks in stock (Not heat treated). Inquire for price.

Eye Nuts - Style D C1045 - Zinc Plated

Drop Forged Carbon Steel
ASTM A194-2H
Tapped: UNC-2B *before plating*

	T	A	B	C	D	E	F	G		
	Dia. & Thread		Thread	Eye	Eye	Overall	Bail	I.D.	Rated	Weight
Stock No.	UNC-2B	Bell	Length	I.D	O.D.	Length	Dia. Thick.	Length	Capty. Lbs.	Lbs.
k-EN-9-2H-ZN	7/8-9	1 9/16	1	2 1/4	4	5	7/8	3	10,000	2.13
k-EN-10-2H-ZN	1-8	1 9/16	1	2 1/4	4	5	7/8	3	10,000	2.10

