

NUT EYEBOLTS

Pad Eyes

Drop Forged Carbon Steel, Self-Colored
ASTM A521, Class CA

**Available in
304 & 316 Stainless**
Inquire for price & delivery

Stock No.	C Eye I.D.	D Eye O.D.	G Shldr. Dia.	E Overall Length	Weight Lbs.
k-PADK19	1/2	15/16	1/2	1 5/32	0.04
k-PADK21	3/4	1 3/16	17/32	1 13/32	0.05
k-PADK22	7/8	1 7/16	19/32	1 11/16	0.09
k-PADK23	1	1 21/32	11/16	1 63/64	0.13
k-PADK25	1 3/16	2 1/16	7/8	2 15/32	0.29
k-PADK27	1 3/8	2 1/2	1 1/16	2 31/32	0.56
k-PADK28	1 1/2	2 13/16	1 1/4	3 5/16	0.86

Available in 304 & 316 Stainless. Inquire for price & delivery.
Suitable for welding **NOT RECOMMENDED FOR LIFTING.**



Nut Eyebolts Plain Pattern

Drop Forged Carbon Steel
Hot Dip Galvanized to ASTM A 153: UNC-2A **Before Galvanizing**
Each Threaded Eyebolt Includes One Galvanized Hex Nut Assembled

Stock No.	A Shank Dia. & Thread UNC-2A +.090/-0.030	B Shank Length +.060/-0	C Eye I.D. +.090/-0.030	D Eye O.D. +.090/-0.030	E Thread Length +.060/-0	Rated Capty. Lbs.	Weight Lbs.
k-N2001-2*	1/4-20	2	1/2	1	1 1/2	500	0.07
k-N2001-3*	1/4-20	3	1/2	1	1 1/2	500	0.09
k-N2001-4*	1/4-20	4	1/2	1	2	500	0.10
k-N2001-5*	1/4-20	5	1/2	1	2 1/2	500	0.12
k-N2001-6*	1/4-20	6	1/2	1	3	500	0.13
k-N2002-2-1/4	5/16-18	2 1/4	5/8	1 1/4	1 1/2	800	0.13
k-N2002-3-1/4	5/16-18	3 1/4	5/8	1 1/4	1 1/2	800	0.16
k-N2002-4-1/4	5/16-18	4 1/4	5/8	1 1/4	2 1/2	800	0.18
k-N2002-5	5/16-18	5	5/8	1 1/4	2 1/2	800	0.20
k-N2002-6	5/16-18	6	5/8	1 1/4	3	800	0.22
k-N2003-2-1/2	3/8-16	2 1/2	3/4	1 1/2	1 1/2	1,200	0.20
k-N2003-3	3/8-16	3	3/4	1 1/2	1 1/2	1,200	0.21
k-N2003-4	3/8-16	4	3/4	1 1/2	2	1,200	0.25
k-N2003-4-1/2	3/8-16	4 1/2	3/4	1 1/2	3	1,200	0.26
k-N2003-5	3/8-16	5	3/4	1 1/2	3	1,200	0.27
k-N2003-6	3/8-16	6	3/4	1 1/2	3	1,200	0.30
k-N2003-8	3/8-16	8	3/4	1 1/2	4	1,200	0.36
k-N2003-10	3/8-16	10	3/4	1 1/2	4	1,200	0.42
k-N2003-12-BLANK	3/8	12	3/4	1 1/2	Blank	N/A	0.50
k-N2003-24-BLANK	3/8	24	3/4	1 1/2	Blank	N/A	0.89
k-N2005-2	1/2-13	2	1	2	1 5/8	2,200	0.39
k-N2005-3-1/4	1/2-13	3 1/4	1	2	2	2,200	0.46
k-N2005-4	1/2-13	4	1	2	3	2,200	0.49
k-N2005-4-1/2	1/2-13	4 1/2	1	2	3	2,200	0.52
k-N2005-6	1/2-13	6	1	2	3	2,200	0.60
k-N2005-8	1/2-13	8	1	2	4	2,200	0.71
k-N2005-10	1/2-13	10	1	2	4	2,200	0.82
k-N2005-12	1/2-13	12	1	2	4	2,200	0.93
k-N2005-18-BLANK	1/2	18	1	2	Blank	N/A	1.28
k-N2005-24-BLANK	1/2	24	1	2	Blank	N/A	1.61
k-N2007-4	5/8-11	4	1 3/8	2 1/2	3	3,500	0.82
k-N2007-4-1/2	5/8-11	4-1/2	1 3/8	2 1/2	3	3,500	0.86
k-N2007-6	5/8-11	6	1 3/8	2 1/2	3	3,500	0.99
k-N2007-8	5/8-11	8	1 3/8	2 1/2	4	3,500	1.14
k-N2007-10	5/8-11	10	1 3/8	2 1/2	4	3,500	1.34
k-N2007-12	5/8-11	12	1 3/8	2 1/2	4	3,500	1.51
k-N2007-15	5/8-11	15	1 3/8	2 1/2	6	3,500	1.73
k-N2007-18	5/8-11	18	1 3/8	2 1/2	6	3,500	2.00
k-N2007-24	5/8-11	24	1 3/8	2 1/2	6	3,500	2.55

*Electro-galvanized

Blanks in stock (Hex Nuts not included). Inquire for price.

Nut Eyebolts, Plain Pattern Carbon Continued on Next Page



Nut Eyebolts (Cont.)

Plain Pattern

Drop Forged Carbon Steel

Hot Dip Galvanized to ASTM A 153: UNC-2A *Before Galvanizing*

Each Threaded Eyebolt Includes One Galvanized Hex Nut Assembled

Stock No.	A Shank Dia. & Thread UNC-2A +.090/-0.030	B Shank Length +.060/-0	C Eye I.D. +.090/-0.030	D Eye O.D. +.090/-0.030	E Thread Length +.060/-0	Rated Capty. Lbs.	Weight Lbs.
k-N2008-4	3/4-10	4	1 1/2	2 13/16	3	5,200	1.27
k-N2008-4-1/2	3/4-10	4-1/2	1 1/2	2 13/16	3	5,200	1.34
k-N2008-6	3/4-10	6	1-1/2	2 13/16	3	5,200	1.53
k-N2008-8	3/4-10	8	1 1/2	2 13/16	4	5,200	1.77
k-N2008-10	3/4-10	10	1 1/2	2 13/16	4	5,200	2.03
k-N2008-12	3/4-10	12	1 1/2	2 13/16	4	5,200	2.28
k-N2008-15	3/4-10	15	1 1/2	2 13/16	6	5,200	2.61
k-N2008-18	3/4-10	18	1 1/2	2 13/16	6	5,200	2.98
k-N2008-24	3/4-10	24	1 1/2	2 13/16	6	5,200	3.75
k-N2009-5	7/8-9	5	1 3/4	3 1/2	3	7,200	2.46
k-N2009-6	7/8-9	6	1 3/4	3 1/2	3	7,200	2.65
k-N2009-8	7/8-9	8	1 3/4	3 1/2	4	7,200	2.92
k-N2009-10	7/8-9	10	1 3/4	3 1/2	4	7,200	3.29
k-N2009-12	7/8-9	12	1 3/4	3 1/2	4	7,200	3.65
k-N2009-18	7/8-9	18	1 3/4	3 1/2	6	7,200	4.62
k-N2009-24	7/8-9	24	1 3/4	3 1/2	6	7,200	5.67
k-N2010-6	1-8	6	2	4	3	10,000	3.77
k-N2010-8	1-8	8	2	4	4	10,000	4.17
k-N2010-10	1-8	10	2	4	4	10,000	4.63
k-N2010-12	1-8	12	2	4	4	10,000	5.07
k-N2010-15	1-8	15	2	4	6	10,000	5.66
k-N2010-18	1-8	18	2	4	6	10,000	6.33
k-N2010-24	1-8	24	2	4	6	10,000	7.70
k-N2012-6	1 1/4-7	6	2 3/16	4 7/16	3	13,500	5.65
k-N2012-8	1 1/4-7	8	2 3/16	4 7/16	4	13,500	6.25
k-N2012-12	1 1/4-7	12	2 3/16	4 7/16	4	13,500	7.72
k-N2012-18	1 1/4-7	18	2 3/16	4 7/16	6	13,500	9.72
k-N2012-24	1 1/4-7	24	2 3/16	4 7/16	6	13,500	11.88
k-N2014-6	1 1/2-6	6	2 1/2	5 3/16	3	20,000	8.92
k-N2014-12	1 1/2-6	12	2 1/2	5 3/16	4	20,000	12.10
k-N2014-18	1 1/2-6	18	2 1/2	5 3/16	6	20,000	15.22
k-N2014-24	1 1/2-6	24	2 1/2	5 3/16	6	20,000	17.80
k-N2016-12	2 4-1/2	12	3 1/4	6 7/8	4	35,000	25.80

*Electro-galvanized

Blanks in stock (Hex Nuts not included). Inquire for price.



NUT EYEBOLTS

Nut Eyebolts Shoulder Pattern

Drop Forged Carbon Steel

Hot Dip Galvanized to ASTM A 153: UNC-2A **Before Galvanizing**

Each Threaded Eyebolt Includes One Galvanized Hex Nut Assembled

Stock No.	A Shank Dia. & Thread UNC-2A +.090/-0.030	B Shank Length +.060/-0	C Eye I.D. +.090/-0.030	D Eye O.D. +.090/-0.030	E Thread Length +.060/-0	Rated Capty. Lbs.	Weight Lbs.
k-N2021-2*	1/4-20	2	1/2	1	1 1/2	500	0.08
k-N2021-4*	1/4-20	4	1/2	1	2	500	0.11
k-N2021-6-BLANK	1/4	6	1/2	1	Blank	N/A	0.16
k-N2022-2-1/4	5/16-18	2 1/4	5/8	1 1/4	1 1/2	800	0.15
k-N2022-4-1/4	5/16-18	4 1/4	5/8	1 1/4	2 1/2	800	0.19
k-N2022-6	5/16-18	6	5/8	1 1/4	3	800	0.24
k-N2023-2-1/2	3/8-16	2 1/2	3/4	1 1/2	1 1/2	1,200	0.24
k-N2023-4-1/2	3/8-16	4 1/2	3/4	1 1/2	2	1,200	0.30
k-N2023-6	3/8-16	6	3/4	1 1/2	3	1,200	0.35
k-N2023-12-BLANK	3/8	12	3/4	1 1/2	Blank	N/A	0.53
k-N2023-24-BLANK	3/8	24	3/4	1 1/2	Blank	N/A	0.91
k-N2025-2	1/2-13	2	1	2	1 5/8	2,200	0.44
k-N2025-3-1/4	1/2-13	3 1/4	1	2	2	2,200	0.52
k-N2025-4	1/2-13	4	1	2	3	2,200	0.54
k-N2025-6	1/2-13	6	1	2	3	2,200	0.66
k-N2025-12	1/2-13	12	1	2	4	2,200	1.00
k-N2025-18-BLANK	1/2	18	1	2	Blank	N/A	1.30
k-N2025-24-BLANK	1/2	24	1	2	Blank	N/A	1.66
k-N2027-4	5/8-11	4	1 3/8	2 1/2	3	3,500	0.94
k-N2027-4-1/2	5/8-11	4 1/2	1 3/8	2 1/2	3	3,500	0.98
k-N2027-6	5/8-11	6	1 3/8	2 1/2	3	3,500	1.10
k-N2027-8	5/8-11	8	1 3/8	2 1/2	4	3,500	1.28
k-N2027-10	5/8-11	10	1 3/8	2 1/2	4	3,500	1.46
k-N2027-12	5/8-11	12	1 3/8	2 1/2	4	3,500	1.63
k-N2027-15	5/8-11	15	1 3/8	2 1/2	6	3,500	1.88
k-N2027-18	5/8-11	18	1 3/8	2 1/2	6	3,500	2.14
k-N2027-24	5/8-11	24	1 3/8	2 1/2	6	3,500	2.68
k-N2028-4	3/4-10	4	1 1/2	2 13/16	3	5,200	1.45
k-N2028-4-1/2	3/4-10	4-1/2	1 1/2	2 13/16	3	5,200	1.52
k-N2028-6	3/4-10	6	1 1/2	2 13/16	3	5,200	1.71
k-N2028-8	3/4-10	8	1 1/2	2 13/16	4	5,200	1.95
k-N2028-10	3/4-10	10	1 1/2	2 13/16	4	5,200	2.20
k-N2028-12	3/4-10	12	1 1/2	2 13/16	4	5,200	2.45
k-N2028-15	3/4-10	15	1 1/2	2 13/16	6	5,200	2.80
k-N2028-18	3/4-10	18	1 1/2	2 13/16	6	5,200	3.17
k-N2028-24	3/4-10	24	1 1/2	2 13/16	6	5,200	3.93
k-N2029-5	7/8-9	5	1 3/4	3 1/2	3	7,200	2.65
k-N2029-6	7/8-9	6	1 3/4	3 1/2	3	7,200	2.82
k-N2029-8	7/8-9	8	1 3/4	3 1/2	4	7,200	3.15
k-N2029-12	7/8-9	12	1 3/4	3 1/2	4	7,200	3.85
k-N2029-24	7/8-9	24	1 3/4	3 1/2	6	7,200	5.80
k-N2030-6	1-8	6	2	4	3	10,000	4.06
k-N2030-9	1-8	9	2	4	4	10,000	4.70
k-N2030-12	1-8	12	2	4	4	10,000	5.38
k-N2030-24	1-8	24	2	4	6	10,000	7.99
k-N2032-6	1 1/4-7	6	2 3/16	4 7/16	3	13,500	6.22
k-N2032-8	1 1/4-7	8	2 3/16	4 7/16	4	13,500	6.82
k-N2032-12	1 1/4-7	12	2 3/16	4 7/16	4	13,500	8.29
k-N2032-24	1 1/4-7	24	2 3/16	4 7/16	6	13,500	12.45
k-N2034-6	1 1/2-6	6	2 1/2	5 3/16	3	20,000	9.84
k-N2034-12	1 1/2-6	12	2 1/2	5 3/16	4	20,000	12.67
k-N2034-24	1 1/2-6	24	2 1/2	5 3/16	6	20,000	18.65

*Electro-galvanized

Blanks in stock (Hex Nuts not included). Inquire for price.



NUT EYEBOLTS

Nut Eyebolts Plain Pattern

Drop Forged 304 Stainless Steel, Passivated & Electropolished
Each Threaded Eyebolt Includes One 304 Stainless Steel Hex Nut Assembled

Stock No.	A Shank Dia. & Thread UNC-2A +.090/-0.030	B Shank Length +.060/-0	C Eye I.D. +.090/-0.030	D Eye O.D. +.090/-0.030	E Thread Length +.060/-0	Rated Capty. Lbs.	Weight Lbs.
k-N2001-SS-4	1/4-20	4	1/2	1	2	500	0.10
k-N2001-SS-6	1/4-20	6	1/2	1	3	500	0.13
k-N2002-SS-2-1/4	5/16-18	2-1/4	5/8	1 1/4	1 1/2	800	0.13
k-N2002-SS-3-1/4	5/16-18	3-1/4	5/8	1 1/4	1 1/2	800	0.16
k-N2002-SS-4-1/4	5/16-18	4-1/4	5/8	1 1/4	2 1/2	800	0.18
k-N2002-SS-6	5/16-18	6	5/8	1 1/4	3	800	0.22
k-N2003-SS-2-1/2	3/8-16	2-1/2	3/4	1 1/2	1 1/2	1,200	0.20
k-N2003-SS-4-1/4	3/8-16	4-1/4	3/4	1 1/2	2	1,200	0.25
k-N2003-SS-6	3/8-16	6	3/4	1 1/2	3	1,200	0.30
k-N2003-SS-12-BLANK	3/8	12	3/4	1 1/2	Blank	N/A	0.50
k-N2003-SS-24-BLANK	3/8	24	3/4	1 1/2	Blank	N/A	0.89
k-N2005-SS-4-1/2	1/2-13	4-1/2	1	2	3	2,200	0.52
k-N2005-SS-6	1/2-13	6	1	2	3	2,200	0.60
k-N2005-SS-12	1/2-13	12	1	2	4	2,200	0.93
k-N2005-SS-24-BLANK	1/2	24	1	2	Blank	N/A	1.61
k-N2007-SS-6	5/8-11	6	1 3/8	2 1/2	3	3,500	0.99
k-N2007-SS-12	5/8-11	12	1 3/8	2 1/2	4	3,500	1.51
k-N2007-SS-24-BLANK	5/8	24	1 3/8	2 1/2	Blank	N/A	2.54
k-N2008-SS-6	3/4-10	6	1 1/2	2 13/16	3	5,200	1.53
k-N2008-SS-12	3/4-10	12	1 1/2	2 13/16	4	5,200	2.28
k-N2008-SS-24-BLANK	3/4	24	1 1/2	2 13/16	Blank	N/A	3.74
k-N2009-SS-6	7/8-9	6	1 3/4	3 1/2	3	7,200	2.65
k-N2009-SS-12	7/8-9	12	1 3/4	3 1/2	4	7,200	3.65
k-N2009-SS-24-BLANK	7/8	24	1 3/4	3 1/2	Blank	N/A	5.61
k-N2010-SS-6	1-8	6	2	4	3	10,000	3.77
k-N2010-SS-12	1-8	12	2	4	4	10,000	5.07
k-N2010-SS-24-BLANK	1	24	2	4	Blank	N/A	7.63
k-N2012-SS-6	1 1/4-7	6	2 3/16	4 7/16	3	13,500	5.65
k-N2012-SS-12	1 1/4-7	12	2 3/16	4 7/16	4	13,500	7.72
k-N2012-SS-24-BLANK	1 1/4	24	2 3/16	4 7/16	Blank	N/A	11.58
k-N2014-SS-6	1 1/2-6	6	2 1/2	5 3/16	3	20,000	8.92
k-N2014-SS-12	1 1/2-6	12	2 1/2	5 3/16	4	20,000	12.10
k-N2014-SS-24-BLANK	1 1/2	24	2 1/2	5 3/16	Blank	N/A	17.27

Blanks in stock (Not passivated or electropolished). Hex Nuts not included. Inquire for price.



NUT EYEBOLTS

Nut Eyebolts Plain Pattern

Drop Forged 304 Stainless Steel, Passivated & Electropolished
Each Threaded Eyebolt Includes One 304 Stainless Steel Hex Nut Assembled

Stock No.	A Shank Dia. & Thread UNC-2A +.090/-0.030	B Shank Length +.060/-0	C Eye I.D. +.090/-0.030	D Eye O.D. +.090/-0.030	E Thread Length +.060/-0	Rated Capty. Lbs.	Weight Lbs.
k-N2001-SS-4	1/4-20	4	1/2	1	2	500	0.10
k-N2001-SS-6	1/4-20	6	1/2	1	3	500	0.13
k-N2002-SS-2-1/4	5/16-18	2-1/4	5/8	1 1/4	1 1/2	800	0.13
k-N2002-SS-3-1/4	5/16-18	3-1/4	5/8	1 1/4	1 1/2	800	0.16
k-N2002-SS-4-1/4	5/16-18	4-1/4	5/8	1 1/4	2 1/2	800	0.18
k-N2002-SS-6	5/16-18	6	5/8	1 1/4	3	800	0.22
k-N2003-SS-2-1/2	3/8-16	2-1/2	3/4	1 1/2	1 1/2	1,200	0.20
k-N2003-SS-4-1/4	3/8-16	4-1/4	3/4	1 1/2	2	1,200	0.25
k-N2003-SS-6	3/8-16	6	3/4	1 1/2	3	1,200	0.30
k-N2003-SS-12-BLANK	3/8	12	3/4	1 1/2	Blank	N/A	0.50
k-N2003-SS-24-BLANK	3/8	24	3/4	1 1/2	Blank	N/A	0.89
k-N2005-SS-4-1/2	1/2-13	4-1/2	1	2	3	2,200	0.52
k-N2005-SS-6	1/2-13	6	1	2	3	2,200	0.60
k-N2005-SS-12	1/2-13	12	1	2	4	2,200	0.93
k-N2005-SS-24-BLANK	1/2	24	1	2	Blank	N/A	1.61
k-N2007-SS-6	5/8-11	6	1 3/8	2 1/2	3	3,500	0.99
k-N2007-SS-12	5/8-11	12	1 3/8	2 1/2	4	3,500	1.51
k-N2007-SS-24-BLANK	5/8	24	1 3/8	2 1/2	Blank	N/A	2.54
k-N2008-SS-6	3/4-10	6	1 1/2	2 13/16	3	5,200	1.53
k-N2008-SS-12	3/4-10	12	1 1/2	2 13/16	4	5,200	2.28
k-N2008-SS-24-BLANK	3/4	24	1 1/2	2 13/16	Blank	N/A	3.74
k-N2009-SS-6	7/8-9	6	1 3/4	3 1/2	3	7,200	2.65
k-N2009-SS-12	7/8-9	12	1 3/4	3 1/2	4	7,200	3.65
k-N2009-SS-24-BLANK	7/8	24	1 3/4	3 1/2	Blank	N/A	5.61
k-N2010-SS-6	1-8	6	2	4	3	10,000	3.77
k-N2010-SS-12	1-8	12	2	4	4	10,000	5.07
k-N2010-SS-24-BLANK	1	24	2	4	Blank	N/A	7.63
k-N2012-SS-6	1 1/4-7	6	2 3/16	4 7/16	3	13,500	5.65
k-N2012-SS-12	1 1/4-7	12	2 3/16	4 7/16	4	13,500	7.72
k-N2012-SS-24-BLANK	1 1/4	24	2 3/16	4 7/16	Blank	N/A	11.58
k-N2014-SS-6	1 1/2-6	6	2 1/2	5 3/16	3	20,000	8.92
k-N2014-SS-12	1 1/2-6	12	2 1/2	5 3/16	4	20,000	12.10
k-N2014-SS-24-BLANK	1 1/2	24	2 1/2	5 3/16	Blank	N/A	17.27

Blanks in stock (Not passivated or electropolished). Hex Nuts not included. Inquire for price.



Nut Eyebolts Shoulder Pattern

Drop Forged 304 Stainless Steel, Passivated & Electropolished
Each Threaded Eyebolt Includes One 304 Stainless Steel Hex Nut Assembled

Stock No.	A Shank Dia. & Thread UNC-2A +.090/-0.030	B Shank Length +.060/-0	C Eye I.D. +.090/-0.030	D Eye O.D. +.090/-0.030	E Thread Length +.060/-0	Rated Capty. Lbs.	Weight Lbs.
k-N2021-SS-2	1/4-20	2	1/2	1	1 1/2	500	0.08
k-N2021-SS-4	1/4-20	4	1/2	1	2	500	0.11
k-N2021-SS-6-BLANK	1/4	6	1/2	1	Blank	N/A	0.16
k-N2022-SS-2-1/4	5/16-18	2 1/4	5/8	1 1/4	1 1/2	800	0.15
k-N2022-SS-4-1/4	5/16-18	4 1/4	5/8	1 1/4	2 1/2	800	0.19
k-N2022-SS-6	5/16-18	6	5/8	1 1/4	3	800	0.24
k-N2023-SS-2-1/2	3/8-16	2 1/2	3/4	1 1/2	1 1/2	1,200	0.24
k-N2023-SS-4-1/2	3/8-16	4 1/2	3/4	1 1/2	2	1,200	0.30
k-N2023-SS-6	3/8-16	6	3/4	1 1/2	3	1,200	0.35
k-N2023-SS-10	3/8-16	10	3/4	1 1/2	4	1,200	0.46
k-N2023-SS-12-BLANK	3/8	12	3/4	1 1/2	Blank	N/A	0.53
k-N2023-SS-24-BLANK	3/8	24	3/4	1 1/2	Blank	N/A	0.91
k-N2025-SS-3-1/4	1/2-13	3 1/4	1	2	2	2,200	0.52
k-N2025-SS-6	1/2-13	6	1	2	3	2,200	0.66
k-N2025-SS-12	1/2-13	12	1	2	4	2,200	1.00
k-N2025-SS-24-BLANK	1/2	24	1	2	Blank	N/A	1.66
k-N2027-SS-6	5/8-11	6	1 3/8	2 1/2	3	3,500	1.10
k-N2027-SS-12	5/8-11	12	1 3/8	2 1/2	4	3,500	1.63
k-N2027-SS-24-BLANK	5/8	24	1 3/8	2 1/2	Blank	N/A	2.67
k-N2028-SS-6	3/4-10	6	1 1/2	2 13/16	3	5,200	1.71
k-N2028-SS-12	3/4-10	12	1 1/2	2 13/16	4	5,200	2.45
k-N2028-SS-24-BLANK	3/4	24	1 1/2	2 13/16	Blank	N/A	3.92
k-N2029-SS-6	7/8-9	6	1 3/4	3 1/2	3	7,200	2.82
k-N2029-SS-12	7/8-9	12	1 3/4	3 1/2	4	7,200	3.85
k-N2029-SS-24-BLANK	7/8	24	1 3/4	3 1/2	Blank	N/A	5.80
k-N2030-SS-6	1-8	6	2	4	3	10,000	4.06
k-N2030-SS-12	1-8	12	2	4	4	10,000	5.38
k-N2030-SS-24-BLANK	1	24	2	4	Blank	N/A	8.16
k-N2032-SS-6	1 1/4-7	6	2 3/16	4 7/16	3	13,500	6.22
k-N2032-SS-12	1 1/4-7	12	2 3/16	4 7/16	4	13,500	8.29
k-N2032-SS-24-BLANK	1 1/4	24	2 3/16	4 7/16	Blank	N/A	12.15
k-N2034-SS-6	1 1/2-6	6	2 1/2	5 3/16	3	20,000	9.84
k-N2034-SS-12	1 1/2-6	12	2 1/2	5 3/16	4	20,000	12.67
k-N2034-SS-24-BLANK	1 1/2	24	2 1/2	5 3/16	Blank	N/A	18.65

Blanks in stock (Not passivated or electropolished). Hex Nuts not included. Inquire for price.



NUT EYEBOLTS

Nut Eyebolts Plain Pattern

Drop Forged 316 Stainless Steel, Passivated & Electropolished
Each Threaded Eyebolt Includes One 316 Stainless Steel Hex Nut Assembled

Stock No.	A Shank Dia. & Thread UNC-2A +.090/-0.030	B Shank Length +.060/-0	C Eye I.D. +.090/-0.030	D Eye O.D. +.090/-0.030	E Thread Length +.060/-0	Rated Capty. Lbs.	Weight Lbs.
k-N2001-316SS-4	1/4-20	4	1/2	1	2	500	0.10
k-N2001-316SS-6	1/4-20	6	1/2	1	3	500	0.13
k-N2002-316SS-2-1/4	5/16-18	2-1/4	5/8	1 1/4	1 1/2	800	0.13
k-N2002-316SS-3-1/4	5/16-18	3-1/4	5/8	1 1/4	1 1/2	800	0.16
k-N2002-316SS-4-1/4	5/16-18	4-1/4	5/8	1 1/4	2 1/2	800	0.18
k-N2002-316SS-6	5/16-18	6	5/8	1 1/4	3	800	0.22
k-N2003-316SS-2-1/2	3/8-16	2-1/2	3/4	1 1/2	1 1/2	1,200	0.20
k-N2003-316SS-4-1/4	3/8-16	4-1/4	3/4	1 1/2	2	1,200	0.25
k-N2003-316SS-6	3/8-16	6	3/4	1 1/2	3	1,200	0.30
k-N2003-316SS-12-BLANK	3/8	12	3/4	1 1/2	Blank	N/A	0.50
k-N2003-316SS-24-BLANK	3/8	24	3/4	1 1/2	Blank	N/A	0.89
k-N2005-316SS-4-1/2	1/2-13	4-1/2	1	2	3	2,200	0.52
k-N2005-316SS-6	1/2-13	6	1	2	3	2,200	0.60
k-N2005-316SS-12	1/2-13	12	1	2	4	2,200	0.93
k-N2005-316SS-24-BLANK	1/2	24	1	2	Blank	N/A	1.61
k-N2007-316SS-6	5/8-11	6	1 3/8	2 1/2	3	3,500	0.99
k-N2007-316SS-12	5/8-11	12	1 3/8	2 1/2	4	3,500	1.51
k-N2007-316SS-24-BLANK	5/8	24	1 3/8	2 1/2	Blank	N/A	2.54
k-N2008-316SS-6	3/4-10	6	1 1/2	2 13/16	3	5,200	1.53
k-N2008-316SS-12	3/4-10	12	1 1/2	2 13/16	4	5,200	2.28
k-N2008-316SS-24-BLANK	3/4	24	1 1/2	2 13/16	Blank	N/A	3.74
k-N2009-316SS-6	7/8-9	6	1 3/4	3 1/2	3	7,200	2.67
k-N2009-316SS-12	7/8-9	12	1 3/4	3 1/2	4	7,200	3.65
k-N2009-316SS-24-BLANK	7/8	24	1 3/4	3 1/2	Blank	N/A	5.61
k-N2010-316SS-6	1-8	6	2	4	3	10,000	3.77
k-N2010-316SS-12	1-8	12	2	4	4	10,000	5.07
k-N2010-316SS-24-BLANK	1	24	2	4	Blank	N/A	7.63
k-N2012-316SS-6	1 1/4-7	6	2 3/16	4 7/16	3	13,500	5.65
k-N2012-316SS-12	1 1/4-7	12	2 3/16	4 7/16	4	13,500	7.72
k-N2012-316SS-24-BLANK	1 1/4	24	2 3/16	4 7/16	Blank	N/A	11.58
k-N2014-316SS-6	1 1/2-6	6	2 1/2	5 3/16	3	20,000	8.92
k-N2014-316SS-12	1 1/2-6	12	2 1/2	5 3/16	4	20,000	12.10
k-N2014-316SS-24-BLANK	1 1/2	24	2 1/2	5 3/16	Blank	N/A	17.27

Blanks in stock (Not passivated or electropolished). Hex Nuts not included. Inquire for price.



Nut Eyebolts Shoulder Pattern

Drop Forged 316 Stainless Steel, Passivated & Electropolished
Each Threaded Eyebolt Includes One 316 Stainless Steel Hex Nut Assembled

Stock No.	A Shank Dia. & Thread UNC-2A +.090/-0.030	B Shank Length +.060/-0	C Eye I.D. +.090/-0.030	D Eye O.D. +.090/-0.030	E Thread Length +.060/-0	Rated Capty. Lbs.	Weight Lbs.
k-N2021-316SS-2	1/4-20	2	1/2	1	1 1/2	500	0.08
k-N2021-316SS-4	1/4-20	4	1/2	1	2	500	0.11
k-N2021-316SS-6-BLANK	1/4	6	1/2	1	Blank	N/A	0.16
k-N2022-316SS-2-1/4	5/16-18	2 1/4	5/8	1 1/4	1 1/2	800	0.15
k-N2022-316SS-4-1/4	5/16-18	4 1/4	5/8	1 1/4	2 1/2	800	0.19
k-N2022-316SS-6	5/16-18	6	5/8	1 1/4	3	800	0.24
k-N2023-316SS-2-1/2	3/8-16	2 1/2	3/4	1 1/2	1 1/2	1,200	0.24
k-N2023-316SS-4-1/2	3/8-16	4 1/2	3/4	1 1/2	2	1,200	0.30
k-N2023-316SS-6	3/8-16	6	3/4	1 1/2	3	1,200	0.35
k-N2023-316SS-10	3/8-16	10	3/4	1 1/2	4	1,200	0.46
k-N2023-316SS-12-BLANK	3/8	12	3/4	1 1/2	Blank	N/A	0.53
k-N2023-316SS-24-BLANK	3/8	24	3/4	1 1/2	Blank	N/A	0.91
k-N2025-316SS-3-1/4	1/2-13	3 1/4	1	2	2	2,200	0.52
k-N2025-316SS-6	1/2-13	6	1	2	3	2,200	0.66
k-N2025-316SS-12	1/2-13	12	1	2	4	2,200	1.00
k-N2025-316SS-24-BLANK	1/2	24	1	2	Blank	N/A	1.66
k-N2027-316SS-6	5/8-11	6	1 3/8	2 1/2	3	3,500	1.10
k-N2027-316SS-12	5/8-11	12	1 3/8	2 1/2	4	3,500	1.63
k-N2027-316SS-24-BLANK	5/8	24	1 3/8	2 1/2	Blank	N/A	2.67
k-N2028-316SS-6	3/4-10	6	1 1/2	2 13/16	3	5,200	1.71
k-N2028-316SS-12	3/4-10	12	1 1/2	2 13/16	4	5,200	2.45
k-N2028-316SS-24-BLANK	3/4	24	1 1/2	2 13/16	Blank	N/A	3.92
k-N2029-316SS-6	7/8-9	6	1 3/4	3 1/2	3	7,200	2.82
k-N2029-316SS-12	7/8-9	12	1 3/4	3 1/2	4	7,200	3.85
k-N2029-316SS-24-BLANK	7/8	24	1 3/4	3 1/2	Blank	N/A	5.80
k-N2030-316SS-6	1-8	6	2	4	3	10,000	4.06
k-N2030-316SS-12	1-8	12	2	4	4	10,000	5.38
k-N2030-316SS-24-BLANK	1	24	2	4	Blank	N/A	8.16
k-N2032-316SS-6	1 1/4-7	6	2 3/16	4 7/16	3	13,500	6.22
k-N2032-316SS-12	1 1/4-7	12	2 3/16	4 7/16	4	13,500	8.29
k-N2032-316SS-24-BLANK	1 1/4	24	2 3/16	4 7/16	Blank	N/A	12.15
k-N2034-316SS-6	1 1/2-6	6	2 1/2	5 3/16	3	20,000	9.84
k-N2034-316SS-12	1 1/2-6	12	2 1/2	5 3/16	4	20,000	12.67
k-N2034-316SS-24-BLANK	1 1/2	24	2 1/2	5 3/16	Blank	N/A	18.65

Blanks in stock (Not passivated or electropolished). Hex Nuts not included. Inquire for price.

