



SINCE 1986

HANDLING EQUIPMENTS



SHYAM PLASTIC INDUSTRIES



HYDRAULIC HAND PALLET TRUCK - NYLON TYRE-301

MODEL	301-2000	301-3000	301-5000
CAPACITY(KG)	2000	3000	5000
MIN. FORK HEIGHT(MM)	85	85	85
MAX. FORK HEIGHT (MM)	195	195	195
LIFTING HEIGHT (MM)	110	110	110
FORK LENGTH(MM)	1150	1220	1220
SINGLE FORK WIDTH(MM)	160	200	160
FORK OVERALL WIDTH(MM)	550	685	685
FORK WHEEL SINGLE(MM)	80x93	80x93	80x93
FORK WHEEL TANDEM(MM)	180x50	180x50	180x50
STEERING WHEEL(MM)	180	180	180
WEIGHT (KG)	65	73	145



HYDRAULIC HAND PALLET TRUCK - PU TYRE-302

MODEL	302-3000a	302-3000
CAPACITY(KG)	3000	3000
MIN. FORK HEIGHT(MM)	85	85
MAX. FORK HEIGHT (MM)	195	195
LIFTING HEIGHT (MM)	110	110
FORK LENGTH(MM)	1150	1220
SINGLE FORK WIDTH(MM)	160	200
FORK OVERALL WIDTH(MM)	550	685
FORK WHEEL SINGLE(MM)	80x93	80x93
FORK WHEEL TANDEM(MM)	180x50	180x50
STEERING WHEEL(MM)	180	180
WEIGHT (KG)	73	79



HYDRAULIC HAND TABLE TRUCK SINGLE SCISSOR-303

MODEL	303-500	303-1000
LOADING CAPACITY	500 KG	1000 KG
TABLE DIMENSION (MM)	815*500*50	1000*500*420
MAX. HEIGHT (MM)	900	1000
WEIGHT (KG)	85	115
PACKAGING (MM)	960*530*420	1390*630*430



HYDRAULIC HAND TABLE TRUCK DOUBLE SCISSOR-304

MODEL	304-500	304-1000
LOADING CAPACITY	500 KG	1000 KG
TABLE DIMENSION (MM)	905*500*50	1200*600*420
MAX. HEIGHT (MM)	1500	1700
WEIGHT (KG)	136	225
PACKAGING (MM)	1190*630*450	1390*630*450



DRUM STACKER & TILTER-305

CAPACITY(KG)	350
MAX. LIFTING HEIGHT(MM)	1600
LIFTING SPEED(MM/STROKE)	20
LOWERING SPEED(MM/STROKE)	CONTROLLABLE
FRONT WHEEL SIZE(MM)	85X50
REAR WHEEL SIZE(MM)	180X50
OVERALL SIZE(MM)	1190X890X2000MM
WEIGHT (KG)	180



DRUM TRUCK-306

CAPACITY(KG)	300
MAX. LIFTING HEIGHT(MM)	400
LIFTING SPEED(MM/STROKE)	20
LOWERING SPEED(MM/STROKE)	CONTROLLABLE
FRONT WHEEL SIZE(MM)	485X50
REAR WHEEL SIZE(MM)	\$180X50
OVERALL SIZE(MM)	1025X915X1180
WEIGHT(KG)	60



HYDRAULIC HAND STACKER-307

MODEL	307-500	307-1000
CAPACITY (KG)	500	1000
MAX. LIFTING HEIGHT (MM)	1600	1600
LOWERED HEIGHT OF FORKS (MM)	85	85
FORK LENGTH (MM)	900/1150	900/1150
ADJUSTABLE WIDTH OF FORK (MM)	270-680	270-680
LIFTING SPEED (MM)	14	14
LOWERING SPEED (MM)	CONTROLLABLE	CONTROLLABLE
OUTER WIDTH OF FRONT LEGS (MM)	750	750
WEIGHT (KG)	130	160



2 TON (1100 MM FORK LENGTH) MANUAL HAND STACKER-308

CAPACITY (KG)	2000 KG	3000 KG
MAX. LIFTING HEIGHT (MM)	1600 MM	1600 MM
CHANEL	C-TYPE	I-TYPE
PUMP	40MM (H DUTY)	45MM (H DUTY)
FORK LENGTH (MM)	1100 MM	1100 MM
COLUMN THICKNESS	6 MM	9 MM
COLUMN WIDTH	120 MM	140 MM
MAX. FORK WIDTH (MM)	820 MM	1100 MM
LEG LENGTH	1000 MM	1000 MM
LEG WIDTH	80 MM	80 MM
WHEEL	PU	PU
FORK TYPE	ROUND	SQUARE
WEIGHT (KG)	200 KG	280 KG



HYDRAULIC HIGH LIFT PALLET TRUCK-309

CAPACITY	1500
MIN. FORK HEIGHT (MM)	85
MAX. FORK HEIGHT (MM)	800
FORK LENGTH (MM)	1150
FORK WIDTH (MM)	160
FORK THICKNESS (MM)	50
OVERALL WIDTH (MM)	685
WEIGHT (KG)	135



ELECTRIC STACKER-310

CAPACITY(KG)	1500
MIN. FORK HEIGHT(MM)	90
MAX. FORK HEIGHT(MM)	3000
FORK WIDTH(MM)	320-695
FORK LENGTH(MM)	1000
BATTERY(V/AH)	12/120
LIFTING MOTOR POWER(KW)	1.5-1.6
TYPE OF MOVING	MANUAL
WEIGHT(KG)	520



50X70CM - 200 KG
60X90CM - 400 KG
60X106CM - 600 KG

PLASTIC TROLLEY-311

MATERIAL	STAINLESS STEEL
SIZE	24 X 36 INCH
COLOR	BLUE
CART SIZE	5 INCH
NUMBER OF CASTOR	4
WHEEL TYPE	CASTOR WHEEL



40X60CM - 200 KG
50X70CM - 400 KG
60X90CM - 600 KG

IRON TROLLEY 20 X 32-312

MATERIAL	STAINLESS STEEL
SIZE	20 X 32 INCH
COLOR	SILVER
CART SIZE	5 INCH
NUMBER OF CASTOR	4
WHEEL TYPE	CASTOR WHEEL



FULLY BATTERY STACKER COUNTER BALANCE-313

MAX LIFTING HEIGHT	MM	3500MM
DOOR FRAME HEIGHT	MM	2300MM
LOWER HEIGHT	MM	60 MM
OPERATING TYPE		BATTERY OPERATED CHARGING FOR 6 HOURS WILL WORK FOR 8 HOURS
CAPACITY	KG	1500 KG (AT TOP HEIGHT 1000KG)
LOAD CENTRE DISTANCE	MM	500
FORK LENGTH	MM	1150
WHOLE LENGTH (EXCLUDING FORK)	MM	1573
SPEED (FULL LOAD/UNLOAD)	KM/H	5/4
LIFTING SPEED (FULL LOAD/UNLOAD)	MM/S	110/70
POWER PACK DETAILS	V/AS	12/150 (OPTIONAL)
FRONT/REAR WHEEL DISTANCE	MM	765/650
WHOLE WIDTH	MM	850
FORK OUTSIDE WIDTH	MM	545
WHOLE WIDTH	MM	850
MIN TURNING RADIUS	MM	1425
TURNING METHOD	MM	MECHANICAL TURNING WAY
FRONT WHEEL	MM	80X70
DRIVING SPEED	MM/SECOND	4.5MM/3.5MM
LIFTING MOTOR		2.2
DRIVING MOTOR		1.2
CLIMBING GRADIENT	MM	7MM/5MM
SELF WEIGHT	KG	1380KG
BATTERY VOLTAGE/RATED CAPACITY	V/AH	2X12/150
REAR WHEEL	100MMX50MM	1NOS (PISTON SEAL MAKE-HYCLONE PU) PIPE
PAINT		ONE COAT OF PRIMER AND TWO COAT OF AUTO FINISH PAINT GOLDEN YELLOW



INJECTION MOULDED PERFORATED TOP 3 RUNNERS PALLETS

DEALER & DISTRIBUTOR ENQUIRY SOLICITED



**SHYAM PLASTIC
INDUSTRIES**

Serving To Industry Since 37 Years



We Focus on
Time & Quality...

IMPORTERS, MANUFACTURER, SUPPLIERS & EXPORTERS

Address : Near SBI Bank, Opposite Oswal Street, Gill Road, Ludhiana-141003, (PB), India.

Factory : B-29-536/14B, Indl. Area-C, Singla Road, Dhandari Kalan, Ludhiana-141014, (PB), India.

Mobile No: +91-98762-00733, 98762-41555, 98142-15018

Email : info@shyamplasticindustries.com, shyamplastic86@gmail.com

Website : www.shyamplasticindustries.com

