



[1] HEAVY DUTY 75 MM PU CASTOR WHEELS







Chrome Plated Dye Press Castor
With PU Wheels With Single
Bearing with Center Plate
Neumatic Rivet

-	-	=	+		mm			mm	**************************************	kg	-
PRO. CODE	SIZE	TYPE OF FITTING	WHEEL WIDTH	TOTAL HEIGHT	PLATE SIZE	PILLER DIAMETER	THREAD LENGTH	PLATE HALL SPACING	BOLT HALL DIAMETER	LOAD CAPACITY	BEARING
U-102	75X32MM	SWIVEL PLATE	32MM	112MM	96X68MM	-	-	72X46MM	10MM	125	Single
U-104	75X32MM	FIX	32MM	112MM	96X68MM	+	(8)	72X46MM	10MM	125	Single
U-106	75X32MM	PILLER	32MM	112MM	*	21 MM	*	.=	*	125	Single
U-108	75X32MM	M 12 THREAD	32MM	112MM	-	-	25MM	w:	-	125	Single

[2] HEAVY DUTY 100 MM PU CASTOR WHEELS







Chrome Plated Dye Press Castor
With PU Wheels With Single
Bearing with Center Plate
Neumatic Rivet

-	-	-	•	G	mm	-	-	mm		kg	
PRO. CODE	SIZE	TYPE OF FITTING	WHEEL	TOTAL HEIGHT	PLATE SIZE	PILLER DIAMETER	THREAD LENGTH	PLATE HALL SPACING	BOLT HALL DIAMETER	LOAD CAPACITY	BEARING
U-111	100X32MM	SWIVEL PLATE	32MM	135MM	96X68MM	泰	-	72X46MM	10MM	150	Single
U-112	100X32MM	FIX	32MM	135MM	96X68MM	¥	*	72X46MM	10MM	150	Single
U-113	100X32MM	PILLER	32MM	135MM	.7-	21 MM		77	-	150	Single
U-110	100X32MM	THREAD	32MM	135MM	-	æ	25MM	-	-	150	Single



[3] HEAVY DUTY 75 MM PU CASTOR WHEELS



Zinc Plated Die Pressed Castor in Swivel Fix & Break Type, Break Mode is Double With Wheel Lock and Upper Plate also Lock

-	-				mm	ï		mm mm	mm t	kg	8=
PRO. CODE	SIZE	TYPE OF FITTING	WHEEL	TOTAL HEIGHT	PLATE SIZE	PILLER DIAMETER	THREAD LENGTH	PLATE HALL SPACING	BOLT HALL DIAMETER	LOAD CAPACITY	BEARING
U-114	75X32MM	SWIVEL PLATE	32MM	101MM	96X70MM	<u> </u>	-	73X46MM	10MM	125	Single
U-115	75X32MM	FIX	32MM	101MM	96X70MM		5.	73X46MM	10MM	125	Single
U-116	75X32MM	SWIVEL PLATE WITH BREAK	32MM	101MM	96X70MM		-	73X46MM	10MM	125	Single
U-117	75X32MM	THREAD	32MM	101MM	₩.		25MM	·*·	÷	125	Single
U-118	75X32MM	THREAD WITH BREAK	32MM	101MM	*.		25MM	*	*	125	Single
U-119	75X32MM	PILLER	32MM	101MM	¥	21MM	3	*	9	125	Single
U-120	75X32MM	PILLER WITH BREAK	32MM	101MM	ш	21MM	9	*	9	125	Single
U-121	75X32MM	BOLT HOLLOW	32MM	101MM	2	•	8	•	12.5MM	125	Single
U-122	75X32MM	BOLT HOLLOW WITH BREAK	32MM	101MM	Ŧ.	1 <u>8</u> 5	-	*	12.5MM	125	Single



[4] HEAVY DUTY 100 MM PU CASTOR WHEELS



Zinc Plated Die Pressed Castor in Swivel Fix & Break Type, Break Mode is Double With Wheel Lock and Upper Plate also Lock

	-		•		mm	8	-	mm	# # # # # # # # # # # # # # # # # # #	kg	=
PRO. CODE	SIZE	TYPE OF FITTING	WHEEL	TOTAL HEIGHT	PLATE SIZE	PILLER DIAMETER	THREAD LENGTH	PLATE HALL SPACING	BOLT HALL DIAMETER	LOAD CAPACITY	BEARING
U-123	100X32MM	SWIVEL PLATE	32MM	126MM	96X70MM	(+)	*	73X46MM	10MM	150	Single
U-124	100X32MM	FIX	32MM	126MM	96X70MM		¥	73X46MM	10MM	150	Single
U-125	100X32MM	SWIVEL PLATE WITH BREAK	32MM	126MM	96X70MM	(#)	-	73X46MM	10MM	150	Single
U-126	100X32MM	THREAD	32MM	126MM	Ti.		25MM	•	ā	150	Single
U-127	100X32MM	THREAD WITH BREAK	32MM	126MM	발	j.	25MM	-		150	Single
U-128	100X32MM	PILLER	32MM	126MM	Ħ	21MM	P.	*		150	Single
U-129	100X32MM	PILLER WITH BREAK	32MM	126MM	π	21MM	7	150		150	Single
U-130	100X32MM	BOLT HOLLOW	32MM	126MM	E .	0	Æ	•	12.5MM	150	Single
U-131	100X32MM	BOLT HOLLOW WITH BREAK	32MM	126MM	-	(-)	-	-	12.5MM	150	Single



[5] HEAVY DUTY 125 MM PU CASTOR WHEELS



Zinc Plated Die Pressed Castor in Swivel Fix & Break Type, Break Mode is Double With Wheel Lock and Upper Plate also Lock

-	-	-	t common to the		mm	-	-	mm	# # # # # # # # # # # # # # # # # # #	kg	-
PRO. CODE	SIZE	TYPE OF FITTING	WHEEL	TOTAL HEIGHT	PLATE SIZE	PILLER DIAMETER	THREAD LENGTH	PLATE HALL SPACING	BOLT HALL DIAMETER	LOAD CAPACITY	BEARING
U-132	125X32MM	SWIVEL PLATE	32MM	158MM	96X70MM		-	73X46MM	10MM	175	Single
U-133	125X32MM	SWIVEL PLATE WITH BREAK	32MM	158MM	96X70MM	*	×	73X46MM	10MM	175	Single
U-134	125X32MM	THREAD	32MM	158MM	96X70MM		25MM	-	900	175	Single
U-135	125X32MM	THREAD WITH BREAK	32MM	158MM	-	*	25MM	*	1	175	Single
U-136	125X32MM	PILLER	32MM	158MM	8	21MM	(C)	.=.	-	175	Single
U-137	125X32MM	PILLER WITH BREAK	32MM	158MM	2	21MM	4	©	E	175	Single
U-138	125X32MM	BOLT HOLLOW	32MM	158MM	ā	2		-	12.5MM	175	Single
U-139	125X32MM	BOLT HOLLOW WITH BREAK	32MM	158MM) R	100	2	**	12.5MM	175	Single



[6] HEAVY DUTY 75MM STAINLESS STEEL 304 PU CASTOR WHEELS



Stainless steel 304 Die Pressed in Swivel Fix & Break Type, Break Mode is Double With Wheel Lock and Upper Plate also Lock

	r										
-	-	-			mm	-	s=	mm	mm t	kg	.=
PRO. CODE	SIZE	TYPE OF FITTING	WHEEL	TOTAL HEIGHT	PLATE SIZE	PILLER DIAMETER	THREAD LENGTH	PLATE HALL SPACING	BOLT HALL DIAMETER	LOAD CAPACITY	BEARING
U-140	75X32MM	SWIVEL PLATE	32MM	101MM	96X70MM		-	73X46MM	10MM	125	Single
U-141	75X32MM	FIX	32MM	101MM	96X70MM	(0)	4	73X46MM	10MM	125	Single
U-142	75X32MM	SWIVEL PLATE WITH BREAK	32MM	101MM	96X70MM	~	Ŷ.	9	10MM	125	Single
U-143	75X32MM	THREAD	32MM	101MM	-	٠	25MM	(#)		125	Single
U-144	75X32MM	THREAD WITH BREAK	32MM	101MM	-	*	25MM	*	+	125	Single
U-145	75X32MM	PILLER	32MM	101MM	-	21MM	-	(#0)	Đ.	125	Single
U-146	75X32MM	PILLER WITH BREAK	32MM	101MM	-	21MM	÷	*	÷	125	Single
U-147	75X32MM	BOLT HOLLOW	32MM	101MM	-	*	-	(€)	12.5MM	125	Single
U-148	75X32MM	BOLT HOLLOW WITH BREAK	32MM	101MM	÷	-	-	~	12.5MM	125	Single



[7] HEAVY DUTY 100MM SS 304 PU CASTOR WHEELS







Stainless steel 304 Die Pressed in Swivel Fix & Break Type, Break Mode is Double With Wheel Lock and Upper Plate also Lock

-	-	-			mm mm	-	-	mm	e • ‡	kg	-
PRO. CODE	SIZE	TYPE OF FITTING	WHEEL	TOTAL HEIGHT	PLATE SIZE	PILLER DIAMETER	THREAD LENGTH	PLATE HALL SPACING	BOLT HALL DIAMETER	LOAD CAPACITY	BEARING
U-149	100X32MM	SWIVEL PLATE	32MM	126MM	96X70MM		-	73X46MM	10MM	150	Single
U-150	100X32MM	FIX	32MM	126MM	96X70MM		ü	73X46MM	10MM	150	Single
U-151	100X32MM	SWIVEL PLATE WITH BREAK	32MM	126MM	96X70MM	*	¥		10MM	150	Single
U-152	100X32MM	THREAD	32MM	126MM	-		25MM		-	150	Single
U-153	100X32MM	THREAD WITH BREAK	32MM	126MM	S	(9)	25MM			150	Single
U-154	100X32MM	PILLER	32MM	126MM	5.	21MM		(#C		150	Single
U-155	100X32MM	PILLER WITH BREAK	32MM	126MM	*	21MM	Σ		*	150	Single
U-156	100X32MM	BOLT HOLLOW	32MM	126MM	-		-	-	12.5MM	150	Single
U-157	100X32MM	BOLT HOLLOW WITH BREAK	32MM	126MM	-		-	*	12.5MM	150	Single



[8] HEAVY DUTY SS 304 125MM PU CASTOR WHEELS



Stainless steel 304 Die Pressed in Swivel Fix & Break Type, Break Mode is Double With Wheel Lock and Upper Plate also Lock

-	-	-	+		mm	-	-	mm	● ● ★ mm t	kg	-
PRO. CODE	SIZE	TYPE OF FITTING	WHEEL	TOTAL HEIGHT	PLATE SIZE	PILLER DIAMETER	THREAD LENGTH	PLATE HALL SPACING	BOLT HALL DIAMETER	LOAD CAPACITY	BEARING
U-158	125X32MM	SWIVEL PLATE	32MM	158MM	96X70MM	·	-	73X46MM	10MM	175	Single
U-159	125X32MM	SWIVEL PLATE WITH BREAK	32MM	158MM	96X70MM		-	73X46MM	10MM	175	Single
U-160	125X32MM	THREAD	32MM	158MM	96X70MM		25MM		ı	175	Single
U-161	125X32MM	THREAD WITH BREAK	32MM	158MM	2	æ	25MM	*	1	175	Single
U-162	125X32MM	PILLER	32MM	158MM	=	21MM		*	5	175	Single
U-163	125X32MM	PILLER WITH BREAK	32MM	158MM	=	21MM		*		175	Single
U-164	125X32MM	BOLT HOLLOW	32MM	158MM	-	*	-	æ	12.5MM	175	Single
U-165	125X32MM	BOLT HOLLOW WITH BREAK	32MM	158MM	=	(*)	-	:=:	12.5MM	175	Single



[9] HEAVY DUTY SS 304 50MM PU CASTOR WHEELS



Stainless steel 304 Die Pressed in Swivel Fix & Break Type, Break Mode is Double With Wheel Lock and Upper Plate also Lock

-	-	-	+ +		mm	-	-	mm mm	mm t	kg	-
PRO. CODE	SIZE	TYPE OF FITTING	WHEEL	TOTAL HEIGHT	PLATE SIZE	PILLER DIAMETER	THREAD LENGTH	PLATE HALL SPACING	BOLT HALL DIAMETER	LOAD CAPACITY	BEARING
U-81	50X25MM	SWIVEL PLATE	25MM	71MM	70x51MM		-	52X35MM	10MM	100	Single
U-82	50X25MM	SWIVEL PLATE WITH BREAK	25MM	71MM	70x51MM	:#1	7.	52X35MM	10MM	100	Single
U-83	50X25MM	3″8 THREAD	25MM	71MM	-	*	20MM	i - -	*	100	Single
U-84	50X25MM	3"8 THREAD WITH BREAK	25MM	71MM	-	*	20MM	·*:	-	100	Single

[10] HEAVY DUTY STAINLESS STEEL 304 FABRICATED PU TROLLEY WHEELS



Stainless steel ss 304 with fabricated type this model contain with double bearing and body design arc welding and axle of wheel contain self locking nut



-	-	_			e e e	-	:: -	mm	# # # # # # # # # # # # # # # # # # #	kg	-
PRO. CODE	SIZE	TYPE OF FITTING	WHEEL	TOTAL HEIGHT	PLATE SIZE	PILLER DIAMETER	THREAD LENGTH	PLATE HALL SPACING	BOLT HALL DIAMETER	LOAD CAPACITY	BEARING
U-166	50X25MM	SWIVEL PLATE	25MM	71MM	70X51MM	<u></u>	5	52X35MM	唇	100	Single
U-167	50X25MM	SWIVEL PLATE WITH BREAK	25MM	71MM	70X51MM	8	-5	52X35MM		100	Single
U-168	75X32MM	SWIVEL PLATE	32MM	105MM	75X75MM	(=)	æ	55X55MM	10MM	150	Single
U-169	75X32MM	FIX	32MM	105MM	75X75MM		2	55X55MM	10MM	150	Single
U-170	75X32MM	SWIVEL PLATE WITH BREAK	32MM	105MM	75X75MM	1 - 1	-	55X55MM	10MM	150	Single
U-171	100X32MM	SWIVEL PLATE	32MM	125MM	75X75MM	(4)	2	55X55MM	10MM	175	Single
U-172	100X32MM	FIX	32MM	125MM	75X75MM		-	55X55MM	10MM	175	Single
U-173	100X32MM	SWIVEL PLATE WITH BREAK	32MM	125MM	75X75MM	120	2	55X55MM	10MM	175	Single
U-174	100X38MM	SWIVEL PLATE	38MM	135MM	100X80MM	类	ā.	80X60MM	10MM	200	Single
U-175	100X38MM	FIX	38MM	135MM	100X80MM	*	-	80X60MM	10MM	200	Single
U-176	100X38MM	SWIVEL PLATE WITH BREAK	38MM	135MM	100X80MM	;#:	77	80X60MM	10MM	200	Single
U-177	100X50MM	SWIVEL PLATE	50MM	135MM	100X100MM	*	+	75X75MM	10MM	250	Double
U-178	100X50MM	FIX	50MM	135MM	100X100MM		4	75X75MM	10MM	250	Double
U-179	100X50MM	SWIVEL PLATE WITH BREAK	50MM	135MM	100X100MM	-	2	75X75MM	10MM	250	Double
U-180	125X50MM	SWIVEL PLATE	50MM	155MM	125X100MM			100X75MM	12MM	275	Double
U-181	150X50MM	SWIVEL PLATE	50MM	185MM	125X100MM			100X75MM	12MM	275	Double
U-182	150X50MM	FIX	50MM	185MM	125X100MM	ात्ती :		100X75MM	12MM	275	Double
U-183	150X50MM	SWIVEL PLATE WITH BREAK	50MM	185MM	125X100MM	<u></u>	-	100X75MM	12MM	275	Double
U-184	200X50MM	SWIVEL PLATE	50MM	245MM	125X125MM	; 1	-	100X100MM	12MM	325	Double
U-185	200X50MM	FIX	50MM	245MM	125X125MM		1	100X100MM	12MM	325	Double
U-186	200X50MM	SWIVEL PLATE WITH BREAK	50MM	245MM	125X125MM	(#)	-	100X100MM	12MM	325	Double



[11] HAND PALLET TRUCK WHEELS & SPARE PARTS



Our hand pallet truck wheels are buit long life with their durable high quality and scrath resistant finish materials, and these wheels made easy to use any Industrial Surface area and useful material handling equipment industry

No	SIZE	TYPES OF MATERIALS	TYPES OF DESIGN	BORE	BEARING
1.	2"X1"	PPCP	S TYPE	25MM	6204
2.	4"x2"	PPCP	I TYPE	25MM	6204
3.	4"X2"	PPCP	BLOCK TYPE	25MM	6204
4.	6"X2"	PPCP	I TYPE	25MM	6204
5.	6"X2"	PPCP	BLOCK TYPE	25MM	6204
6.	6"X2"	NYLON	I TYPE	25MM	6204
7.	7"X2"	PPCP	I TYPE	25MM	6204
8.	7"X2"	PPCP	FAN TYPE	25MM	6204
9.	7"X2"	NYLON	FAN TYPE	25MM	6204
10.	8"X2"	PPCP	I TYPE	25MM	6204
11.	8"X2"	PPCP	BLOCK TYPE	25MM	6204
12.	8"X2"	PPCP	FAN TYPE	25MM	6204
13.	8"X2"	NYLON	FAN TYPE	25MM	6204
14.	70X80MM	PPCP	ROUND TYPE		6204
15.	70X80MM	PPCP	TAPPER ROLLER	-	6204
16.	70X80MM	NYLON	TAPPER ROLLER	-	6204
17.	90X80MM	PPCP	ROUND TYPE	25	6204
18.	90X80MM	NYLON	ROUND TYPE		6204
19.	100X80MM	PPCP	ROUND TYPE	-	6204
20.	100X80MM	NYLON	ROUND TYPE	-	6204
21.	60X70MM	NYLON	ROUND TYPE	-	6204
22.	70X80MM	CAST PU	ROUND FLAT ROLLERTYPE		6204
23.	100X80MM	CAST PU	ROUND FLAT ROLLER TYPE	-	6204
24.	100X50MM	CAST PU	I TYPE	15.	6204
25.	150X50MM	CAST PU	I TYPE	-	6204
26.	175X50MM	CAST PU	I TYPE	14	6204
27.	200X50MM	CAST PU	I TYPE	<u> </u>	6204
28.	FORK BRACKET	CASING	+		*
29.	BRACKET GLAND	CASTING	#	(#)	4:
30.	OL SEAL KIT	-	•	31.5MM,32MM,35MM	-



About Company

We Are One Of The Leading Manufacturers Of Wide Variety Of Wheels And Castors Since 2006.in Ahmedabad, The Factory Has All The Facilities To Conceive, Design & Manufacture A Wide Range Of Wheels & Castors To Suit Almost Every Application Of Industrials. Our Ustar Brand Castor Wheels As A One Of The Most-trusted Caster Brands In The World Today.

Our Company Responsibility To Offer Excellent Products To Our Customers Requirements As Per Markets At Reasonable Prices & Within Shortest Delivery Period, Our Every Finished Wheels And Castors Is Individually Inspected Before It Is Allowed Out Of The Factory Dispatching, we Are Driven By Continuous Improvement And Always Believe That We Can Be Better In Our All Products Improvement, We Have Earned A Global Reputation For Committed And Long-term Client And Partner Relationships, And For Diverse Product Solutions On Their Behalf. From The Knowledgeable And Cost-effective Sourcing Of Materials And Technologies, To The Careful And Consistent Attention To Individual Customer Operations And Realities Of Its.

We Are Engaged In Manufacturing And Exporting Of Castor Wheel Such As Light Duty Castors, stainless Steel Castor Wheel, Industrial Castor Wheel, Casters, Heavy Duty

Fabricated Ss 304 Castor Wheels, hand Pallet Trolley Wheels, cast Pu Trolley Wheels

Our Industrial Polyurethane Wheels Is Hard Wearing, Non-marking, Wheel Long Lasting With High Load Carrying Capabilities And Can Be Used On All Floor Surfaces

Our Trolley Wheels Most Useful In Following Industril Markets

Industrial Trolley Field
Hospital Industry
Pharma Industry
Chemical Industry
Material Handling Equipments
Laboratory Equipments
Textile Industry
Food Processing Industry
Engineering Industry
Electronic Equipments
Hotel Industry

Automobile Industry

And Our Company Shree Umiya Engineering 95% Of Our Orders Are Repeat Orders From Our Satisfied Customers. Because Of All The Above Mentioned Points Once Customer Starts Using "ustar" Brand Products Castor Wheels And Trolley Wheels He Never Switches In Mind To Any Other Brand.

your complete satisfaction is our goal. We ship our orders quickly and back them up with personal service...

Thank you for shopping ustar castor wheel.

Mfg. By:

SHREE UMIYA ENGINEERING

72, Arihant Estate, Girnar Scooter Compound, Near Vepari Mahamandal, S.P. Ring Road, Odhav, Ahmedabad - 382415, INDIA

Phone : 079-2290 2272, Mob.: 09879729501, 09898726282

E-mail: ustarindia@gmail.com
Website: www.ustarcastorwheel.com

www.indiamart.com/shreeumiya/engg