


Modular Aluminium Profiles Catalog

15 Series






	Sec No: 580 Size: 15x15 Type: T Slot Wt: 0.389 kg/mtr Length: 3 & 6 Mtr Center Dia: 4mm Slot Width: 6mm
	Sec No: 509 Size: 15x30 Type: T Slot Wt: 0.726 kg/mtr Length: 3 & 6 Mtr Center Dia: N/A Slot Width: 6.4mm
	Sec No: 563 Size: 15x30 with hole Type: T Slot Wt: 0.7 kg/mtr Length: 3 & 6 Mtr Center Dia: 5.2 mm Slot Width: 6.4 mm
	Sec No: 529 Size: 15x90 Type: T Slot Wt: 2 kg/mtr Length: 3 & 6 Mtr Center Dia: N/A Slot Width: 6.4mm




Modular Aluminium Profiles Catalog

20 Series

	Sec No: 300 Size: 20x20 Type: T Slot Wt: 0.459 kg/mtr Length: 3 & 6 Mtr Center Dia: 4.2mm Slot Width: 6mm
	Sec No: 460 Size: 20x20 Type: V Slot Wt: 0.489 kg/mtr Length: 4.57, 3 & 6 Mtr Center Dia: 4.2mm Slot Width: 6.2mm
	Sec No: 438 Size: 20x20 Type: Corner Radius Wt: 0.417 kg/mtr Length: 4.57, 3 & 6 Mtr Center Dia: 5.5mm Slot Width: 6mm
	Sec No: 360 Size: 20x40 Type: T Slot Wt: 0.758 kg/mtr Length: 3 & 6 Mtr Center Dia: 4.2mm Slot Width: 7mm
	Sec No: 504 Size: 20x40 Type: V Slot Wt: 0.793 kg/mtr Length: 3 & 6 Mtr Center Dia: 4.2mm Slot Width: 7.7mm
	Sec No: 419 Size: 20x60 Type: T Slot Wt: 1.168 kg/mtr Length: 3 & 6 Mtr Center Dia: 4.3mm Slot Width: 7.07mm

Modular Aluminium Profiles Catalog





20 Series

	Sec No: 500 Size: 20x60 Type: V Slot Wt: 1.040 kg/mtr Length: 3 & 6 Mtr Center Dia: 4.2mm Slot Width: 7.78mm
	Sec No: 403 Size: 20x80 Type: T Slot Wt: 1.748 kg/mtr Length: 3 & 6 Mtr Center Dia: 4.2mm Slot Width: 6mm
	Sec No: 602 Size: 40x80 V Slot Type: C Beam Wt: 2.174 kg/mtr Length: 3 & 6 Mtr Center Dia: 4.6 mm Slot Width: 6.78mm

Modular Aluminium Profiles Catalog

30 Series







	Sec No: 212 Size: 30x30 Medium Type: T Slot Wt: 0.824 kg/mtr Length: 3 & 6 Mtr Center Dia: 7 mm Slot Width: 8.4
	Sec No: 212M Size: 30x30 Heavy Type: T Slot Wt: 0.923 kg/mtr Length: 3 & 6 Mtr Center Dia: 5.1mm Slot Width: 8.4mm
	Sec No: 436 Size: 30x30 Type: Corner Radius Wt: 0.706 kg/mtr Length: 3 & 6 Mtr Center Dia: 7mm Slot Width: 8.4mm
	Sec No: 351 Size: 30x60 Type: T Slot Wt: 1.454 kg/mtr Length: 3 & 6 Mtr Center Dia: 7.8mm Slot Width: 8.33mm
	Sec No: 456 Size: 30x90 Type: T Slot Wt: 2.072 kg/mtr Length: 3 & 6 Mtr Center Dia: 7mm Slot Width: 8.5mm
	Sec No: 589 Size: 30x120 Type: T Slot Wt: 2.785 kg/mtr Length: 3 & 6 Mtr Center Dia: 7mm Slot Width: 8.2mm

Modular Aluminium Profiles Catalog

40 Series









	Sec No: 291 Size: 40x40 Medium Type: T Slot Wt: 1.4 kg/mtr Length: 3 & 6 Mtr Center Dia: 8.7mm Slot Width: 10.2mm
	Sec No: 291A Size: 40x40 Light Type: T Slot Wt: 1.2 kg/mtr Length: 3 & 6 Mtr Center Dia: 10mm Slot Width: 10.2 mm
	Sec No: 291B Size: 40x40 Light Type: T Slot Wt: 1.2 kg/mtr Length: 3 & 6 Mtr Center Dia: 8.6mm Slot Width: 10.2 mm
	Sec No: 447 Size: 40x40 Heavy Type: T Slot Wt: 1.64 kg/mtr Length: 3 & 6 Mtr Center Dia: 10mm Slot Width: 9.7mm
	Sec No: 457 Size: 40x40 Type: Corner Radius Wt: 1.15 kg/mtr Length: 3 & 6 Mtr Center Dia: 8.6mm Slot Width: 10.2 mm
	Sec No: 514 Size: 40x40 Type: 2 Slot (2 Side Open) Wt: 1.374 kg/mtr Length: 3 & 6 Mtr Center Dia: 9.5mm Slot Width: 10.2mm

Modular Aluminium Profiles Catalog

40 Series









	Sec No: 595 Size: 40x40 Type: V Slot Wt: 1.341 kg/mtr Length: 3 & 6 Mtr Center Dia: 8.6mm Slot Width: 10.2mm
	Sec No: 364 Size: 40x80 Light Type: T Slot Wt: 2 kg/mtr Length: 3 & 6 Mtr Center Dia: 8.6mm Slot Width: 10.2mm
	Sec No: 443 Size: 40x80 Medium Type: T Slot Wt: 2.480 kg/mtr Length: 3 & 6 Mtr Center Dia: 10mm Slot Width: 10.25
	Sec No: 474 Size: 40x80 Heavy Type: T Slot Wt: 3.66 kg/mtr Length: 4.6 Mtr Center Dia: 12mm Slot Width: 10.2mm
	Sec No: 412 Size: 40x120 Type: T Slot Wt: 3.405 kg/mtr Length: 3 & 6 Mtr Center Dia: 8.6mm Slot Width: 10.2mm
	Sec No: 618 Size: 40x160 Type: T Slot Wt: 4.904 kg/mtr Length: 3 & 6 Mtr Center Dia: 9.5mm Slot Width: 10.2mm

Modular Aluminium Profiles Catalog


45 Series



	Sec No: 90 Size: 45x45 Medium Type: T Slot Wt: 1.47 kg/mtr Length: 3 & 6 Mtr Center Dia: 10mm Slot Width: 10.2mm
	Sec No: 499 Size: 45x45 Heavy Type: T Slot Wt: 2.2 kg/mtr Length: 3 & 6 Mtr Center Dia: 10mm Slot Width: 10.2mm
	Sec No: 428 Size: 45x45 Corner Type: Corner Radius Wt: 1.4 kg/mtr Length: 3 & 6 Mtr Center Dia: 10.11mm Slot Width: 10.2mm
	Sec No: 495 Size: 45x45 HR Type: Half Round Wt: 1.87 kg/mtr Length: 4.57, 3 & 6 Mtr Center Dia: 10mm Slot Width: 10mm
	Sec No: 477 Size: 45x60 Type: T Slot Wt: 3 kg/mtr Length: 3 & 6 Mtr Center Dia: 10mm Slot Width: 10.5mm
	Sec No: 350 Size: 45x90 Medium Type: T Slot Wt: 2.47 kg/mtr Length: 3 & 6 Mtr Center Dia: 10.4mm Slot Width: 10mm

Modular Aluminium Profiles Catalog


45 Series

	Sec No: 490 Size: 45x90 Heavy Type: T Slot Wt: 4.06 kg/mtr Length: 3 & 6 Mtr Center Dia: 10.39 mm Slot Width: 10.2mm
---	---



Modular Aluminium Profiles Catalog

50 Series




Sec No: 440
Size: 50x50
Type: T Slot
Wt: 2.637 kg/mtr
Length: 3 & 6 Mtr
Center Dia: 10mm
Slot Width: 10.2mm



Modular Aluminium Profiles Catalog





60x60 Series

	Sec No: 374 Size: 60x60 Light Type: T Slot Wt: 2.5 kg/mtr Length: 3 & 6 Mtr Hole Dia: 6.8 Slot Width: 10mm
	Sec No: 437 Size: 60x60 Medium Type: T Slot Wt: 2.74 kg/mtr Length: 3 & 6 Mtr Center Dia: 10mm Slot Width: 10.2mm
	Sec No: 478 Size: 60x60 Heavy Type: T Slot Wt: 4.15 kg/mtr Length: 3 & 6 Mtr Center Dia: 10mm Slot Width: 10mm



Modular Aluminium Profiles Catalog


80 Series

	Sec No: 475L Size: 80x80 Light Type: T Slot Wt: 3.958 kg/mtr Length: 3 & 6 Mtr Hole Dia: 9.5mm Slot Width: 10.2mm
	Sec No: 475 Size: 80x80 Medium Type: T Slot Wt: 4.45 kg/mtr Length: 3 & 6 Mtr Hole Dia: 10.2mm Slot Width: 10.7mm
	Sec No: 493 Size: 80x80 Heavy Type: T Slot Wt: 5.55kg/mtr Length: 4.57 Mtr / 3 & 6 Hole Dia: 6.7mm Slot Width: 8.2mm
	Sec No: 481 Size: 80x120 Type: T Slot Wt: 6.9 kg/mtr Length: 5 Mtr Hole Dia: 10mm Slot Width: 10mm




Modular Aluminium Profiles Catalog

80 Series




Sec No: 496
Size: 80x160
Type: T Slot
Wt: 10 kg/mtr
Length: 3 & 6 Mtr
Hole Dia: 10.10 mm
Slot Width: 10.10 mm



Modular Aluminium Profiles Catalog

90 Series




Sec No: 312
Size: 90x90
Type: T Slot
Wt: 6.73 kg/mtr
Length: 4.57 Mtr
Center Dia: 10.67 mm
Slot Width: 10.31 mm



Modular Aluminium Profiles Catalog

T Slot Aluminium Profile For CNC Router Bed

	Sec No: 594 Size: 125x25mm Type: T Slot Wt: 2.031 kg/mtr Length: 3 Mtr Thickness: 3mm Slot Width: 10mm
	Sec No: 604 Size: 100x18mm Type: T Slot Wt: 1.448 kg/mtr Length: 3 Mtr Thickness: 1.5mm Slot Width: 10mm

Modular Aluminium Profiles Accessories Catalog

External Brackets





	
Material: Aluminium Alloy	Material: Aluminium Alloy
Colour: Silver	Colour: Silver
Available Sizes:	Available Sizes:
20x20	30x60
30x30	40x80
40x40	45x90
45x45	
60x60	
80x80	
90x90	



Modular Aluminium Profiles Accessories Catalog

T Nuts

Hammer Type T Nut 	Flat Nut / Sliding Nut 
Material: Carbon Steel	Material: Carbon Steel / MS
Coating: Nickel Plated	Coating: Zinc Plated
For 20x20 Profile (6mm Slot)	For 20x20 Profile (6mm Slot)
M4 & M5	M4 & M5
For 30x30 Profile (8mm Slot)	For 30x30 Profile (8mm Slot)
M4, M5 & M6	M4, M5 & M6
For 45x45 Profile (10 mm Slot)	For 45x45 Profile (10 mm Slot)
M4, M5, M6 & M8	M4, M5, M6 & M8

Spring Leaf Nut 	Ball Nut / Elastic Nut 
Material: Carbon Steel	Material: Carbon Steel
Coating: Zinc Plated	Coating: Nickel Plated
For 30x30 Profile (8mm Slot)	For 20x20 Profile (6mm Slot)
M6 & M8	M5
For 45x45 Profile (10 mm Slot)	For 30x30 Profile (8mm Slot)
M6 & M8	M6
	For 45x45 Profile (10 mm Slot)
	M8



Modular Aluminium Profiles Accessories Catalog

SS Button Head Screws

Type 1 SS Button Head Screws 	Type 2 HT Button Head Screw 
Material: SS 304	Material: HT
Available Sizes:	Available Sizes:
M4x8	M10x30
M5x10	M12x30
M6x12	
M6x15	
M8x15	
M8x20	
M8x25	



Modular Aluminium Profiles Accessories Catalog

T Bolt



Material: Carbon Steel

Coating: Nickel Plated

Available Sizes:

M6x12 for 8mm Slot (for 30x30 Profile)

M8x20 for 10mm Slot (for 40x40 Profile)

M8x25 for 10mm Slot (for 40x40 Profile)



Modular Aluminium Profiles Accessories Catalog

Internal Brackets With Grub Screws



Internal Bracket

Material: Carbon Steel

Coating: Zinc Plated

Grub Screw

Material: SS


Available Sizes:

20x20 for 6mm Slot (M5x6)

30x30 for 8mm Slot (M6x8)


40x40 for 10mm Slot (M8x10)

45x45 for 10mm Slot (M8x10)



Modular Aluminium Profiles Accessories Catalog


End Caps

	
Material: Poly Propylene	Material: Poly Propylene
Colour: Black	Colour: Black
Available Sizes:	Available Sizes:
20x20	20x40
30x30	20x60
40x40	20x80
45x45	30x60
50x50	30x90
60x60	40x80
80x80	40x120
90x90	45x90



Modular Aluminium Profiles Accessories Catalog

Slot Cover / Beading



Material: PVC

Colours: Black, Red, Yellow, Blue & Grey

Available Sizes:

20x20 (6mm Slot)

30x30 (8mm Slot)

40x40 / 45x45 (10mm Slot)



Modular Aluminium Profiles Accessories Catalog


Adjustable Leveling Foot

Base	Base
Material: Rubber	Material: MS
Colour: Black	Coating: Zinc Plated
Spindle	Spindle
Material: MS	Material: MS
Coating: Zinc Plated	Coating: Zinc Plated
Available Sizes:	Available Sizes:
Base 60mm M8x68	Base 40mm M12x75
Base 60mm M10x68	Base 60mm M16x176
Base 60mm M12x68	



Modular Aluminium Profiles Accessories Catalog

Straight Joint



Material: Carbon Steel

Coating: Zink Plated

Available Sizes:

20x20 (6mm Slot) M5x100mm

30x30 (8mm Slot) M6x100mm


40x40 (10mm Slot) M6x100/150 & M8x100/150

45x45 (10mm Slot) M6x100/150 & M8x100/150



Modular Aluminium Profiles Accessories Catalog

Connecting Plates

T Plate	L Plate	Cross Plate or Plus Plate
		
Material: MS	Material: MS	Material: MS
Coating: Zinc Plated	Coating: Zinc Plated	Coating: Zinc Plated
Thickness: 3mm & 5mm	Thickness: 3mm & 5mm	Thickness: 3mm & 5mm
Available Sizes:	Available Sizes:	Available Sizes:
30x30 Profile	30x30 Profile	30x30 Profile
40x40 Profile	40x40 Profile	40x40 Profile



Modular Aluminium Profiles Accessories Catalog

Plastic Hinges



Material: ABS

Available Sizes:

20x20

30x30

30x40


40x40


45x45



Modular Aluminium Profiles Accessories Catalog


3 Way Joints for Corner Profiles

	
Aluminium Joint	
Material: Die Cast Zinc	Colour: Silver
Corner Cap	
Material: ABS	Colour: Black
Insert Thread	
Material: MS / SS	
Screws	
Material: SS / Carbon Steel-Zinc	
Available Sizes:	
For 20 Corner (1 Aluminium Joint, 1 Corner cap & 3 Screws)	
For 30 Corner (1 Aluminium Joint, 1 Corner cap, 3 Insert thread & 3 Screws)	
For 40 Corner (1 Aluminium Joint, 1 Corner cap, 3 Insert thread & 3 Screws)	



Modular Aluminium Profiles Accessories Catalog

Bracket Cover



Material: Poly Propylene



Colour: Black

Available Sizes:

45x45

Modular Aluminium Profiles Accessories Catalog

Floor Mounting Brackets



Material: MS

Coating: Black Powder Coated

Available Sizes:

60x60

80x80

90x90

Modular Aluminium Profiles Accessories Catalog

Caster Wheels

Foot Master Caster Wheels




Size	Wheel Dia	Size of Plate	Plate Hole Centers	Plate Hole	Load Capacity-For 4 Wheels
40 F	42mm	55x55 mm	42x42 mm	6.5mm	100 Kg
60 F	50mm	73x73mm	58x58mm	7 or 8.5mm	500 kg
80 F	63mm	90x90mm	70x70mm	9mm	1000 kg
100 F	75mm	95x95mm	70x70mm	11mm	1500 kg
150 F	96mm	100x100mm	70x70mm	13mm	3000 kg


Modular Aluminium Profiles Accessories Catalog

Caster Wheels

Single ball Bearing PP Wheel Caster Wheels



With Plate



With Screw




Wheel Dia	Plate Size	Load Capacity / Nos	Wheel Dia	Thread Size	Load Capacity- Single Wheel
75mm (3")	91x63 mm	70	75mm (3")	M12x25	70
100mm (4")	91x63 mm	80	100mm (4")	M12x25	80
125mm (5")	91x63 mm	90	125mm (5")	M12x25	90


Modular Aluminium Profiles Accessories Catalog

Caster Wheels

Plain bore Bearing PU Wheel Caster Wheels



With Plate			With Screw		
					
Wheel Dia	Plate Size	Load Capacity / Nos	Wheel Dia	Thread Size	Load Capacity- Single Wheel
50mm (2")	59x47	22	50mm (2")	M8x20	22
63mm (2.5")	70x58	30	63mm (2.5")	M12x25	30
75mm (3")	70x58	40	75mm (3")	M12x25	40



Modular Aluminium Profiles Accessories Catalog

Anchor Connectors / Quick Connector



Material: Carbon Steel	Material: Carbon Steel
Coating: Zinc Plated	Coating: Zinc Plated
Available Sizes:	Available Sizes:
40x40	40x40
45x45	45x45



Modular Signage's

Aluminium Flat Profile



Standard Length: 6 Feet
Finish: Anodized Silver Matt

Available Sizes:

- 31 mm
- 45 mm
- 62 mm
- 93 mm
- 124 mm
- 155 mm

Aluminium Curved Profile



Standard Length: 6 Feet
Finish: Anodized Silver Matt

Available Sizes:

- 40 mm
- 52 mm
- 60 mm
- 80 mm
- 100 mm
- 120 mm
- 150 mm
- 225 mm
- 300 mm






Modular Signage's

Aluminium Flat Plain Profile	Standard Length: 6 Feet Finish: Anodized Silver Matt Available Sizes: • 40 mm • 60 mm • 150 mm
	
Aluminium Both Side Flat Signage Profile	Standard Length: 6 Feet Finish: Anodized Silver Matt Available Sizes: • 100 mm • 150 mm
	
Aluminium Both Side Curved Profile	Standard Length: 6 Feet Finish: Anodized Silver Matt Available Sizes: • 111.4 mm • 150 mm • 212 mm
	

SHRIRAM Smrithi						
G	Level	A-001	Sanjay Agarwal	Level	A-201	Ganesh Ramachandran
		A-002	Raghavendra R.		A-202	H. Anantha Bhat
		A-003	H. Anantha Bhat		A-203	Toji Mammen George
		A-004	Radhae Raghavan		A-204	Jayakumar
1	Level	A-101	Sriram T.E	Level	A-301	Ramachandran Raju
		A-102	Subramanian N		A-302	Jayesh Choubey
		A-103	Rajkumar Bagavathi		A-303	R. Anantha Raman
		A-104	Prathvish B Shetty		A-304	Rahul .R. Kamath


Modular Signage's

Aluminium Side Track Profile 	Standard Length: 6 Feet Finish: Anodized Silver Matt
Aluminium Divider Track Profile 	Standard Length: 6 Feet Finish: Anodized Silver Matt
Aluminium Exit Sign Profile 	Standard Length: 6 Feet Finish: Anodized Silver Matt



Modular Signage's

Aluminium Wall Mounting Bracket for 100mm & 150mm Both Side Flat Perpendicular



Standard Length: 6 Feet
Finish: Anodized Silver Matt

Sec No. 576, 60mm Desktop Signage



Standard Length: 6 Feet
Finish: Anodized Silver Matt

Sec No.564, HR Aluminium Phylon Profile



Standard Length: 12 Feet
Finish: Anodized Silver Matt

Modular Signage's

Aluminium Clip On Frames

Length: 6 Feet

Finish: Anodized Silver Matt



Lollipop Signage



LED Crystal Display

Sizes: A1, A2, A3 & A4





Color: Silver






Modular Signage's



Aluminium Fabric Frame Box Sections

	Sec No.393 Type: Single Side Fabric Frame Profile Size: 40mm Wt: 0.59 kg/mtr Length: 2.25 Mtrs
	Sec No. 395 Type: Single Side Fabric Frame Profile Size: 80mm Wt: 1.36 kg/mtr Length: 2.8 Mtrs
	Sec No. 392 Type: Single & Double Side Fabric Frame Size: 60mm Wt: 0.45 Kg/mtr Length:3.66 Mtrs
	Sec No. T050 Type: Single & Double Side Fabric Frame Size: 180mm Wt: 3.26 kg/mtr Length: 2.8 Mtrs
	Sec No. 404 Type: L Angle Bracket for 40mm, 80mm & 180mm Fabric Frame Size: 60x60 Wt: 2.35 kg/mtr Length: 1.5 Mtrs

Modular Signage's

Aluminium Acrylic Frame Box Sections



	Sec No. 538 Type: Single Side Acrylic Frame Profile Size: 9.4x25.4mm Wt: 0.157 kg/mtr Length: 2.5 Mtrs
	Sec No. 524 Type: Double Side Acrylic Frame Box Section Size: 50x18.7mm Wt: 0.51 kg/mtr Length: 3.66 Mtrs
	Sec No. 539 Type: Double Side Acrylic Frame Box Section Size: 17.8x25mm Wt: 0.254 kg/mtr Length: 2.5 Mtrs

Exhibition Catalog

Pagoda Tents



ALUMINIUM PAGODA TENT

Pillar height : 8feet, Peak height:

Outdoor Events are in trend currently. Pagoda tents give a posh attractive décor to the events. Pagoda tents are lightweight, free standing tents with no centre poles. This feature makes it simple for storage at point of use & also at ware house. Pagoda tents are stable to use and can be erected on any surface which spans over a wide area. Pagoda tents use high quality PVC cover. Installation is less laborious and consumes less time. Usage in any season for events is the unique selling proposition of Pagoda tents

Sizes:

10x10 Feet, 15x15 Feet & 20x20 Feet



Exhibition Catalog

German Tents



GERMAN TENT

German Tents are designed for ease of handling, storage, transportation & installation. Event tent, warehouse tent, garden tent, industrial tent, exhibition tent, commercial tent are some of the few applications of German tents.

Standard: Available in span of 20, 30, 40, 60, 80, Feet
Extension as desired.



Exhibition Catalog

Octornam Stall



2x2 Mtr Octornam Stall

Octornam Parts

- 3mm Panel (1 Mtrx8 Feet)
- 40mm Pillar 8 Ft
- 50mm Channel 1 Mtr
- 50mm Channel 2 Mtr
- Locks
- Facia



2x3 Mtr Octornam Stall

Octornam Parts

- 3mm Panel (1 Mtrx8 Feet)
- 40mm Pillar 8 Ft
- 50mm Channel 1 Mtr
- 50mm Channel 3 Mtr
- Locks
- Facia



3x3 Mtr Octornam Stall

Octornam Parts

- 3mm Panel (1 Mtrx8 Feet)
- 40mm Pillar 8 Ft
- 50mm Channel 1 Mtr
- 50mm Channel 3 Mtr
- Locks
- Facia

Exhibition Catalog

Octornam Stall

Octornam Table

Size: 44 x 24 inches x 20mm Table Top Laminated. **Stand Size:** 950x455x740 mm.



Octornam Door

Parts

- 3mm Panel
- 40mm Pillar
- 50mm Channel
- Locks


Exhibition Catalog

Maxima Stall

	Maxima Stall Maxima Parts 3mm Panel (1 Mtrx8 Feet) 80x80 Maxima Pillar 80x80 Maxima Channel Maxima Lock set Sizes: 2x2 Mtr, 3x3 Mtr, 6x6 Mtr & Customization
---	---

	
---	--


Exhibition Profiles & Accessories

	Aluminium Octonam Channel Size: 50 mm Section No: 121 Finish: Powder Coated half white
	Aluminium Octonam Pillar Size: 40 mm Section No: 241 Finish: Powder Coated half white
	Aluminium 4 Groove Maxima Section Size: 80x80 mm Sec No. 237 Finish: Mill Finish, Powder coated & Anodized
	Aluminium 8 Groove Maxima Section Size: 80x80 mm Sec No. 236 Finish: Mill Finish, Powder coated & Anodized
	Hylam Sheet Size: 8x4 Feet Thickness: 3 mm

Exhibition Profiles & Accessories


	Aluminium Maxima Section Size: 40x40 mm Sec No. 164 Finish: Mill Finish, Powder coated & Anodized
	Aluminium Table Corner D Section Size: 32x32 mm Sec No: 326 Finished: Finish: Powder Coated half white
	Plastic Lock
	High quality Tension Lock Steel-3hook
	High quality High Rise Tension Lock Steel-3hook
	45 Degree tension lock Left & Right

Exhibition Profiles & Accessories



	Lock Set for 80x80 maxima
	Raiser for 80x80 maxima
	Showcase T Nut
	Leveler Base for Octornam Pillar
	Spot Light



Solar Mounting Profiles & Accessories Catalog





	Aluminium Strut Profile Sec No: 445 Size: 41.3 x 41.3 x 2.4mm Length: 12 Feet Wt: 0.905 Kg/Mtr Finish: Anodized Silver Matt
	Aluminium Solar Section Sec No: 408 Size: 32.46 x 50 x 2 mm Length: 12 Feet Wt: 1.01 Kg/Mtr Finish: Anodized Silver Matt
	Spring Nut Dia: M8 & M6 Material: MS Zink Plated

Solar Mounting Profiles & Accessories Catalog

	Hammer Head T Bolt & T Nut M8 Hammer Nut: Carbon Steel Nickel Plated M8x25 T Bolt : Carbon Steel Nickel Plated
	Solar Mounting Mid Clamp Anodized Silver Matt Length 50mm
	Solar Mounting End Clamp Anodized Silver Matt Length 50mm



Modular Aluminium Kitchen Profiles Catalog

	Aluminium G Handle Hollow Sec No. 402 Finish: Anodized Silver Matt Length: 10 Feet
	Aluminium G Handle Solid Finish: Anodized Silver Matt Length: 10 Feet
	Aluminium Blum Handle Sec No. 383 Finish: Anodized Silver Matt Length: 12 Feet
	Aluminium Shutter Profile Sec No. 546 Finish: Anodized Silver Matt Length: 12 Feet
	Aluminium Shutter Profile Sec No. 566 Finish: Anodized Silver Matt Length: 12 Feet



Modular Aluminium Wardrobe Profiles Catalog



Aluminium Wardrobe Section Top & Bottom

Finish: Anodized Silver Matt

Length: 8 Feet / 12 Feet



Aluminium Skirting Profiles





	Sec No: 577 Size: 75mm Thickness: 1.2mm Wt: 0.330 kg/mtr
	Sec No: 607 Size: 100mm Thickness: 1.2mm Wt: 0.409 kg/mtr



Aluminium Interlocking Profile

	Sec No: 596 Type: Fish Mouth Glass Section Wt: 2.649 Kg/Mtr Length: 12 Feet Slot Width: 15mm
	Sec No: 599 Type: Fish Mouth Glass Section Wt: 1 Kg/Mtr Length: 12 Feet Slot Width: 15mm
	Sec No: 578 & 579 Type: Glass Sections Wt: 1.16 Kg/Mtr (L & R) Length: 12 Feet Slot Width: 15.8mm

Aluminium Flat Bars






Sl. NO	A	B	WT/MTR
1	20	6	0.314
2	20	10	0.533
3	25	3	0.191
4	25	10	0.683
5	25	6	0.410
6	30	6	0.478
7	30	10	0.792
8	30	12	0.970
9	40	6	0.642
10	40	10	1.079
11	40	12	1.284
12	40	3	0.328
13	50	3	0.410
14	32	10	0.861
15	50	6	0.806
16	50	10	1.339
17	50	12	1.612
18	60	6	0.970
19	60	10	1.612
20	60	12	1.940
21	63	10	1.694
22	63	12	2.049
23	75	6	1.189
24	75	10	2.022
25	75	12	2.404
26	80	6	1.284
27	80	10	2.158
28	90	4	0.915
29	100	6	1.612
30	100	10	2.705
31	100	12	3.224
32	100	20	5.383
33	125	10	3.374

Sl. NO	A	B	WT/MTR
34	125	12	4.044
35	150	6	2.432
36	150	10	4.044
37	150	12	4.863
38	160	10	4.317
39	152.4	12.5	5.137



Aluminium Heat Sink

	Sec No: 597 Type: Heat Sink Size: 66.5x40mm Wt: 3.195 kg/mtr Length: 12 Feet Finish: Anodized Silver Matt
	Sec No: 598 Type: Heat Sink Size: 132.5x32.5 Wt: 4.06 kg/mtr Length: 12 Feet Finish: Anodized Silver Matt
	Sec No: 621 Type: Heat Sink Size: 105x44mm Wt: 3.872 kg/mtr Length: 12 Feet Finish: Anodized Silver Matt