


Infinite Possibilities

Backed by Manufacturing Excellence



Polypropylene Multifilament Yarn
Webbings & Narrow Woven Fabrics
Industrial Threads & Bag Closing Threads
Knit Braided Ropes

Consistent Quality

Controlled Manufacturing

Long-Term Reliability

Established 1988 | ISO 9001:2015 | ZED Certified

ABOUT US

Established in 1988, Bonus Plastics Pvt. Ltd. is a trusted manufacturer of high-tenacity polypropylene based industrial products. With over three decades of continuous manufacturing experience, we have built stable processes, repeatable specifications, and deep application knowledge across packaging, industrial, automotive, and consumer segments.

Our focus remains on process control, consistency, and long-term supply reliability, making us a dependable partner for industrial buyers worldwide.



WHY CHOOSE US

Consistent Quality & Process Control

In-house quality checks at every stage ensure uniform performance, batch-to-batch consistency and compliance with customer specifications.

Custom-Engineered Solutions

We offer flexibility in denier, construction, strength, color, and packaging to meet specific application and market requirements.

Modern Infrastructure & Skilled Workforce

Equipped with advanced machinery and operated by trained professionals to ensure efficiency, scalability, and reliability.

Strong Export Capability

Supplying to customers across Europe, the Americas, Africa, and Asia, with experience in international standards, documentation, and logistics.

Ethical & Reliable Business Practices

Long-term customer relationships built on transparency, timely delivery, and dependable after-sales support.



POLYPROPYLENE MULTIFILAMENT YARN

High-Tenacity Yarn for Industrial Applications

Manufactured using 100% virgin polypropylene, our multifilament yarns are engineered for uniform strength, controlled elongation, and reliable downstream processing. Strict process control ensures consistent performance across demanding industrial environments.

KEY FEATURES

- High tensile strength with excellent strength-to-weight ratio
- UV-stabilized and chemically resistant
- Low moisture absorption
- Smooth and stable construction




KEY SPECIFICATIONS

Parameter	Details
Denier Range	400 – 5000 DN
Type	Flat / Twisted / Intermingled
Tenacity	Approx. 6.5 – 7 GPD
Twist	S / Z / Zero
Colors	Natural, Black, Custom
Options	UV Treatment, Colour Matching, Customised Packaging

GEOTEXTILES



FILTER FABRICS



WEBBINGS



ROPES



INDUSTRIAL THREADS




PACKAGING




PVC BRAIDED PIPES



FISHNETS





WEBBINGS

NARROW WOVEN FABRICS

High-Strength, Customisable Narrow Woven Fabrics

Precision-woven narrow fabrics designed for load-bearing and functional applications. Manufactured using high-tenacity yarns with controlled weaving parameters for dimensional stability and long service life.

KEY FEATURES

- High tensile strength
- Excellent abrasion and UV resistance
- Flexible and easy to process
- Custom widths, colours, weaves and finishes

KEY SPECIFICATIONS


Parameter	Details
Material	PP Multifilament, Polyester IDY, Textured Polyester, Nylon
Width	3 mm — 100 mm
Weave	As Required
Options	Flame retardant, UV resistant



INDUSTRIAL THREADS

Stable Stitching Performance for Continuous Operations

Industrial threads engineered for high strength, smooth runability, and controlled twist, ensuring reliable stitching and reduced machine downtime.



PRODUCT RANGE

Polypropylene Threads: 420/2, 420/3, 500/2, 500/3, 600/2, 700/2, 840/2, 840/3, 950/2, 1000/2


Polyester Threads: 500/2, 500/3, 750/2, 1000/2



POLYPROPYLENE BAG CLOSING THREAD


Brand: BONULON

Designed for high-volume industrial bag sealing, offering consistent strength and smooth performance across packaging lines.



KEY SPECIFICATIONS

Parameter	Details
Form	Y-Cones
Lengths	1000 m / 2000 m
UV Stabilisation	Optional
Packaging	Export-ready Cartons



KNIT BRAIDED ROPES

Strong, Flexible Ropes for Industrial & Utility Use

Knit braided polypropylene ropes offering durability, flexibility, and ease of handling, suitable for both industrial and general applications.

KEY SPECIFICATIONS

Parameter	Details
Diameter Range	5 mm — 12 mm
Construction	Knit Braided
Properties	Moisture & Abrasion Resistant
Colours	Standard & Custom



OUR GLOBAL FOOTPRINTS



CERTIFICATIONS

MEMBERSHIPS



Bonus Plastics Pvt Ltd

42, Ashwamegh Industrial Estate,
Behind Gati Courier, Sarkhej-Bavla Highway,
Changodar - 382213, Gujarat, India

Domestic Inquiry

 +91 88668 99292  sales@bonusplastics.net

Exports Inquiry

 +91 90995 08085  karanp@bonusplastics.net

 www.bonusplastics.net



Download Brochure



Website