

中文 Chinese	英文 English
www.trisn.com www.qiansh.com	www.qs-pipe.com www.qiansh.en.alibaba.com



上海前山管道技术有限公司
SHANGHAI QIANSHAN PIPING TECHNOLOGY CO.,LTD.

地址:中国上海市松江区泖港镇新艳路866号 邮编: 201607
Addr.NO866,Xinyan Road,Maogang Town,Songjiang District,
Shanghai City ,P.R.China Post Code:201607



营销热线 Marketing Hotline

☎ : +86-21-57574032 / 57574706
☎ : +86-13611747409 / 13918366253
☎ : +86-21-57574023
✉ : info@qiansh.com / okey@qiansh.com
👤 : 976668880 / 602000111
💬 : QSPT888888(前山管道)

售后热线 After-Sale Service Hotline

☎ : +86-21-57570147-8666
☎ : +86-13621986388 / 13918366253
☎ : +86-21-57574023
✉ : aftersale@qiansh.com
👤 : 736668880
💬 : QSPT888888(前山管道)

QSPT 前山管道

- 标准设计
信息管理
智能装备
- 数字仓储
流水预制
模块施工

非常道
Extremely Professional

CREATORS OF
INTELLIGENT
PIPELINE
PREFABRICATION
EQUIPMENT

上海前山管道技术有限公司
SHANGHAI QIANSHAN PIPING TECHNOLOGY CO.,LTD.





Brand Slogan

品牌口号

前山管道 非常道

Qianshan Piping

Extremely Professional

Contents

目 录

01 3-4
公司简介
Company Profile

03 7-8
解决方案
Solutions

05 11-14
软件系列产品
Software Product Series

07 17-24
切割系列产品
Cutting Product Series

09 25-25
打磨系列产品
Grinding Product Series

11 28-30
焊接系列产品
Welding Product Series

02 5-6
热门产品
Hot Products

04 9-10
荣誉客户
Honor Customers

06 15-16
储存系列产品
Storage Product Series

08 21-16
坡口系列产品
Beveling Product Series

10 26-27
组对系列产品
Fitting-up Product Series

12 31-36
输送系列产品
Conveying Product Series

13 37-42
辅助系列产品
Auxiliary Product Series

15 45-46
一体机系列产品
All-in-one Machine Series

17 48-50
工作站系列产品
Workstation Product Series

19
预制车间系列产品
Pipe Fabrication workshop Series

21
智能系列产品
Intelligent Product Serie

23
解决方案（续）
Solutions(Continuing)

14 43-44
特种系列产品
Special Product Series


16 47-47
预制中心系列产品
Fabrication Centre Series

18 47-47
生产线系列产品
Production line Series

20
现场产品系列
Field Product Series

22
公司简介（续）
Company Profile(Continuing)

24
公司业绩
Company performance



Company Introduction

公司简介

P(33-44) 企业文化 Corporate Cultures

专注专业，只做与管道预制、安装有关的产品
Focused and professional, dedicated to pipe fabrication and installation related products.



产品制造 Manu-facturing

精益求精，采用国际一线品牌、精密加工工艺
Always improving, with the world's first-tier branded materials and precised processing technology

产品调试 Inspecting & Testing

一丝不苟，系统调试、保证质量
Not the least bit negligent, fine-tuning the system to ensure quality.

P(33-44)



团队风采 Our Team

团结进取，有责任感、有使命感、奉献精神
Unity, Pioneer, Responsibility, Mission, Dedication.

P(33-44)



产品研发 Research & Development

创新创造，成为智能化管道预制产品的缔造者
Innovative in creations, becoming the producer of intelligent pipe fabrication products.



P(33-44) 江苏前山管道 Jiangsu QSPT

成立于2007年，位于江苏省淮安市
Since 2007, Locating in Jiangsu huaian



上海前山管道 Shanghai QSPT

P(33-44)
成立于2005年，位于上海市松江区
Since 2005, Locating in Shanghai Songjinang



产品营销 Marketing

顾问营销、定制方案、成就用户
Consultant marketing, customized plans, help clients achieve.

P(33-44)



售后服务 After-Sales Service

P(33-44)

快速高效，急用户所急、想用户所想
Fast and efficient, standing in the customer's shoes.




P(33-44)

公司资质

Qualification Certificate

俱全完备，用实力、用体系作保障，精心履约
Always prepared, securing performance with our strength and system.



Hot Products

热门产品



1 管道工厂预制智能管理系统 Pipe Shop Fabrication Intelligent Management Software

时代的进步提升了对管道工厂预制的智能化需求
The progress of time increases the demand towards intelligent pipe shop fabrications.

P(33-44)




2 分体式管道自动焊机（厚壁型） Split Type Pipe Automatic Welding Machine(Heavy duty Type)

项目规模的大型化造就了对厚壁自动焊机的需求
The scale of projects creates a demand towards heavy duty automatic welding machines.

P(33-44)

3 管道全位置自动焊机（磁吸式） Piping All-position Automatic Welding Machine(Magnetic Type)

轻巧灵便、让焊接变得更简单
Light and flexible, making welding easier.
P(33-44)



6 CNC管道数控端面坡口机 Numerical Control Pipe End Beveling Machine

大口径、大壁厚管子的坡口一刀成型希望成为易事
Making it easy for the cutting of large-diameter and heavy wall thickness pipes beveling in one operation.

P(33-44)

4 固定车间式管道预制生产线 Pipe Fabrication Production Line in Fixed Workshop Type


推动了管道预制的商品化
Pushing the commercialization of pipe fabrications.
P(33-44)



5 差动式管道数控切断坡口机 Differential Pipe Cutting & Beveling Machine

≤25mm管子的切断、坡口一次成型理应成为必然
≤25mm pipe cutting & beveling in one operation becomes inevitable

P(33-44)



Solutions

解决方案



贴合需求为客户提供定制解决方案

Closely fitting the requirements, providing customized solutions to the clients.

P(33-44)

01

管道预制
经典解决方案

Classic Solution
for Pipe Shop Fabrication



经典方案可适应5类性质工程项目

Classic solutions, adapting 5 engineering project categories.

P(33-44)

02

管道预制
定制解决方案

Customized Solution for Pipe
Shop Fabrication

04

管道预制
完整解决方案

Full Solution for Pipe
Shop Fabrication



统盘考量为客户提供全方位的支持

Comprehensive consideration, providing full solutions to the clients.

P(33-44)

05

管道预制
完整解决方案

Full Solution for Pipe
Shop Fabrication



超前理念为客户同步中国制造2025

Advanced concepts, synchronizing the idea of Made in China 2025.

P(33-44)

管道预制解决方案
Solutions for Pipe Shop
Fabrication(PSF)

Honor Customers

荣誉客户

化学类客户

80+

石油类客户

70+

天然气客户

50+

石油类客户

70+

机电类客户

15+

电力类客户

25+

管管接长类客户

60+

船舶类客户

40+

海洋类客户

30+



Software Product Series

软件系列产品

Pipe Shop Fabrication Detail DWG Conversion Software

管道工厂预制详图转化软件


- 产品型号: SmartPlantSpoolgen
Model: SmartPlantSpoolgen
- 最新版本: 2014R1
Latest Version: 2014R1



- 轻松获取 (单线图、管段图)
Easily attainable (ISOMetric drawing, piping spool drawing)
- 快速生成 (单线图、管段图)
Fast generation (ISOMetric drawing, piping spool drawing)



1、SPOOLGEN



2、导入PCF或PDF




3、生成管线3D模型




4、确定现场口位置



5、生成安装单线图



6、生成预制管段图



7、导出设计信息文件

Pipe Shop Fabrication Detail Design Software

管道工厂预制详图设计软件

- 产品型号: CADWorx Plant
Model: CADWorx Plant
- 最新版本: 2016专业版
Latest Version: Professional 2016

The world's first
class and universal


管道预制 国际一流 国际通用
详图设计之利器

The mother of ISOMetric drawing and
piping spool drawing


- 战前准备、百战百胜!
Prepare ahead to guarantee victory!




1、此照片不行



2、绘图界面



3、单线图



4、管段图



Pipe Shop Fabrication Intelligent Management Software

管道工厂预制智能管理系统

- 产品型号: QSPT IMS-PSF
Model: QSPT IMS-PSF
- 最新版本: V2.0
Latest Version:V2.0



- 一分的管理能节约十万分的浪费!
A small improvement in management,
a huge save in the costs.
- 30年沉淀
30 years experience



1、软件导入Spoolgen数据页面



2、焊缝信息管理页面



3、软件配料页面



4、软件制作工作包页面



5、制作工作包页面



6、软件日报表页面

Pipe Shop Fabrication Bill Printer

管道工厂预制票据打印机

- 产品型号: Godex EZ-2250i
Model: Godex EZ-2250i
- 最新版本: G4.000
Latest Version: G4.000

Small Labels Big Data
小标签 大数据

- 工业级产品 Small Labels, Big Data
- 快速、大批打印 Industrial Grade Product
- 与IMS-PSF无缝对接 Fast & Bulk Printing



Pipe Shop Fabrication QR Code Collector

管道工厂预制二维码采集器

- 产品型号: IData 96
Model: IData 96
- 最新版本: 96
Latest Version: 96

Small Labels Big Data
轻松扫码 数据实时上传

Easy code scanning, real-time data uploading

- 与IMS-PSF无缝对接
Intagrated seamlessly with IMS-PSF



Pipe Shop Fabrication Label Printer


管道工厂预制标签打印机

- 产品型号: Epson 630K
Model: Epson 630K
- 最新版本: 630K
Latest Version: 630K

与IMS-PSF无缝对接
Intagrated seamlessly with IMS-PSF

- 与传统做法高度兼容
High compatibility with conventional
practices





Storage Product Series

储存系列产品

Pipe Storage 3D Warehouse

管子储存立体仓库

- 产品型号: PS3DW-16Aa/24Aa
Model: PS3DW-16Aa/24Aa
- 适用管径: DN400/DN600
Pipe Diameter Applicable: DN400/DN600


无立体 不智能

Non-3D, not smart


小空间 大容量

small space yet big capacity


- ▶ 时代前沿产品，未来发展趋势
Leading product of the era, development trends
of the future




立体仓库效果图2



立体仓库效果图1



立体仓库效果图3



Cutting Product Series

切割系列产品

High Speed Pipe Cutting Band Saw Machine

管道高效切割带锯床

- 产品型号: PCBSM-16Aa/24Aa/32Aa/40Aa/48Aa/60Aa
Model: PCBSM-16Aa/24Aa/32Aa/40Aa/48Aa/60Aa
- 适用管径: DN400/DN600/DN800/DN1000/DN1200/DN1500
Pipe Diameter Applicable: DN400/DN600/DN800/DN1000/DN1200/DN1500



- 碳钢不锈钢统吃、薄壁厚壁管
Applicable to carbon and stainless steel
thin- and thick-walled pipes




高效率 高精度 **全能型**
High efficiency high precision all-rounder

Numerical Control Pipe Cutting Machine

管道数控切割带锯床


- 产品型号: PCBSM-16Ab/24Ab/32Ab/40Ab/48Ab/60Ab
Model: PCBSM-16Ab/24Ab/32Ab/40Ab/48Ab/60Ab
- 适用管径: DN400/DN600/DN800/DN1000/DN1200/DN1500
Pipe Diameter Applicable: DN400/DN600/DN800/DN1000/DN1200/DN1500



连续 多段 **Continuous multiple sections**
数控 **PLC定长切割**
numerical controlled PLC length-measuring cutting

- 长短平直、毫厘不差
Exactly the length and straightness required






Roller Bed PLC Pipe Bevel Cutting Machine

滚床式管道数控坡口切割机

- 产品型号: PRBCM-16Aa/24Aa/32Aa/48Aa
Model: PRBCM-16Aa/24Aa/32Aa/48Aa
- 适用管径: DN400/DN600/DN800/DN1200
Pipe Diameter Applicable: DN400/ DN600/DN800 /DN1200


切割坡口 **Technique of cutting** 一次成型工艺 and beveling in one operation

- ▶ 滚床驱动、滚床支撑、辊道输送
Roller bed driven, roller bed supported,
roller conveyed



切割坡口 **艺术家** The artist of cutting and beveling

- ▶ CNC数控定长、相贯线切割
CNC numerically controlled length measuring,
pipe profile cutting
- ▶ 卡盘+滚床组合型结构
chunk+ roller bed combined structure
- ▶ 流水线、多工艺、大批量、高精度切割
Production line, multiple processing technologies,
high production volume, high precision cutting




Roller Bed CNC Pipe Profile Cutting Machine

滚床式管道数控相贯线切割机

- 产品型号: PRPCM-16Ab/24Ab/32Ab/40Ab/48Ab/60Ab
Model: PRPCM-16Ab/24Ab/32Ab/40Ab/48Ab/60Ab
- 适用管径: DN400/DN600/DN800/DN1000/DN1200/DN1500
Pipe Diameter Applicable: DN400/DN600/DN800/DN1000/DN1200/DN1500






Beveling Product Series

坡口系列产品

Max. DN600
Max. 25mm

**Master of cutting and
beveling**
切断坡口大师

- ▶ 自动机械调心
Automatically mechanical centering
- ▶ 差动式进刀
Differential cutting feed
- ▶ 超高效率, ≤5Min(DN400、25mm)
Extraordinary efficiency ≤5Min(DN400、25mm)



Differential Pipe Cutting & Beveling Machine

差动式管道数控切断坡口机

- 产品型号: DPCBM-16Aa/24Aa
Model: DPCBM-16Aa/24Aa
- 适用管径: DN400/DN600
Pipe Diameter Applicable: DN400/DN600



High Speed Pipe End Beveling Machine (Top and Bottom Asynchronous Clamping)

管道高效端面坡口机 (上下异步夹紧)

- 产品型号: EPEBM-24Da/32Da/40Da/48Da/60Da
Model: EPEBM-24Da/32Da/40Da/48Da/60Da
- 适用管径: DN600/DN800/DN1000/DN1200/DN1500
Pipe Diameter Applicable: DN600/DN800/DN1000/DN1200/DN1500



MAX. DN1500
Max. 180mm

- ▶ 端面坡口高手
Master of end beveling
- ▶ 经典款式
Classical design
- ▶ 焊接质量的保障
Guaranteed welding quality
- ▶ 上下异步夹紧
Top and bottom asynchronous clamping
- ▶ 硬质合金刀, 无需水冷
Hard alloy blade, no water cooling required
V、U、X、VV

High Speed Pipe End Beveling Machine (Top and Bottom Asynchronous Clamping)


管道数控端面坡口机 (上下异步夹紧)

- 产品型号: EPEBM-16Ca/24Ca/32Ca/40Ca/48Ca/60Ca
Model: EPEBM-16Ca/24Ca/32Ca/40Ca/48Ca/60Ca
- 适用管径: DN600/DN800/DN1000/DN1200/DN1500
Pipe Diameter Applicable: DN600/DN800/DN1000/DN1200/DN1500



内镗功能(CNC)
**Internal boring
function CNC**

- ▶ 端面坡口高手
Master of end beveling
- ▶ 硬质合金刀, 无需水冷
Hard alloy blade, no water cooling required
V、U、X、VV
- ▶ MAX. DN1500
Max. 180mm
- ▶ PLC或CNC控制
PLC or CNC controlled
- ▶ 无人值守 (CNC)
Unmanned operation (CNC)



High Speed Pipe End Beveling Machine (Left & Right Synchronous Centering Clamping)

管道高效端面坡口机（左右同步夹紧）

- 产品型号：EPEBM-16Db/24Db/32Db/40Db/48Db/60Db
Model: EPEBM-16Db/24Db/32Db/40Db/48Db/60Db
- 适用管径：DN400/DN600/DN800/DN1000/DN1200/DN1500
Pipe Diameter Applicable: DN400/DN600/DN800/DN1000/DN1200/DN1500



硬质合金刀 Hard alloy blade
无需水冷

no water cooling required

- ▶ 端面坡口高手
Master of end beveling
- ▶ 焊接质量的保障
Guaranteed welding quality
- ▶ 左右同步夹紧
Left and right synchronous clamping
- ▶ 自动对中夹紧
Automatic centering clamping
- ▶ V、U、X、VV
- ▶ MAX. DN1500
Max. 180mm

High Speed Pipe End Beveling Machine (Left & Right Synchronous Centering Clamping)

管道数控端面坡口机（左右同步夹紧）

- 产品型号：EPEBM-16Cb/24Cb/32Cb/40Cb/48Cb/60Cb
Model: EPEBM-16Cb/24Cb/32Cb/40Cb/48Cb/60Cb
- 适用管径：DN400/DN600/DN800/DN1000/DN1200/DN1500
Pipe Diameter Applicable: DN400/DN600/DN800/DN1000/DN1200/DN1500



无人值守 CNC
Unmanned operation

- ▶ 左右同步夹紧
Left and right synchronous clamping
- ▶ 左右对中夹紧
Left and right centering clamping
- ▶ 硬质合金刀，无需水冷
Hard alloy blade, no water cooling required
- ▶ V、U、X、VV
- ▶ 内镗功能（CNC）
Internal boring function (CNC)
- ▶ MAX. DN1500
Max. 180mm
- ▶ PLC或CNC控制
PLC or CNC controlled

High Speed Pipe End Beveling Machine (Top & Bottom Synchronous Centering Clamping)

管道高效端面坡口机（上下同步夹紧）

- 产品型号：EPEBM-24Dc/32Dc/40Dc/48Dc/60Dc
Model: EPEBM-24Dc/32Dc/40Dc/48Dc/60Dc
- 适用管径：DN600/DN800/DN1000/DN1200/DN1500
Pipe Diameter Applicable: DN600/DN800/DN1000/DN1200/DN1500



端面坡口
Master in
end beveling
高手

- ▶ 焊接质量的保障
Guaranteed welding quality
- ▶ 上下同步夹紧
Top and bottom synchronous clamping
- ▶ 自动对中夹紧
Automatic centering clamping
- ▶ 硬质合金刀，无需水冷
Hard alloy blade, no water cooling required
- ▶ V、U、X、VV
- ▶ MAX. DN1500
Max. 180mm

Numerical Control Pipe End Beveling Machine (Top & Bottom Asynchronous Centering Clamp)

管道数控端面坡口机（上下同步夹紧）

- 产品型号：EPEBM-16Cc/24Cc/32Cc/40Cc/48Cc/60Cc
Model: EPEBM-16Cc/24Cc/32Cc/40Cc/48Cc/60Cc
- 适用管径：DN600/DN800/DN1000/DN1200/DN1500
Pipe Diameter Applicable: DN600/DN800/DN1000/DN1200/DN1500



PLC或CNC
控制
PLC or CNC
controlled

- ▶ 端面坡口高手
Master of end beveling
- ▶ 焊接质量的保障
Guaranteed welding quality
- ▶ 内镗功能（CNC）
Internal boring function (CNC)
- ▶ MAX. DN1500
Max. 180mm
- ▶ 无人值守（CNC）
Unmanned operation (CNC)




Grinding Product Series

打磨系列产品

First in the industry
首推

- ▶ 一环保、健康新理念
New concepts of environmental and healthy
- ▶ 管件坡口机械化打磨新开端
The new start of pipe fitting mechanical bevel grinding



立体打磨平台效果图

环保健康
New environmental and healthy concept

新理念

- ▶ 因为用心、所以放心
We care, we assure
- ▶ HSE的保障
Guaranteed by HSE
- ▶ 一切为了您的健康!
All for your health!
- ▶ 管端坡口机械化打磨新篇章
The new chapter of pipe end mechanical bevel grinding

Bevel Grinding Platform for Pipe Fitting

管件坡口打磨专用平台

- 产品型号: PFBGP-16Aa/24Aa
Model: PFBGP-16Aa/24Aa
- 适用管径: DN400/DN600
Pipe Diameter Applicable: DN400/DN600

Bevel Grinding Platform for Pipe End

管子坡口打磨专用平台

- 产品型号: PEBGP-16Aa/24Aa
Model: PEBGP-16Aa/24Aa
- 适用管径: DN400/DN600
Pipe Diameter Applicable: DN400/DN600



Fitting-up Product Series

组对系列产品

Pipe Fabrication Fast Fitting-Up Machine


管道预制快速组对器

- 产品型号: PFFUM-16Aa/24Aa/32Aa/48Aa/64Aa
Model: PFFUM-16Aa/24Aa/32Aa/48Aa/64Aa
- 适用管径: DN400/DN600/DN800/ DN1200/DN1600
Pipe Diameter Applicable: DN400/DN600/DN800/DN1200/DN1600



Turning general workers into pipe fitters
普工摇身一变 成管工

- ▶ 行业首创
First in the industry



Slip-on Flange & Pipe Fitting-up Machine
平焊法兰快速组对机

- 产品型号: SFFUM-16Aa/24Aa/32Aa/48Aa/64Aa
Model: SFFUM-16Aa/24Aa/32Aa/48Aa/64Aa
- 适用管径: DN400/DN600/DN800/DN1200/DN1600
Pipe Diameter Applicable: DN400/DN600/DN800/DN1200/DN1600

10倍效率 10 × Efficiency

▶ 行业首创
First in the industry



Welding Product Series
焊接系列产品

Pipe Fabrication Automatic Welding Machine (Ordinary Type)
整体式管道自动焊机 (普通型)


- 产品型号: PFAWM-16Ad/24Ad/32Ad/48Ad
Model: PFAWM-16Ad/24Ad/32Ad/48Ad
- 适用管径: DN 600/DN800/DN1200
Pipe Diameter Applicable: DN 600/DN800/DN1200



因为经典 所以青睐
Classic hence favored

▶ 管道自动焊接专家 (专机)
Pipe automatic welding expert
(dedicated machine)





Pipe Fabrication Automatic Welding Machine (Heavy Duty Type)

整体式管道自动焊机（厚壁型）

超强扭矩 **13200N.m**

Super torque: 13200N.m

Max. 顶8名焊工
Max. equivalent to 8 welders

- ▶ 二十年沉淀，经典机型，赋入新元素
20 years experiences, classical machine model with new elements implemented
- ▶ 管道自动焊接专家（专机）
Pipe automatic welding expert (dedicated machine)
- ▶ 高性价比
High cost effectiveness

- 产品型号：PFAWM-24Ae/32Ae/48Ae/64Ae
Model: PFAWM-24Ae/32Ae/48Ae/64Ae
- 适用管径：DN600/DN800/DN1200/DN1600
Pipe Diameter Applicable: DN600/DN800/DN1200/DN1600



3.Split Type Pipe Automatic Welding Machine (Ordinary Type)


分体式管道自动焊机（普通型）

- 产品型号：SPAWM-16Aa/24Aa/32Aa/48Aa
Model: SPAWM-16Aa/24Aa/32Aa/48Aa
- 适用管径：DN400/DN600/DN800/DN1200
Pipe Diameter Applicable: DN400/DN600/DN800/DN1200

独创分体式 **设计**
Original split
design

- ▶ 上下料变轻松
Easier load&unload
- ▶ 高性价比
High cost effectiveness
- ▶ 管道自动焊接大师
Pipe automatic welding master
- ▶ TIG/MIG/ SAW
Max. DN1200





Split Type Pipe Automatic Welding Machine(Heavy Duty Type)

分体式管道自动焊机（厚壁型）

Max. DN1600

Max. 60mm Max. 600DI/D

MIG+ SAW

- ▶ 独创分体式设计
Original split design
- ▶ 上下料变轻松
Easier load and unload
- ▶ 管道自动焊接大师
Pipe automatic welding master
- ▶ 滚轮驱动、滚轮压紧、伸缩臂焊接
Rotator drive, rotator press down, telescopic boom welding
- ▶ 超强扭矩：13200N.m
Super torque: 13200N.m
- ▶ 标配：林肯Flextech650
Standard configuration: Lincoln Flextech650
TIG/MIG/ SAW
- ▶ Max. 顶12名焊工
Max. equivalent to 12 welders
- ▶ 流水线设备
Production line equipment
- ▶ 高效、安全
High efficiency and safety

- 产品型号：SPAWM-24Ab/32Ab/48Aa/64Aa
Model: SPAWM-24Ab/32Ab/48Aa/64Aa
- 适用管径：DN400/DN600/DN800/DN1200/DN1600
Pipe Diameter Applicable: DN400/DN600/DN800/DN1200/DN1600



Cantilever Pipe Automatic Welding Machine (Ordinary Type)

悬臂式管道自动焊机（普通型）

- 产品型号：CPAWM-16Ba/24Ba/32Ba/48Ba
Model: CPAWM-16Ba/24Ba/32Ba/48Ba
- 适用管径：DN400/DN600/DN800/DN1200
Pipe Diameter Applicable: DN400/DN600/DN800/DN1200




悬臂式管道自动焊机效果图



**One-time
clamping 一次装夹
多道焊接
multi-pass welding**

- ▶ 经典款式
Classical design
- ▶ 管道全能焊接大师
Pipe all-rounder welding master
- ▶ 卡盘驱动、卡盘夹紧、小车悬臂焊接
Chuck drive, chuck clamped, cantilever trolley welding
- ▶ 管中心自适应
Pipe center self-adaption
- ▶ 标配：林肯Flextech500
Standard configuration: Lincoln Flextech500
TIG/MIG/ SAW
- ▶ Max. DN1200
Max. 30mm
Max. 400DI/D (MIG+ SAW)
- ▶ Max. 顶8名焊工
Max. equivalent to 8 welders
- ▶ 流水线设备
Production line equipment
- ▶ 高效、安全
High efficiency and safety



Cantilever Pipe Automatic Welding Machine (Heavy Duty Type)

悬臂式管道自动焊机（厚壁型）

重载卡盘 Heavy duty chuck
超强扭矩 13200N.m
super torque: 13200N.m

- 经典款式
Classical design
- 管道全能焊接大师
Pipe all-rounder welding master
- 卡盘驱动、卡盘夹紧、小车悬臂焊接
Chuck drive, chuck clamped, cantilever trolley welding
- 自动机械调心
Automatically mechanical centering
- 一次装夹、多道焊接
One-time clamping, multi-pass welding
- 标配：林肯Flextech650
Standard configuration: Lincoln Flextech650
- TIG/MIG/ SAW
Max. DN1600
Max. 60mm
Max. 550DI/D (MIG+ SAW)
- Max. 顶11名焊工
Max. equivalent to 11 welders
- 流水线设备
Production line equipment
- 高效、安全
High efficiency and safety

- 产品型号：CPAWM-16Ba/24Ba/32Ba/48Ba/64Ba
Model: CPAWM-16Ba/24Ba/32Ba/48Ba/64Ba
- 适用管径：DN400/DN600/DN800/DN1200/DN1600
Pipe Diameter Applicable: DN400/DN600/DN800 /DN1200/DN1600



Clamp Type Pipe Automatic Welding Machine

夹钳式管道自动焊机

- 产品型号：UPAWM-16Aa/24Aa/32Aa
Model: UPAWM-16Aa/24Aa/32Aa
- 适用管径：DN400/DN600/DN800
Pipe Diameter Applicable: DN400/DN600/DN800

displacement 纵向
窜动量小
Low longitudinal



- 夹钳驱动、夹钳夹紧、小车悬臂焊接
Clamp driven, clawfixture, boom trolley welding
- 一次装夹、多道焊接
One-time clamping, multi-pass welding
- 标配：林肯Flextech500
Standard configuration: Lincoln Flextech500
- TIG/MIG/ SAW
Max. DN800
- Max. 20mm
Max. 300DI/D (MIG+ SAW)
- Max. 顶6名焊工
Max. equivalent to 6 welders






Conveying Product Series

输送系列产品

Pipe longitudinal Roller Conveying System (Long Distance Type)

管道纵向物流输送系统（远距离型）

- 产品型号: PLRCS-16Ca/24Ca/32Ca/40Ca
Model: PLRCS-16Ca/24Ca/32Ca/40Ca
- 适用管径: DN400/DN600/DN800/DN1000
Pipe Diameter Applicable: DN400/DN600/DN800/DN1000



Bevel Grinding Platform for Pipe End

管道纵向物流输送系统（带锯床型）

- 产品型号: PLRCS-16Aa/24Aa/32Aa/40Aa
Model: PLRCS-16Aa/24Aa/32Aa/40Aa
- 适用管径: DN400/DN600/DN800/DN1000
Pipe Diameter Applicable: DN400/DN600/DN800/DN1000



多段、连续、定点
自动输送、呼叫式

输送双模式

Multi-sectional, continuous,
fixed-point automatic or
call-based dual conveying models

- 聚氨酯V型辊道，更大、更稳
Polyurethane V-shape roller, bigger and stabler
- 承重 $\geq 10T$
Weight bearing $\geq 10T$
- 区域间传输纽带
The conveying link among working stations



Pipe longitudinal Roller Conveying System (for End Beveling Machine)

管道纵向物流输送系统（坡口机型）

- 产品型号: PLRCS-16Ba/24Ba/32Ba/40Ba
Model: PLRCS-16Ba/24Ba/32Ba/40Ba
- 适用管径: DN400/DN600/DN800/DN1000
Pipe Diameter Applicable: DN400/DN600/DN800/DN1000



Pipe longitudinal Roller Conveying System (with U-turning Mechanism)

管道纵向物流输送系统（带调头机构）


- 产品型号: PLRCS-16Bc/24Bc/32Bc/40Bc
Model: PLRCS-16Bc/24Bc/32Bc/40Bc
- 适用管径: DN400/DN600/DN800/DN1000
Pipe Diameter Applicable: DN400/DN600/DN800/DN1000



快速液压升降 液压回转

Fast hydraulic lifting and
turning around


- 承重 $\geq 10T$
Weight bearing $\geq 10T$
- 自动机械调心
Automatically mechanical centering



Swinging Pipe Automatic Welding Machine for Short Spool

翻转式管道自动焊机

- 产品型号: SPAWM-16Aa/24Aa
Model: SPAWM-16Aa/24Aa
- 适用管径: DN400/DN600
Pipe Diameter Applicable: DN400/DN600



Fillet weld 角焊缝 船型焊 ship-shaped weld

- ▶ 滚轮驱动、滚轮压紧、小车悬臂焊接
Rotator drive, rotator press down, cantilever trolley welding
- ▶ 一次装夹、多道焊接
One-time clamping, multi-pass welding
- ▶ 可焊接部分2D、3D焊缝
Capable of certain 2D & 3D weld
- ▶ 标配: 林肯CV500
Standard configuration: Lincoln CV500 MIG
- ▶ Max. DN600
Max. 20mm
Max. 300DI/D (MIG+ MIG)
- ▶ Max. 顶6名焊工
Max. equivalent to 6 welders



Pipe Automatic Welding Machine for Short Spool


短管用管道自动焊机


- 产品型号: SSAWM-16Aa/24Aa/32Aa/16Ba/24Ba/32Ba
Model: SSAWM-16Aa/24Aa/32Aa/16Ba/24Ba/32Ba
- 适用管径: DN400/DN600/DN800
Pipe Diameter Applicable: DN400/DN600/DN800



创新 Innovative telescopic boom 伸缩臂 Integrated design 一体式设计

- ▶ 短管焊接专家 (专机)
Short spool welding expert (dedicated machine)
- ▶ 省钱、省心、省力气
Cost, concern and effort saving
- ▶ 卡盘驱动、卡盘夹紧、伸缩臂焊接
Chuck drive, chuck clamped, telescopic boom welding
- ▶ 普通卡盘或重载卡盘, 超强扭矩: 13200N.m
Regular or heavy duty chuck, super torque: 13200N.m
- ▶ 自动机械调心
Pipe centering, self-adaption
- ▶ 一次装夹、多道焊接
One-time clamping, multi-pass welding






Pipe Lateral trolley Conveying System (Single-screw Type)

管道横向物流输送系统（单丝杆型）

- 产品型号: PLTCS-16Aa/24Aa
Model: PLTCS-16Aa/24Aa
- 适用管径: DN400/DN600
Pipe Diameter Applicable: DN400/DN600



Pipe Lateral trolley Conveying System (Double-screw Type)

管道横向物流输送系统（双丝杆型）

- 产品型号: PLTCS-16Bb/24Bb/32Bb/40Bb
Model: PLTCS-16Bb/24Bb/32Bb/40Bb
- 适用管径: DN400/DN600/DN800/DN1000
Pipe Diameter Applicable: DN400/DN600/DN800/DN1000



专利技术 **平稳**
Patented technology **无冲击**
Smooth operations without impacts

- 承重 $\geq 10T$
Weight bearing $\geq 10T$
- 多工位
Multiple working stations
- 横向传输、纵向修正
Horizontal conveying, adjustments



Piping Rail & Trolley Conveying System (for Band Saw Machine)

管道轨道小车输送系统（带锯床型）

- 产品型号: PRTCS-16Ba/24Ba
Model: PRTCS-16Ba/24Ba
- 适用管径: DN400/DN600
Pipe Diameter Applicable: DN400/DN600



Piping Rail & Trolley Conveying System (for Beveling Machine)

管道轨道小车输送系统（坡口机型）

- 产品型号: PRTCS-16Bc/24Bc
Model: PRTCS-16Bc/24Bc
- 适用管径: DN400/DN600
Pipe Diameter Applicable: DN400/DN600



Piping Rail & Trolley Conveying System (for Fitting-up Machine)

管道轨道小车输送系统（组对器型）

- 产品型号: PRTCS-16Ca/24Ca/32Ca
Model: PRTCS-16Ca/24Ca/32Ca
- 适用管径: DN400/DN600/DN800
Pipe Diameter Applicable: DN400/DN600/DN800



Piping Rail & Trolley Conveying System (for Welding Machine)

管道轨道小车输送系统（自动焊机型）

- 产品型号: PRTCS-16Aa/24Aa/32Aa
Model: PRTCS-16Aa/24Aa/32Aa
- 适用管径: DN400/DN600/DN800
Pipe Diameter Applicable: DN400/DN600/DN800




Piping Rail & Trolley Conveying System (Scissor Type)

管道轨道小车输送系统（剪刀叉型）

- 产品型号: PRTCS-16Da/24Da/32Da
Model: PRTCS-16Da/24Da/32Da
- 适用管径: DN400/DN600/DN800
Pipe Diameter Applicable: DN400/DN600/DN800





Pipe Fabrication Battery-Powered Conveying System

管道预制电瓶输送系统

- 产品型号: PFBCS-05T/10Ta/30T
Model: PFBCS-05T/10Ta/30T
- 适用重量: 5吨/10吨/30吨
Loading Weight: 5T/10T/30T



管道预制电瓶输送系统（轻载A）-2

专利技术
Patented technology



Low-Voltage Sliding Wire-Powered Conveying System

低压滑线供电输送系统

- 产品型号: LVSCS-05T/10Ta/30T
Model: LVSCS-05T/10Ta/30T
- 适用重量: 5吨/10吨/30吨
Loading Weight: 5T/10T/30T

续航能力
Strong endurance

“
安全省心
Safe and carefree
”



Pipe Turnover Conveying System(kick-in)

管道翻转物流输送系统(上料型)

- 产品型号: PTLTS-16Aa/24Aa
Model: PTLTS-16Aa/24Aa
- 适用重量: DN400/DN600
Loading Weight: DN400/DN600



Pipe Turnover Conveying System(kick-out)

管道翻转物流输送系统(下料型)

- 产品型号: PTLTS-16Ab/24Ab
Model: PTLTS-16Ab/24Ab
- 适用重量: DN400/DN600
Loading Weight: DN400/DN600



Auxiliary Product Series


辅助系列产品

Pipe Cutting Length-Measuring System

管道切割机械定长系统

- 产品型号: PCMLS-16Aa/24Aa/32Aa/40Aa
Model: PCMLS-16Aa/24Aa/32Aa/40Aa
- 适用管径: DN400/DN600/32Aa/40Aa
Pipe Diameter Applicable: DN400/DN600/DN800/DN1000

- 机械定长专家
Mechanical length measuring expert
- 快速长管定长
Fast long pipe spool length measuring




Continuous

连续、多段

定长切割

multi-sectional
cutting with pre-set length



Pipe Fabrication Smoke & Dust Dissipating System

管道预制除烟除尘系统

- 产品型号: PFDDS-16Aa/24Aa
Model: PFDDS-16Aa/24Aa
- 适用管径: DN400/DN600
Pipe Diameter Applicable: DN400/DN600



环保健康

Environmental
and healthy



Flux Recycling System for Automatic Welding Machine

自动焊机焊剂回收系统

- 产品型号: AWFRS-00Aa/00Ab
Model: AWFRS-00Aa/00Ab
- 适用管径: ≤DN1200
Pipe Diameter Applicable: ≤DN1200



全自动

Automated

- 提高焊剂利用率
Improved soldering fluxutilization rate
- 高工效
High efficiency

Special Product Series

特种系列产品

Portable Pipe Automatic Cutting & Bevelling Machine

轻便式管道切断坡口机

- 产品型号: LPCBM-06Aa/12Aa/18Aa/24Aa/06Ab/12Ab/18Ab/24Ab
Model: PPAWM-06Aa/12Aa/18Aa/24Aa/06Ab/12Ab/18Ab/24Ab
- 适用管径: DN150/ DN300/ DN450/ DN600
Pipe Diameter Applicable: DN150/ DN300/ DN450/ DN600



结构轻便小巧

Light and compact structure

- 白钢刀加工
Processed with white steel blades



CNC Pipe Profile Cutting Machine

管道数控相贯线切割机

- 产品型号: PCPCM-16Ab/24Ab/32Ab/40Ab/48Ab/60Ab
Model: PCPCM-16Ab/24Ab/32Ab/40Ab/48Ab/60Ab
- 适用管径: DN400/DN600/DN800/DN1000/DN1200/DN1500
Pipe Diameter Applicable: DN400/DN600/DN800/DN1000/DN1200/DN1500



相贯线

Pipe profile precise cutting


精准切割

- 伺服驱动
Servo driven
- CNC控制
CNC controlled
- MAX.DN1500
- MAX. 6轴联动
MAX. 6 axes linkage

3.Portable Pipe Automatic Welding Machine

轻便式管道自动焊机

- 产品型号: PPAWM-16Ca
Model: PPAWM-16Ca
- 适用管径: DN400
Pipe Diameter Applicable: DN400



轻巧 实用

Light and practical

- 性价比高
Highly cost-effective



All-in-one Machine Series

一体机系列产品

Pipe & Slip-on Flange Fitting-Up & Welding Machine

变位式平焊法兰组对焊接机

- 产品型号: PFFWM-16Ba/24Ba/32Ba
Model: PFFWM-16Ba/24Ba/32Ba
- 适用管径: DN400/DN600/DN800
Pipe Diameter Applicable: DN400/DN600/DN800



船型焊

Ship-shaped weld

- ▶ 高品质
High quality
- ▶ 高工效
High working efficiency


Fabrication Centre Series

预制中心系列产品

Pipe Fabrication Mechanical Fitting-up Centre (Fit-up+ Fit-up)

管道预制机械组对中心 (组对器+组对器)

- 产品型号: PFFUC-16Aa/24Aa/32Aa
Model: PFFUC-16Aa/24Aa/32Aa
- 适用管径: DN400/DN600/DN800
Pipe Diameter Applicable: DN400/DN600/DN800




管-管件 组对专家

Pipe-fitting fit
up expert

- ▶ 多功能
Multi-functional
- ▶ 快捷
Fast
普工摇身一变成管工
Turning general workers into pipe fitters





Pipe Fabrication Mechanical Fitting-up Centre(chuck + Chuck)

管道预制机械组对中心（卡盘+卡盘）

- 产品型号: PFFUC-16Ca/24Ca/32Ca
Model: PFFUC-16Ca/24Ca/32Ca
- 适用管径: DN400/DN600/DN800
Pipe Diameter Applicable: DN400/DN600/DN800

组对 点焊一体 One-stop fit up and track welding

- ▶ 管-法兰组对高手
Pipe-flange fit up master
- ▶ 快速、便捷
Fast and convenient




Pipe Fabrication Fitting-up & Welding Centre(Fit-up+ Chuck)

管道预制组对焊接中心（组对器+卡盘）

- 产品型号: PFFWC-16Ca/24Ca/32Ca
Model: PFFWC-16Ca/24Ca/32Ca
- 适用管径: DN400/DN600/DN800
Pipe Diameter Applicable: DN400/DN600/DN800

特性:

普工=管工+焊工



两道焊缝 Simutaneous 同时组对 fitting-up & welding of 同时焊接 two weld joints

- ▶ MAX. 60mm
- ▶ MAX. 800D/D(MIG+SAW)



Pipe Fabrication Fitting-up & Welding Centre(Fit-up+ Clamp)

管道预制组对焊接中心（组对器+夹钳）

- 产品型号: PFFWC-16Da/24Da
Model: PFFWC-16Da/24Da
- 适用管径: DN400/DN600
Pipe Diameter Applicable: DN400/DN600



**Zero time invested
for assistance
辅助时间**

- 占用场地小
Occupying less space



Pipe Fabrication Automatic Welding Center(Chuck + Rotator)


管道预制自动焊接中心（卡盘+滚轮）

- 产品型号: PFAWC-16Ca/24Ca/32Ca/48Ca
Product Model: PFAWC-16Ca/24Ca/32Ca/48Ca
- 适用管径: DN400/DN600/DN800/DN1200
Pipe Diameter Applicable: DN400/DN600/DN800/DN1200

集分体式 The perfect combination of split and
cantilever welding machines
悬臂式焊机之大成

- 长管段两道焊缝同时焊接
Simultaneous welding of two weld joints on a long pipe spool
重载卡盘,超强扭矩: 13200N.m
Heavy duty chuck, super torque: 13200 N.m
MAX. 60mm
MAX. 800DI/D(MIG+SAW)





Pipe Fabrication Automatic Welding Centre (Rotator + Self-weight) (Slip-on Flange)


管道预制自动焊接中心（滚轮+自重）（平焊法兰）

四焊枪联动
同步焊接

Simultaneous welding with four welding torches.

- 经典产品
Classical product
- MIG
MAX. DN1600
MAX. 30mm
MAX. 500DI/D(MIG)


- 产品型号: PFAWC-16Ba/24Ba/32Ba/48Ba/64Ba
Model: PFAWC-16Ba/24Ba/32Ba/48Ba/64Ba
- 适用管径: DN400/DN600/DN800/DN1200/DN1600
Pipe Diameter Applicable: DN400/DN600/DN800/DN1200/DN1600



Conveying-Rotating-Fitting-up Centre for Pipe-Pipe

管管输送回转组对中心

- 产品型号: PCRFC-16Aa/32Aa/64Aa/16Ba/32Ba/64Ba
Model: PCRFC-16Aa/32Aa/64Aa/16Ba/32Ba/64Ba
- 适用管径: DN400/DN800/DN1600
Pipe Diameter Applicable: DN400/DN800/DN1600




集输送 回转 组对之大成
The perfect combination of conveying
turning around and fit up

- 专利技术
Patented technology

Rotating-Automatic Welding Center for Pipe-Pipe

管管回转自动焊接中心

- 产品型号: PRAWC-16Aa/32Aa/64Aa/16Ba/32Ba/64Ba
Model: PRAWC-16Aa/32Aa/64Aa/16Ba/32Ba/64Ba
- 适用管径: DN400/DN800/DN1600
Pipe Diameter Applicable: DN400/DN800/DN1600




管管接长必备核心设备
The must-have core equipment for
pipe-pipe jointing

- 专利技术
Patented technology
稳定驱动、高效焊接
Stably driven, highly efficient welding

Conveying-Rotating-Welding Center for Pipe-Pipe

管管输送回转焊接中心

- 产品型号: PCRWC-16Aa/32Aa/64Aa
Model: PCRWC-16Aa/32Aa/64Aa
- 适用管径: DN400/DN800/DN1600
Pipe Diameter Applicable: DN400/DN800/DN1600



辊轮感应抬升 避免被冲撞
Roller lift with sensors to
avoid collision



Workstation Product Series

工作站系列产品


Pipe Bevel Preparation Workstation

管道坡口加工工作站

- 产品型号: PBPWS-16Ca/24Ca
Model: PBPWS-16Ca/24Ca
- 适用管径: DN400/DN600
Pipe Diameter Applicable: DN400/DN600

全天候工作 Working around the clock

- 转场方便
Convenient transition
- 高效率、高精度、全能型
High efficiency, high precision, all-rounder




Pipe Fitting-up & Welding Workstation


管道组对焊接工作站

- 产品型号: PFWWS-16Aa/24Aa
Model: PFWWS-16Aa/24Aa
- 适用管径: DN400/DN600
Pipe Diameter Applicable: DN400/DN600

多功能 Multi-functional

- 转场方便
Convenient transition
- 全天候工作
Working around the clock
- 高精度、高效率
High precision, high efficiency





Pipe Automatic Welding Workstation


管道自动焊接工作站

- 产品型号: PAWWS-16Aa/24Aa
Model: PAWWS-16Aa/24Aa
- 适用管径: DN400/DN600
Pipe Diameter Applicable: DN400/DN600

工件上下

方便 Convenient loading and unloading of the workpieces

- 转场方便
Convenient transition
- 全天候工作
Working around the clock
- 高精度、高效率
High precision, high efficiency



Pipe Radiographic Test Workstation


管道射线探伤工作站

- 产品型号: PRTWS-16Aa/24Aa
Model: PRTWS-16Aa/24Aa
- 适用管径: DN400/DN600
Pipe Diameter Applicable: DN400/DN600

可搬迁的探伤室

Movable flaw detection unit

- 独创设计
Original design
- 转场方便
Convenient transition
- 24小时
24 hours





Production line Series

生产线系列产品

Pipe Fabrication Production Line in Fixed Type Workshop


固定车间式管道预制生产线

- 产品型号: FPFPL-16Aa/24Aa/32Aa/40Aa/48Aa
Model: FPFPL-16Aa/24Aa/32Aa/40Aa/48Aa
- 适用管径: DN400/DN600/DN800/DN1000/DN1200
Pipe Diameter Applicable: DN400/DN600/DN800/DN1000/DN1200

商品化预制

Commercialized pre-fabrication

- 经典产品
Classical product



Solution for Pipe Fabrication in Mobile Type Workshop




移动车间式管道预制生产线


- 产品型号: MPFPL-16Aa/24Aa
Model: MPFPL-16Aa/24Aa
- 适用管径: DN400/DN600
Pipe Diameter Applicable: DN400/DN600

专利技术

Patented technology

- 转场方便
Convenient transition






Pipe Fabrication Production Line Skid-mounted On Site

撬装场地式管道预制生产线

- 产品型号: SPFPL-16Aa/24Aa
Model: SPFPL-16Aa/24Aa
- 适用管径: DN400/DN600
Pipe diameter applicable: DN400/DN600

**Convenient
transition
转场方便**

- ▶ 专利技术
Patented technology
- ▶ 全天候工作
Working around the clock
- ▶ 高品质
High quality



Production Line for Pipe-Pipe Jointing through a Flow Process

流水作业式管管接长生产线

- 产品型号: TCFPL-16Aa/24Aa
Model: TCFPL-16Aa/24Aa
- 适用管径: DN400/DN600
Pipe diameter applicable: DN400/DN600

**Dedicated for
pipe-pipe jointing
管管接长场专用**

- ▶ 专利技术
Patented technology
- ▶ 全天候工作
Working around the clock
- ▶ 物流通畅、运行高效
Smooth conveying, efficient operations
- ▶ 高产量、高品质
High output, high quality
- ▶ 高安全性
High degree of safety
- ▶ 商品化预制
Commercialized pre-fabrication






Components Fabrication Production Line on Ultra- High Voltage Iron Tower

特高压铁塔构件预制生产线

- 产品型号: TCFPL-16Aa/24Aa
Model: TCFPL-16Aa/24Aa
- 适用管径: DN400/DN600
Pipe diameter applicable: DN400/DN600

铁塔构件**预制专用**
Dedicated for iron tower
components pre-fabrication

- ▶ 专利技术
Patented technology
- ▶ 全天候工作
Working around the clock
- ▶ 物流通畅、运行高效
Smooth conveying, efficient operations
- ▶ 高产量、高品质
High output, high quality
- ▶ 高安全性
High degree of safety
- ▶ 商品化预制
Commercialized pre-fabrication



Pipe Fabrication workshop Series

预制车间产品


Fast Movable Pipe Fabrication Workshop

快速搬迁式管道预制车间



- 产品型号: FMPFW-24Aa
Model: FMPFW-24Aa
- 适用管径: DN600
Pipe diameter applicable: DN600

搭建快速
Fast assembly


- ▶ 专利技术
Patented technology
- ▶ 转场方便
Convenient transition



移动车间式管道预制解决方案



钢结构效果图



Field Product Series

现场系列产品

Pipe Flame Beveling & Cutting Machine

管道火焰坡口切割机

- 产品型号: PFBCM-00A
Model: PFBCM-00A
- 适用管径: $\geq$ DN100
Pipe Diameter Applicable: $\geq$ DN100

性价比高

Highly cost-effective

- 经典产品
Classical product
- 快捷高效
Fast and highly efficient



Internal-Expanding Pipe End Beveling Machine

管道内涨端面坡口机

- 产品型号: PIEBM-01Aa/03Aa/06Aa/10Aa/10Ab/14Aa/14Ab/24Aa/24Ab /30Aa/30Ab/34Aa/34Ab/42Aa/42Ab/52Aa/52Ab/60Aa/60Ab
- Model: PIEBM-01Aa/03Aa/06Aa/10Aa/10Ab/14Aa/14Ab/24Aa/24Ab /30Aa/30Ab/34Aa/34Ab/42Aa/42Ab/52Aa/52Ab/60Aa/60Ab
- 适用管径: Φ 16-28/28-76/65-159/80-240/150-330/300-600/500-750/600-850/820-1050/1030-1300/1270-1500
- Pipe Diameter Applicable: Φ 16-28/28-76/65-159/80-240/150-330/300-600/500-750/600-850/820-1050/1030-1300/1270-1500

经典产品

Classical product

- 手动内涨固定
Manual internal expanding fixing
- 小批量
Small batch
- 端面坡口
End beveling



Orbital Pipe Cutting & Beveling Machine

管道外夹切断坡口机

- 产品型号: PECBM-03Aa/06Aa/12Aa/18Aa/24Aa/30Aa/36Aa/42Aa/46Aa /52Aa/60Aa
- Model: PECBM-03Aa/06Aa/12Aa/18Aa/24Aa/30Aa/36Aa/42Aa/46Aa /52Aa/60Aa
- 适用管径: Φ 10-80/65-150/150-300/300-450/450-600/600-750/750-900/900-1050/1010-1160/1150-1300/1350-1500
- Pipe Diameter Applicable: Φ 10-80/65-150/150-300/300-450/450-600/600-750/750-900/900-1050/1010-1160/1150-1300/1350-1500



切断坡口

Cutting and beveling

- 经典产品
Classical product
- 手动外夹固定
Manual external clamping fixing
- 小批量
Small batch

长输管道专用

Dedicated for long distance pipelines

- 经典产品
Classical product
- 液压内涨固定
Hydraulic internal expanding fixing
- 端面坡口
End beveling

- 产品型号: PIEBM-14B/20B/24B/30B/32B/36B/40B/46B/48B
Model: PIEBM-14B/20B/24B/30B/32B/36B/40B/46B/48B
- 适用管径: Φ 203-355/406-508/508-610/610-762/711-813/762-914/914-1016/1016-1168/1067-1219
Pipe Diameter Applicable: Φ 203-355/406-508/508-610/610-762/711-813/762-914/914-1016/1016-1168/1067-1219



Pipeline Internal-Expanding End Beveling Machine

管道内涨端面坡口机（长输管道）

气动内涨对口

Pneumatic internal expanding line-up

- 经典产品
Classical product
- 长输管道专用
Dedicated for long distance pipelines

- 产品型号: PPLUC-06Aa/08Aa/10Aa /12Aa/14Aa/16Aa/18Aa/22Aa/26Aa/32Aa /36Aa/40Aa/44Aa/48Aa
- Model: PPLUC-06Aa/08Aa/10Aa /12Aa/14Aa/16Aa/18Aa/22Aa/26Aa/32Aa /36Aa/40Aa/44Aa/48Aa
- 适用管径: Φ 154/203/254/305/305-355/355-406/406-457/508-559 /610-660/711-813/813-914/914-1016/1067-1118/1168-1219
Pipe Diameter Applicable: Φ 154/203/254/305/305-355/355-406/406-457/508-559/610-660/711-813/813-914/914-1016/1067-1118/1168-1219



Pneumatic Pipeline Internal Line-Up Clamp

管道气动内对口器（长输管道）

尤适用于长输管道

Especially suitable for long distance pipelines

- 专利技术
Patented technology
- 铝合金、分瓣式轨道
Aluminum alloy split rails
- 参数可预置
Pre-settable parameters
- 实芯焊丝向下焊接
Solid welding wire downhill welding
- 药芯焊丝向上焊接
Flux-cored wire uphill welding

- 产品型号: PAAWM-56Aa
Model: PAAWM-56Aa
- 适用管径: DN400-1400
Pipe Diameter Applicable: DN400-1400



Piping All-position Automatic Welding Machine(Rail Type)

管道全位置自动焊机（轨道式）

磁吸爬行无需轨道

Magnetic type, no rails required

- 专利技术
Patented technology
- 无线遥控
Wireless remote control
- 参数实时调节
Real-time parameter adjustment
- 实芯焊丝向下焊接
Solid welding wire downhill welding
- 药芯焊丝向上焊接
Flux-cored wire uphill welding
- 尤适用于现场焊口
Especially suitable for in field weld joints

- 产品型号: PAAWM-00Aa
Model: PAAWM-00Aa
- 适用管径: $\geq$ DN100
Pipe Diameter Applicable: DN400-1400



Piping All-position Automatic Welding Machine(Magnetic Type)

管道全位置自动焊机（磁吸式）



Intelligent Product Series

智能系列产品



Intelligent Design System for PSF
管道预制智能设计系统

国际一流国际通用

The world's first class and universal

高效转化
详图设计

Efficient conversion
detail design

- 产品型号: IDS-PSF-00Aa
Model: IDS-PSF-00Aa
- 性能特点: SmartPlant Spoolgen or CADWorx Plant
Performance Features: SmartPlant Spoolgen or CADWorx Plant

智能工厂的大脑


The brain of intelligent factories

- 智能工厂管理专家
Intelligent factory management expert
- 国内一流
Top in the country
- 中英版本
Chinese and English versions

- 产品型号: IMS-PSF-00Aa
Model: IMS-PSF-00Aa



Intelligent Mgmt. System for PSF
管道预制智能管理系统



Intelligent Control System for PSF
管道预制智能控制系统

- 产品型号: ICS-PSF-00Aa
Model: ICS-PSF-00Aa

工控机控制

Controlled by industry
control computers

- 智能工厂控制专家
Intelligent factory control expert
- 智能工厂软硬件联系的桥梁
The bridge between softwares and
hardwares in the intelligent factories



Intelligent Control System for PSF
管道预制智能设备系统

- 产品型号: ICS-PSF-00Aa
Model: ICS-PSF-00Aa

CNC控制

CNC control

- 智能工厂的硬件设备
Hardwares in the intelligent factories



工业级WIFI Industrial WIFI

- ▶ 信息传播媒介
Information media

Intelligent Viewing System for PSF 管道预制智能显示系统

- 产品型号: IVS-PSF-00Aa
Model: IVS-PSF-00Aa

Data Collection System for PSF 管道预制数据采集系统

- 产品型号: DCS-PSF-00Aa
Model: IDS-PSF-00Aa

Field WIFI System for PSF 管道预制现场WIFI系统

- 产品型号: FWS-PSF-00Aa
Model: FDS-PSF-00Aa
- 性能特点: 负责其它各系统间的信息传递
Performance Features: Take charge to information transfer between other systems

实时显示 Real-time display

- ▶ 无纸化
Paperless

实时采集 Real-time collection

- ▶ 信息传播媒介
Information media

Long-distance APP System for PSF 管道预制远程APP系统

- 产品型号: APP-PSF-00Aa
Model: IDS-PSF-00Aa

Field Supervision Monitoring System for PSF 管道预制现场监控系统

- 产品型号: FMS-PSF-00Aa
Model: FMS-PSF-00Aa

Intelligent Plant System for PSF 管道预制智能厂房系统

- 产品型号: IPS-PSF-00Aa
Model: IPS-PSF-00Aa

定时推送 无地域限制

Fixed-time push
No location restrictions

实时记录 数据可溯

Real-time recording
与管理软件数据对应
Mapping with the management software data

全智能 Full intelligent mode

Company Profile (Cont.)

公司简介 (续)

Our Team

团队风采

有这么一群人
热爱着
这份事业 伙伴们，加油！！







Brand Slogan

品牌口号

QianShan Piping, Extremely Professional

前山管道 非常道

Company Vision

公司愿景

The most innovative manufacturer for pipe fabrication equipment
最具创新能力的管道预制设备制造商

The most competitive provider for pipe fabrication software and services
最具竞争力的管道预制软件和服务提供商

Core Values

核心价值观

Continuous Innovation Satisfying Users

持续创新、成就用户

Company Vision

公司使命

Realizing Commercialization And Intelligence of Pipe Shop Fabrication

实现管道预制的商品化、智能化。

Becoming a First-class Resourcing Provider and a Leading Platform Constructor for Commoditized Pipe Shop Fabrication.
成为一流的管道商品化预制资源提供商、前沿的管道商品化预制平台搭建商。



Research & Development

产品研发



姓名：戚凯
院校：大连理工大学
专长：高级机械工程师
首席技术官

Qi Ji,Dalian University of Technology,Senior Mechanical Engineer,Chief Technology Officer(CTO)



姓名：戚发明
院校：华东石油学院
专长：高级机械工程师，享受
国务院特殊津贴专家，技术顾问

Qi Faming,University of Petroleum (East China),Senior Mechanical Engineer,Expert Receiving the State Department Special Allowance,Technology Consultant



姓名：邵夏
院校：解放军电子工程学院
专业：工控机专家,高级电气
工程师

Shao Xia,Electronic Engineering Institute of PLA,IPC Expert,Senior Electrical Engineer



姓名：周祥
职位：总工程师
院校：华东理工大学
专长：高级电气工程师
管道设备设备研究所所长

Zhou Xiang,Electronic Engineering Institute of PLA,IPC Expert,Senior Electrical Engineer



姓名：许志辉
院校：华中科技大学
专长：高级机械工程师，研发
设计中心总监

Xu Zhihui,Huazhong University of Science and Technology Senior Mechanical Engineer,Director of the R&D Design Center



姓名：张斌杰
院校：浙江师范大学
专业：电气工程师，研发设计
中心副总监

Zhang Bin Jie,Zhejiang Normal University,Electrical Engineer,Vice Director of the R&D Design Center.



姓名：王松林
专业：原中石化管道预制专家，
高级技师

Wang Songlin,Ex-Sinopec Pipe Prefabrication Expert, Senior Technician



姓名：戚小明
专长：管道预制设备研发
专家，高级技师

Qi Xiaoming,Pipe Prefabrication R&D Expert, Senior Technician



姓名：韩树林
专长：管道预制设备研发专
家， 高级技师


Han Shulin,Pipe Prefabrication R&D Expert, Senior Technician

管道设备研究所 5名研究工程师

研发设计中心 18名研发工程师

战略合作单位 20家，CTCI、MSOG、中建三局、中石
化十建、林肯、西门子等

研发研究成果 发明专利18项，实用新型专利86项，高新
技术成果转化6项



Manufacturing
产品制造



江苏前山管道制造车间外景 ▲
厂区面积：35000平方米
Indoor scene, Jiangsu Qianshan pipe
fabrication factory
Workshop area: 15000 square meters


江苏前山管道制造车间内景 ▶
车间面积：15000平方米
Outdoor scene, Jiangsu Qianshan pipe
fabrication factory
Factory area: 35000 square meters



▲ 上海前山管道制造车间外景 厂区面积：15000平方米
Outdoor scene, Shanghai Qianshan pipe fabrication
factory.Factory area: 15000 square meters

▼ 上海前山管道制造车间内景
车间面积：7500平方米
Indoor scene, Shanghai Qianshan pipe fabrication factory
Workshop area: 7500 square meters





Inspecting & Testing
产品调试



1、带锯床定长精度测试
Band Saw Machine Length Measurement Precision Test



2、普通焊机旋转扭矩测试
Regular Welding Machine Rotating Torque Test



3、厚壁焊机旋转扭矩测试
Regular Welding Machine Rotating Torque Test



4、翻转式焊机窜动量测试
Swinging Pipe Welding Machine Displacement Measurement Test



5、轨道小车运输能力测试 Rail& Trolley Conveying Capability Test



7、自动焊机焊接性能试验
Automatic Welding Machine Welding Performance Test



8、生产线总成调试
Production Line Assembly Test



6、调头机构调头能力测试 U-Turning Mechanism Capability Test



After-Sales Service

售后服务



Aim of After-Sales Service

售后服务宗旨

急用户所急 想用户所想

Standing in the customers' shoes



Team of After-Sales Service

售后服务团队

让客户满意是最高标准

Client satisfaction is the highest standard.

Site of After-Sales Service

售后服务现场

专业、全面、细致

Professional, comprehensive, detailed.

Promise of After-Sales Service

售后服务承诺

不惜代价、不提条件，快速高效解决用户提出的售

后服务问题

To quickly and efficiently resolve all after-sales issues raised by the clients without being limited by conditions or costs



Production Processing Service

生产运行服务

保运服务

Commissioning service



Qualification Certificate

公司资质



营业执照



营业执照副本



ISO质量管理体系证书



CE产品认证证书



高新技术企业证书




部分专利证书



R & D Process

研发历程



Solutions (Cont.)

解决方案(续)

Classic Solution for Pipe Shop Fabrication(PSF)

管道预制经典解决方案

Solution for Pipe Fabrication in Fixed Type Workshop


固定车间式管道预制解决方案



一次投入较高，极低移动性，预制效率极高

Solution for Pipe Fabrication on Skid-mounted Field Type

撬装场地式管道预制解决方案



工作站野外集群作业生产线

The Solution for Components Fabrication for Ultra- High Voltage Iron Tower

特高压铁塔构件预制解决方案

工作站野外集群作业生产线

Solution for Pipe Fabrication in Mobile Type Workshop

移动车间式管道预制解决方案




将预制车间搬到项目现场

Solution for Pipe-Pipe Jointing through a Flow Process

流水作业式管管接长解决方案



管管接长预制自动化生产线



Customized Solution for Pipe Shop Fabrication(PSF)

管道预制经典解决方案

Annual Output Requirement for PSF

管道预制理论年度产量需求

Automation Requirement for PSF

管道预制自动化智能化需求

设备数量

Material & Thickness Status for PSF

管道预制项目材质壁厚状况

普通型or数控型or智能型

Movability Requirement for PSF

管道预制设备移动性能需求

普通型or厚壁型

Efficiency Requirement for PSF

管道预制设备生产效率要求

轻便式or固定式or工作站

Investment Requirement for PSF

管道预制设备一次投资限制

工艺选择

选型推荐，一次性投入or逐步扩能

Intelligent Solution for Pipe Shop Fabrication(PSF)

管道预制智能解决方案

Intelligent Design System for PSF

DDS-PSF管道预制智能设计系统

详图设计软件Detail Design Software

Intelligent Mgmt. System for PSF

IMS-PSF管道预制智能管理系统

过程管理软件Process Mgmt. Software

Intelligent Control System for PSF

ICS-PSF管道预制智能控制系统

PC控制运行IPC Controlling Operation

Intelligent Equipment System for PSF

IES-PSF管道预制智能设备系统

CNC功能设备CNC Function Equipment

Field WIFI System for PSF

WIFI-PSF管道预制现场WIFI系统

信息WIFI传递Info. Transmitted by WIFI

Intelligent Display System for PSF

IDS-PSF管道预制智能显示系统

信息现场显示Info. Displaying on Site

Intelligent Collection System for PSF

ICS-PSF管道预制智能采集系统

信息现场采集Info. Collecting on Site

APP系统Long-distance APP System for PSF

APP-PSF管道预制远程

信息远程传送Info. Long-distance Transmitting

Field Supervision Monitoring System for PSF

FCS-PSF管道预制现场监控系统

信息实时记录Info. Real-time Recording

Full Solution for Pipe Shop Fabrication(PSF)

管道预制完整解决方案

Production Line for PSF

管道预制生产线

Requirement, not Sufficient Condition for LEF
生产线高效运行的必要条件，而非充分条件

Ideas About PSF

管道预制理念

Guarantee for LEF
生产线高效运行的保障

Detail Design Software

详图设计软件

Prerequisite for LEF
生产线高效运行的前提

Process Mgmt. Software

过程管理软件

Security for LEF
生产线高效运行的保证

Working Procedures of PSF

管道预制程序

Guarantee for LEF
生产线高效运行的保障

Commissioning Services

工厂保运服务

Security for LEF
生产线高效运行的保证

Plant for PSF

管道预制厂房

Base for LEF
生产线高效运行的基础

Employee for PSF

管道预制人员

Fundamental for LEF
生产线高效运行的根本

Supporting Mgmt. System

配套管理制度

Guarantee for LEF
生产线高效运行的保障


Company performance


公司业绩

Petroject(埃及Egypt)

用户名称: 埃及PETREOJET
 供货内容: 固定车间式管道预制生产线(3条)
 服务项目: 埃及2000万吨炼化一体化项目
 使用时间: 2017年1月至今
 适用管径: DN50-1200
 适用壁厚: 3-80mm
 切割工艺: 机械切割+坡口
 焊接工艺: 自动TIG/MIG/SAW
 设计产能: 2400寸径/天
 设计软件: SPOOLGEN
 管理软件: 管道工厂预制智能管理系统PSF









茂化建Maohujian(中国China)


用户名称: 广东茂化建集团有限公司
 供货内容: 固定车间式管道预制生产线(2条)
 服务项目: 广东省茂名石化炼化项目
 使用时间: 2014年3月至2015年4月
 适用管径: DN50-600
 适用壁厚: 3-80mm
 切割工艺: 机械切割+坡口
 焊接工艺: 自动MIG/SAW
 设计产能: 1200寸径/天



MSOG(马来西亚Malaysia)

用户名称: MSOG
 供货内容: 固定车间式管道预制生产线(2条)
 服务项目: 马来西亚RAPID石油炼化项目
 使用时间: 2015年4月至今
 适用管径: DN50-800
 适用壁厚: 3-80mm
 切割工艺: 机械切割+坡口
 焊接工艺: 自动TIG/MIG/SAW
 设计产能: 1800寸径/天
 设计软件: SPOOLGEN
 管理软件: 管道工厂预制智能管理系统PSF





森松重工Morimastu(中国China)


用户名称: MSOG
供货内容: 固定车间式管道预制生产线(2条)
服务项目: 马来西亚RAPID石油炼化项目
使用时间: 2015年4月至今
适用管径: DN50-800
适用壁厚: 3-80mm
切割工艺: 机械切割+坡口
焊接工艺: 自动TIG/MIG/SAW
设计产能: 1800寸径/天
设计软件: SPOOLGEN
管理软件: 管道工厂预制智能管理系统PSF



台湾中鼎CTCI(泰国Thailand)


用户名称: CTCI
供货内容: 固定车间式管道预制生产线1条
服务项目: 马来西亚RAPID石化炼化一体化项目
使用时间: 2015年6月至今
适用管径: DN50-800
适用壁厚: 3-80mm
切割工艺: 机械切割+坡口/数控相贯线等离子切割
焊接工艺: 自动TIG/MIG/SAW
设计产能: 1200寸径/天
设计软件: SPOOLGEN
管理软件: 管道工厂预制智能管理系统PSF





山西四建ShanXiSiJian(中国China)

用户名称: 山西四建集团有限公司
供货内容: 固定车间式管道预制生产线(1条)
服务项目: 山西四建机电管道智造基地(建筑业BIM智造基地)
使用时间: 2017年7月至今
适用管径: DN50-600
适用壁厚: 3-30mm
切割工艺: 机械切割+坡口/相贯线等离子切割坡口
焊接工艺: 自动TIG/MIG
套丝压槽: 专业的自动套丝、压槽设备
设计产能: 600寸径/天



海油工程CNOOCEngineering(中国China)

用户名称: 海洋石油工程股份有限公司
供货内容: 固定车间式管道预制生产线(1条)
服务项目: 海洋石油工程天津建造公司预制车间
使用时间: 2017年7月至今
适用管径: DN50-400
适用壁厚: 3-25mm
切割工艺: 机械切割+坡口一体机
焊接工艺: 自动TIG/MIG
设计产能: 1000寸径/天



珠海巨涛J00S(中国China)

用户名称: 珠海巨涛海洋石油服务有限公司
供货内容: 固定车间式管道预制生产线(2条)
服务项目: 巨涛珠海预制基地
使用时间: 2014年6月至今
适用管径: DN50-600
适用壁厚: 3-25mm
切割工艺: 机械切割+坡口一体机、端面坡口机
焊接工艺: 自动TIG/MIG
设计产能: 1000寸径/天




南京麦驰NanJingMaiChi(中国China)

产品类型: 固定车间式生产线
产品数量: 1条
适用管径: DN50-600
适用壁厚: 3-60mm
焊接工艺: TIG/MIG/SAW
理论产能: 600寸径/天DI/D

Product Type: Pipe Fabrication Line in Fixed Type Workshop
Product Quantity: Line
Diameter Applicable: DN50-600
Thickness Applicable: 3-60mm
Welding Process: TIG/MIG/SAW
Theoretical Yield: 600DI/D




装配式机房管道预制(上海客户现场)




哈锅HarbinBoiler(中国China)

用户名称：哈尔滨锅炉厂有限责任公司
供货内容：CNC管道数控端面坡口机
服务项目：哈尔滨锅炉厂集箱/联箱管道数控坡口加工
使用时间：2017年5月至今
适用管径：DN200-800
适用壁厚：10-180mm
坡口工艺：CNC全数控坡口机精加工坡口
设计产能：1000寸径/天



中核华誉CNECHuaYu(中国China)

用户名称：中核华誉工程有限责任公司
供货内容：撬装场地式管道预制生产线
服务项目：珠海LNG预制项目
使用时间：2014年3月至2016年4月
适用管径：DN50-600
适用壁厚：3-80mm
切割工艺：机械切割+端面坡口
焊接工艺：自动TIG/SAW
设计产能：1000寸径/天



南京汇通NanJingHuiTong(中国China)

用户名称：江苏汇通电力设备有限公司
供货内容：特高压铁塔构件预制生产线
服务项目：能建集团特高压铁塔构件预制
使用时间：2014年3月至今
适用管径：DN50-600
适用壁厚：3-20mm
切割工艺：等离子
焊接工艺：平焊法兰内外四道角焊缝自动MIG焊接
设计产能：1200寸径/天



天津金岸TianjinJinan(中国China)

用户名称：天津金岸重工有限公司
供货内容：管管接长生产线1条
服务项目：海洋石油平台管桩接长预制
使用时间：2014年9月至今
适用管径：DN300-1000
适用壁厚：3-30mm
切割工艺：火焰切割+端面坡口
焊接工艺：自动TIG/SAW
设计产能：1000寸径/天



中核利柏特LBT(中国China)

用户名称：中核利柏特股份有限公司
供货内容：管管接长生产线4条
服务项目：俄罗斯亚马尔天然气项目
使用时间：2015年3月至今
适用管径：DN300-1500
适用壁厚：3-60mm
切割工艺：切割/火焰切割+端面坡口
焊接工艺：自动TIG/MIG/SAW
设计产能：2400寸径/天



Techint(阿根廷Argentina)

用户名称：中核利柏特股份有限公司
供货内容：管管接长生产线4条
服务项目：俄罗斯亚马尔天然气项目
使用时间：2015年3月至今
适用管径：DN300-1500
适用壁厚：3-60mm
切割工艺：切割/火焰切割+端面坡口
焊接工艺：自动TIG/MIG/SAW
设计产能：2400寸径/天



石化五建SinopecFifthConstr. (沙特Saudi)

用户名称：中核利柏特股份有限公司
供货内容：管管接长生产线4条
服务项目：俄罗斯亚马尔天然气项目
使用时间：2015年3月至今
适用管径：DN300-1500
适用壁厚：3-60mm
切割工艺：切割/火焰切割+端面坡口
焊接工艺：自动TIG/MIG/SAW
设计产能：2400寸径/天





Furnace(印度India)

用户名称: 中核利柏特股份有限公司
 供货内容: 管管接长生产线4条
 服务项目: 俄罗斯亚马尔天然气项目
 使用时间: 2015年3月至今
 适用管径: DN300-1500
 适用壁厚: 3-60mm
 切割工艺: 切割/火焰切割+端面坡口
 焊接工艺: 自动TIG/MIG/SAW
 设计产能: 2400寸径/天



ETP(巴西Brazil)

用户名称: 中核利柏特股份有限公司
 供货内容: 管管接长生产线4条
 服务项目: 俄罗斯亚马尔天然气项目
 使用时间: 2015年3月至今
 适用管径: DN300-1500
 适用壁厚: 3-60mm
 切割工艺: 切割/火焰切割+端面坡口
 焊接工艺: 自动TIG/MIG/SAW
 设计产能: 2400寸径/天



Petron(阿联酋UAE)

用户名称: 中核利柏特股份有限公司
 供货内容: 管管接长生产线4条
 服务项目: 俄罗斯亚马尔天然气项目
 使用时间: 2015年3月至今
 适用管径: DN300-1500
 适用壁厚: 3-60mm
 切割工艺: 切割/火焰切割+端面坡口
 焊接工艺: 自动TIG/MIG/SAW
 设计产能: 2400寸径/天



广西凯威GuangxiKaiWei(中国China)

用户名称：中核利柏特股份有限公司
供货内容：管管接长生产线4条
服务项目：俄罗斯亚马尔天然气项目
使用时间：2015年3月至今
适用管径：DN300~1500
适用壁厚：3~60mm
切割工艺：切割/火焰切割+端面坡口
焊接工艺：自动TIG/MIG/SAW
设计产能：2400寸径/天



山西鸿鼎ShanxiHongDing(中国China)

用户名称：中核利柏特股份有限公司
供货内容：管管接长生产线4条
服务项目：俄罗斯亚马尔天然气项目
使用时间：2015年3月至今
适用管径：DN300~1500
适用壁厚：3~60mm
切割工艺：切割/火焰切割+端面坡口
焊接工艺：自动TIG/MIG/SAW
设计产能：2400寸径/天

