

EMTEX MACHINERY PVT. LTD.

184, D.D.A Office Complex, Jhandewalan Extn.1,
New Delhi-110055
Contact No. 9811014184
Ph. 011-43584157, 43575134
e-mail : delhi@emtex.in, www.emtex.in



QUOTATION OF MIKROCUT (TOP TECH) BRAND PRECISION GEAR HEAD LATHE (MODEL TURNER CM6241)

Convincing Arguments:-

- Hardened and ground bed guideways
- Camlock spindle seat ASA D1 – 6”
- Main spindle running in an oil bath hardened and ground mounted on 2 adjustable precision taper roller bearings.
- All metric thread pitch in the range from 0.2 to 14 mm/r and all inch threads in the range from 72-2 threads per inch without replacing the changes gears by means of gear levers adjustable on the control panel.
- Emergency stop push button, protective motor switch, lockable main switch.
- Central lubrication at the bed slide
- Cover for leading spindle.
- Mechanical feet spindle brake.
- Adjustable scale of the threading gauge
- Serial halogen machine lam with articulated arm DPA machines.

EMTEX MACHINERY PVT. LTD.

184, D.D.A Office Complex, Jhandewalan Extn.1,
New Delhi-110055
Contact No. 9811014184
Ph. 011-43584157, 43575134
e-mail : delhi@emtex.in, www.emtex.in



Technical Specifications:

Model	Turner CM6241 x 1000	Turner CM6241 x 1500
<u>Electrical connection</u>		
Total connected value	2.2/3.3Kw	2.2/3.3Kw
Coolant equipment	100 W	100 W
<u>Working areas</u>		
Center height	210 mm	
Admit between Center	1000 mm	1500 mm
Swing over bed	420 mm	
Swing over cross slide	250 mm	
Turning in the bed gap	590 mm	
Length of bed gap	260 mm	
Bed width	250 mm	
<u>Speeds</u>		
Spindle speed	45-1800 rpm	
Number of steps	16 stages	
<u>Headstock</u>		
Spindle taper	MT6	
Spindle seat	Camlock ASA D1-6"	
Spindle drilling, rod passage	52 mm	
<u>Slide</u>		
Travel top slide	140 mm	
Travel cross slide	230 mm	
Pitch – Metric in the range of	02. – 14mm/rev; 39 thread pitches	
Pitch – Inch in the range of	72-2 threads/1"; 45 thread pitches	
Max. section of tool	20 x 20 mm	

EMTEX MACHINERY PVT. LTD.

184, D.D.A Office Complex, Jhandewalan Extn.1,
New Delhi-110055
Contact No. 9811014184
Ph. 011-43584157, 43575134
e-mail : delhi@emtex.in, www.emtex.in



<u>Tailstock</u>		
Tailstock seat	MT4	
Tailstock – sleeve travel	120 mm	
Quill diameter	50 mm	
<u>Dimensions</u>		
Length	2060 mm	2550 mm
Width x Height	900 x 1650 (DPA 1615) mm	
Net Weight	1160 / 1350 Kg	1340/1565 Kg.

PRICES:	Turner (CM6241 x 1000)	Rs. 6,40,000.00 + 18% GST
	Turner (CM6241 x 1500)	Rs. 6,65,000.00 + 18% GST

Terms & Conditions:

- Above prices are ex-Godwin, Delhi/Pune.
- GST will be charged extra as applicable.
- Delivery: Delivery period of the above machine is 3 months from the date of receipt of your firm order alongwith advance. We also keep machines ready stock. Please check.
- Terms of Payment: 100% advance against Performa invoice before dispatch.

For
Emtex Machinery Pvt. Ltd.
(R.K. Gupta)
Director
9811014184

Branches:

<u>Head Office</u>	<u>Pune Office</u>	<u>Bangalore Office</u>
Emtex Machinery Pvt. Ltd. 184, D.D.A. Office Complex, Jhandewalan Extn. New Delhi-110055. 011-43584157, 43575134	Emtex Machinery Pvt. Ltd. Sarvey No. 27/1A, Near Raghunandan Mangal Karayalaya, Tatewade,Pune- 411033. Maharashtra Mr. Vinod Tandon # 9015059697	Emtex Machinery Pvt. Ltd. No. 151, IInd Cross, Masjid Road, Rajgopal Nagar, Peenya IInd stage, Bangalore-560058. Karnataka Mr. Achar # 9900068205

EMTEX MACHINERY PVT. LTD.

184, D.D.A Office Complex, Jhandewalan Extn.1,

New Delhi-110055

Contact No. 9811014184

Ph. 011-43584157, 43575134

e-mail : delhi@emtex.in, www.emtex.in




MACHINE TOOL

MACHINE TOOL

LATHE SERIES Turner CD6241

PRECISION GEARHEAD LATHE



Turner CD6241

FEATURES

- Needn't change any gears you can turn all the metric and inchthread indicating in chart.
- Three points support for spindle.
- Clutch in apron for safety & for changing apron feed direction without changing spindle running direction.

NEW!