

EMTEX MACHINERY PVT. LTD.

184, D.D.A Office Complex, Jhandewalan Extn.1,
New Delhi-110055
Contact No. 9811014184
Ph. 011-43584157, 43575134
e-mail : delhi@emtex.in, www.emtex.in



(PRICES W.E.F NOVEMBER 08th 2022)

Quotation for Hydraulic Press Brake Machine Model: WC67Y-63T×2500

Thank you for allowing us to quote the following machines. These machines are imported and we provide full warranty, after sales service back up and spare parts through our offices all over India (Delhi, Pune, Bangalore). We have a qualified and experienced group of 17 -20 service staff who will attend to your machines within 48 hours of your informing us.

No.	Model	Price
1	WC67Y – 63T/2500	8,80,000/- (18% GST Extra)

Note: Due to increase in sea freight substantially we have to charge extra on account of increase in sea freight as below this Charge will be removed when sea freight normalizes.

WC67Y-63T×2500 - Rs 20000(each)

Features:

- (1) Digital Display (MD11) hydraulic Press Brake
- (2) Two Cylinders to Control Movement of Ram
- (3) Mechanical Torsion Synchrony
- (4) Type T screw type Mandrel to control movement of Backgauge
- (5) Standard connect Die and Tool (with upper - tilted block compensation unit)
- (6) Main electric components are from Siemens brand
- (7) Oil seals are imported from Japan
- (8) Standard front Support Sheet Frame
- (9) Rotary Encoder Feedback equipment
- (10) Using all-steel welded structure is strong enough filling and rigid
- (11) Wedge-style deflection compensation agencies, to ensure access to high bending accuracy
- (12) His slider mobile rapid adjustment, manual fine tuning,

Make & Source of Components:

EMTEX MACHINERY PVT. LTD.

184, D.D.A Office Complex, Jhandewalan Extn.1,
New Delhi-110055
Contact No. 9811014184
Ph. 011-43584157, 43575134
e-mail : delhi@emtex.in, www.emtex.in



1.	NC Controller	A62	China
2.	Hydraulic Valve	Rexroth	Germany
3.	Hydraulic Pressure Gear Pump	Sunny	USA
4.	Slide in Oil Pipe joint (PVC fitting)	EMB	Germany
5.	Linear Guide	NC Machine has not linear guide	
6.	Ball Screw	Hiwin	Taiwan
7.	Seals of Cylinder	NOK	Japan
8.	Main Motor	Mengniu	China
9.	Electricals	Schneider	France

Standard Accessories:

- Electrical Control Box 1 Set
- Motorized Back Gauge 1 Set
- Pedal Control Switch 1 Set
- Spare Oil-Sealings 1 Set
- Standard Punch And Die 1 Set
- Foundation Bolts 4 Pcs
- English Manual 1 Set
- Main Electric Components Are From SIEMENS Brand
- Imported Hydraulic Seal Rings
- Hydraulic pump from China famous factory

EMTEX MACHINERY PVT. LTD.

184, D.D.A Office Complex, Jhandewalan Extn.1,
New Delhi-110055
Contact No. 9811014184
Ph. 011-43584157, 43575134
e-mail : delhi@emtex.in, www.emtex.in



TERMS AND CONDITIONS:

- All prices are Ex- go-down Delhi/ Pune/ Bangalore.
- GST: 18% GST is applicable on all the prices.
- Installation: Our engineers will assist installation
- Payment: 100% advance since machines are ready to dispatch
- Delivery: Ready Stock

WARRANTY:

Warranty period is one year. During the warranty period we shall provide service support within 48 hours of receiving your complaint.

If you have any questions, please don't hesitate go contact us. Thanking you and Best Regards,

For
Emtex Machinery Pvt. Ltd.
(R.K. GUPTA)
DIRECTOR
9811014184

Branches :

<u>Head Office</u>	<u>Pune Office</u>	<u>Bangalore Office</u>
Emtex Machinery Pvt. Ltd. 184, D.D.A. Office Complex, Jhandewalan Extn. New Delhi-110055. 011-43584157, 43575134	Emtex Machinery Pvt. Ltd. Sarvey No. 27/1A, Near Raghunandan Mangal Karayalaya, Tatewade Pune-411033. Maharashtra Mr. Vinod Tandon # 9015059697	Emtex Machinery Pvt. Ltd. No. 151, IInd Cross, Masjid Road, Rajgopal Nagar, Peenya IInd stage, Bangalore-560058. Karnataka Mr. Achar # 9900068205

EMTEX MACHINERY PVT. LTD.


184, D.D.A Office Complex, Jhandewalan Extn.1,
New Delhi-110055
Contact No. 9811014184
Ph. 011-43584157, 43575134
e-mail : delhi@emtex.in, www.emtex.in



Emtex Machinery


ISO: 9001:2000 Co.

Series WC67Y digital display hydraulic Press Brake (40-250T)



Back stop block

1. Standard two axes control (Y, X)
2. Mechanical torsion synchrony
3. Domestic famous hydraulic integrated system
4. with CHINT or Siemens LV electrical apparatus
5. With frequency converter for control of the operation of motor
6. Imported sealing enclose
7. Ball bearing screw mandrel to control the movement of back gauge
8. Stand connect die and tool (with upper-tilted block compensation unit)
9. Standard front support sheet frame



Distribution box



Press brake die



digital control system

Model	Nominal pressure(KN)	Length of table (mm)	Distance between columns(mm)	Throat depth (mm)	stroke (mm)	Open Height (mm)	Main motor (KW)	Weight (kg)	Overall dimensions (L×W×H)(mm)
30/1600	300	1600	1260	200	80	260	3	1200	1600x800x1780
30/2000	300	2000	1480	200	80	260	3	1500	2000x800x1780
40/2200	400	2200	1850	220	100	320	5.5	2600	2200x1200x1900
40/2500	400	2500	2030	220	100	320	5.5	2800	2500x1200x1900
63/2500	630	2500	1970	250	100	320	5.5	4200	2500x1600x2200
63/3200	630	3200	2360	250	100	320	5.5	4800	3200x1600x2200
80/2500	800	2500	1970	250	100	320	5.5	4800	2500x1700x2250
80/3200	800	3200	2360	250	100	320	5.5	5800	3200x1700x2300
80/4000	800	4000	3085	250	100	320	5.5	6400	4000x1700x2300
100/3200	1000	3200	2510	320	120	350	7.5	6000	3200x1800x2500
100/4000	1000	4000	2980	320	120	350	7.5	7000	4000x1800x2500
125/3200	1250	3200	2510	320	120	350	7.5	6800	3200x1850x2500
125/4000	1250	4000	2980	320	120	350	7.5	7500	4000x1850x2500
160/3200	1600	3200	2510	320	200	450	11	12500	3200x1900x2700
160/4000	1600	4000	3040	320	200	450	11	13500	4000x1900x2700
160/5000	1600	5000	3800	320	200	450	11	16000	5000x1900x3100
160/6000	1600	6000	4600	320	200	450	11	19800	6000x1900x3300
200/3200	2000	3200	2600	320	250	580	15	15500	3200x1950x2800
200/4000	2000	4000	3300	320	250	580	15	17000	4000x1950x2800
200/5000	2000	5000	3800	320	250	580	15	20500	5000x1950x3000
200/6000	2000	6000	4600	320	250	580	15	23500	6000x1950x3300
250/3200	2500	3200	2600	400	250	620	18.5	17400	3200x2000x3200