

# EMTEX MACHINERY PVT. LTD.

184, D.D.A Office Complex, JhandewalanExtn.  
New Delhi-110055  
Contact No. 9811014184  
Ph. 011-43584157, 43575134  
e-mail : [delhi@emtex.in](mailto:delhi@emtex.in), [www.emtex.in](http://www.emtex.in)



## Quotation LATHE MACHINE Turner 360Lx1000

Model	Turner 360Lx1000
Code No.	3601007
<b>Capacity</b>	
Swing over bed	ø360mm
Swing over cross slide	ø212mm
Swing in gap diameter	ø491mm
Length of gap	115mm
Admits between	1000mm
Center height	166mm
Width of bed	187mm
<b>HEADSTOCK</b>	
Spindle nose	D1-4
Spindle bore	ø38mm
Spindle taper	MT5
Range of spindle speed	70-2000rpm
<b>FEEDS AND THREADS</b>	
Compound rest travel	95mm
Cross slide travel	180mm
Lead screw thread	4mm

# EMTEX MACHINERY PVT. LTD.

184, D.D.A Office Complex, JhandewalanExtn.  
New Delhi-110055  
Contact No. 9811014184  
Ph. 011-43584157, 43575134  
e-mail : [delhi@emtex.in](mailto:delhi@emtex.in), [www.emtex.in](http://www.emtex.in)



Max. Section of tool (WxH)	16x16mm
Longitudinal feeds range	0.091-2.553mm
Cross feeds range	0.025-0.690mm
Threads metric pitches	0.4-7mm
Threads imperial pitches	8-112T.P.I
Threads diametral pitches	8-224D.P 23kinds
Threads module pitches	0.25-3M.P 15kinds
<b>TAILSTOCK</b>	
Quill diameter	ø32mm
Quill travel	100mm
Quill taper	MT3
Cross adjustment	10mm
<b>MOTOR</b>	
Main motor power	1.5KW
Coolant pump power	40W
<b>DIMENSION AND WEIGHT</b>	
Overall dimension (LxWxH)	1870x740x124mm
Packing size (LxWxH)	1970x760x1450mm
NW/GW	790/840kgs

# EMTEX MACHINERY PVT. LTD.

184, D.D.A Office Complex, JhandewalanExtn.  
New Delhi-110055  
Contact No. 9811014184  
Ph. 011-43584157, 43575134  
e-mail : [delhi@emtex.in](mailto:delhi@emtex.in), [www.emtex.in](http://www.emtex.in)



**PRICES: 3,40,000 (18% GST Extra)**

## **STANDARD ACCESSORIES**

- 1.3-Jaw Chuck
- 2.4-Jaw Chuck
- 3.Steady Rest
4. Follow Rest
- 5.Coolant System
- 6.Work Light
- 7.Stand And Chip Tray
- 8.Foot Brake
9. Dead Center
10. Face Plate
- 11.Change Gear Kit

## **FEATURES:**

- Induction harden bed way
- Enough strong power 2 speed motor
- Euro-standard electrical control board

## **DESCRIPTION :**

The kinds of lathes are with higher rigidity. Hardened by means of middle-frequency induction method, the guide way surfaces of the beds are durable.

The construction rigidity and driving rigidity of this kind of lathe are higher than the rigidity of common lathes. With higher power utilization ratio, the lathes are suitable for heavy and high speed cutting operations.

## **TERMS & CONDITIONS :**

- 1) Above prices are Ex-Godwin,
- 2) GST will be charged extra as applicable present rate @18%
- 3) Delivery: Delivery period of the above machine is 3 months from the date of receipt of your firm order alongwith advance. We also keep machines ready stock. Please check.
- 4) Terms of Payment: 25% advance along with order and balance against Performa invoice before dispatch.

# EMTEX MACHINERY PVT. LTD.

184, D.D.A Office Complex, JhandewalanExtn.  
New Delhi-110055  
Contact No. 9811014184  
Ph. 011-43584157, 43575134  
e-mail : [delhi@emtex.in](mailto:delhi@emtex.in), [www.emtex.in](http://www.emtex.in)




## LATHE MACHINE

### TURNER360Lx1000

Feature:

- Induction harden bedway
- Enough strong power motor
- Euro-safety magnetic switch or lock key switch



For

**RK GUPTA (9811014184)**  
**DIRECTOR**

#### Branches :

Head Office	Pune Office	Bangalore Office
Emtex Machinery Pvt. Ltd. 184, D.D.A. Office Complex, Jhandewalan Extn. New Delhi-110055. 011-43584157, 43575134	Emtex Machinery Pvt. Ltd. Sarvey No. 27/1A, Near Raghunandan Mangal Karayalaya, Tatewade Pune-411033. Maharashtra Mr. Vinod Tandon # 9015059697	Emtex Machinery Pvt. Ltd. No. 151, IInd Cross, Masjid Road, Rajgopal Nagar, Peenya IInd stage, Bangalore-560058. Karnataka Mr. Achar # 9900068205