

Proudly serving the farming community for 15 years

Quality is our endeavour

Your
need
Matters
the
Most



VETCO (INDIA) PVT. LTD.

ANIMAL NUTRITIONS An ISO 9001 : 2008 Co.

A Blend of Vitamin-A

COVIT - A

Composition - Each ml contains -

Vitamin A	100,000 IU
(As Vitamin-A Palmitate)	
DL- Methionine	10 mg
L- Lysine	20 mg

Benefits -

- ✦ Better metabolism, growth, production & hatchability
- ✦ Helps to repair mucosal layer of intestine
- ✦ To prevent embryonic mortality
- ✦ Prevents blood spot in eggs.
- ✦ Overcomes peak production stress condition.

Dosage -

Chicks: 2 ml per 100 birds

Grower/ Broiler: 5 ml per 100 birds

Layer: 5- 10 ml per 100 birds

Regularly in drinking water.

or As directed by Consultant

Packing -

500 ml & 1 Ltr.



The Therapeutic Formula, Bird Prefers!

Multi Vitamin & Multi Mineral Combination

CHICFIT

Composition - Each 100 gm contains

Vitamin A	800000 IU	Vitamin B ₂	280 mg	Copper Sulphate	70 mg
Vitamin D ₃	150000 IU	Vitamin B ₁₂	500 mg	Zinc Sulphate	250 mg
Vitamin E	500 mg	Cal-D-Panthonate	500 mg	Ferrous Sulphate	62 mg
Vitamin K	500 mg	Sorbitol	2000 mg	Potassium Iodide	40 mg
Niacinamide	1.25 gm	Protein Hydrolysate	1000 mg	Manganese Sulphate	380 mg

Benefits -

- ✦ Improves digestibility & assimilation of nutrients in chicks.
- ✦ Excellent choice for uniform flock performance.
- ✦ Improves immunity.
- ✦ Reduces stress due to vaccination, deworming, transportation, debeaking, etc.
- ✦ Improves laying performance reduced due to intense heat, illness, cold or cage-fatigue.
- ✦ Enhances Egg production & shell quality.

Dosage -

Broiler -

Prophylactic - 0.5gm/ lt of water for 5-7days

Therapeutic - 1gm/ lt of water for 5-7 days

Layer - 0.5gm- 2gm/ lt of water for 5-7days

or As directed by Consultant

Packing -

100 gms & 500 gms



The Therapeutic Formula, Bird Prefers!

Transforming anti- nutritives into Value

BEEPLEX-4

Composition - Each 5 ml contains -

Vitamin B ₂	5 mg	D-Panthenol	5 mg
Vitamin B ₆	2.48 mg	Niacinamide	150 mg
Vitamin B ₁₂	25 mcg	DL- Methionine	25 mg
Biotin	10 mcg	L- Lysine	100 mg

Benefits -

- ✦ Better metabolism, growth, production & hatchability
- ✦ Increases feed efficiency.
- ✦ Enhances flock uniformity.
- ✦ To prevent embryonic mortality
- ✦ Enhances weight gain in chicks.
- ✦ Overcomes peak production stress condition.
- ✦ Helps control cannibalism.

Dosage -

Chicks: 5 ml per 100 birds

Grower/ Broiler: 10 ml per 100 birds

Layer: 15 ml per 100 birds

or As directed by Consultant

Packing -

1 Ltr & 5 Ltr.



Adding Health to Nutrition!

VETSEL -E

Vetsel - E is designed to increase antibody production to enhance both humoral and cell mediated immunity. Vitamin E is an important biological anti oxidant having synergic action with selenium.

Vitamin E is incorporated into the cell membrane and selenium in to th cytoplasm to protect the cell from oxidative damage, which is ongoing phenomenon especially under stress.

Composition - Each 200 gm contains -

Vitamin E	40 gm
Biotin	320 mg
Selenium	100 mg

Benefits -

- ✦ Increases antibodies
- ✦ Enhances humoral & cell mediated immunity
- ✦ Improves antibodies titer
- ✦ Maintains the membrane integrity
- ✦ Improves fertility and hatchability

Dosage -

Chicks/Growers/Layers- 5 gms/200 birds in drinking water
or 150- 200 gms per ton of feed

Broilers- 5 gms/50 birds in drinking water
or As directed by Consultant

Packing -

200 gm

Immunomodulator



Aminoacids , Vitamins & Chelated Minerals Complex

PROTOMIN

Composition - Each 15 ml contains -

Protein Hydrolysate 7.5gm To supply essential Amino Acids

Methionine	3.5%	Valine	7.1%	Tryptophan	1.4%
Arginine	4.3%	L-Lysine	7.3%	Leucine	9.1%
Tyrosine	2.8%	Histidine	3.1%	Isoleucine	8.1%
Threonine	3.9%				

Total N2 equivalent to 175 mg.

Zinc	0.25 mg	Pyridoxine	12.00 mg
Copper	0.06 mg	Niacinamide	45.00 mg
Iodine	0.02 mg	Cyanocobalamin	45.00 mcg
Cobalt	0.06 mg	Selenium	6.00 ppm
Manganese	1.00 mg	Biotin	6.00 ppm
Iron	0.30 mg	Sodium	25.00 mg
Calcium	2.50 mg	Chloride	50.00 mg

Benefits -

- ✦ Ideal amino acids source.
- ✦ Improves mineral absorption & utilization, Compensates for nutrient loss.
- ✦ Improves digestibility of non-conventional grains.
- ✦ Improves hatchability & chick survival rate.
- ✦ Ensures uniform growth & overcomes stress.
- ✦ Checks mis-shapen eggs during peak laying & increases egg mass.

Dosage -

Layers -

20- 30 ml/ 100 birds for 5- 7 days

Repeat medication every fortnight

Broilers -

10 ml/ 100 birds in 1st & 3rd week of water for 3 days

20 ml/ 100 birds in 5th & 7rd week of water for 3 days

Chicks -

5 ml/ 100 birds for 5 days

or As directed by Consultant

Packing -

1 Ltr & 5 Ltr



Bridges the Nutritional Gap

Stimulate, Regenerate & Detoxify

FERROLIVE

Composition - Each 30 ml Contains -

Ferric Ammonium Citrate	83.5 mg	Folic Acid	10 mg
Ferrous Gluconate	200 mg	Vitamin B-12	150 mcg
Ferrous Ascorbate	100 mg	Beta-Caratone (Source of Vitamin A)	2,00,000 I.U.
Niacinamide	45 mg	Cholecalciferol (Source of Vitamin D-3)	40,000 I.U.
Thiamine Hydrochloride	5 mg	Tocopheryl (Source of Vitamin E)	50 I.U.
Riboflavin	5 mg	Menadione Sodium (source of Vitamin K)	2.5 mg

Indications -

- ✦ Anaemia
- ✦ Hemorrhages & Necrosis of Liver
- ✦ Decreased Oxygen Uptake
- ✦ Protein & Glucose Metabolism

Benefits -

- ✦ Improves liver efficiency by regulating hepatic microsomal enzymes.
- ✦ Counteracts the damaging effects of Mycotoxins.
- ✦ Improves Immune functions
- ✦ Enhances Egg production & weight gain in broilers.
- ✦ Improves Oxygen uptake, overcomes stress conditions and improves metabolism.

Dosage -

Layers/Broilers - 20- 30 ml/ 100 birds for 5 days

Growers - 15 ml/ 100 birds for 3 days

Chicks - 5 ml/ 100 birds for 5 days

or As directed by Consultant

Packing -

1 Ltr. & 5 Ltr.



Keeps Liver Fit!

Synergistic Prebiotic & Probiotic Complex

PROTECH WS

High performance & efficient feed conversion are the need of modern livestock industry. Focused breeding, nutrition & use of direct feed microbial in early days are vital to achieve this target.

Protech WS is an alternative strategy against antibiotics, due to their growth promoting effect, elimination of pathogenic organism like Salmonella and E.coli and stimulation of immune system.

Composition -

Blend of Lactic Acid bacillus, Bacillus Subtillis & Saccharomyces Boulardi with Vitamin A & Vitamin C
Total Viable Count 5 billion CFU/gm

Benefits -

- ✦ Promotes growth & colonization of commensals in the gut.
- ✦ Suppresses the multiplication of enteropathogens in the gut.
- ✦ Improves availability, absorption & utilization of nutrients.
- ✦ Improves livability.

Dosage -

Chicks - 100gm/ 5000 birds for 5 days

Broilers & Layers - 200gm/ 5000 birds for 5 days

(For micro-flora regeneration after intestinal disturbances)

or As directed by Consultant

Packing -

100gms

High Nutritive Value!



Selective Bactericidal Action

COLCIN-20

Composition - Each 100 gm contains -

Colistin Sulphate 20 gm equivalent to 60,00,00,000 I.U. Fortified with Vitamin B-Complex

Spectrum of Activity -

Exerts a high bactericidal activity on both multiplying and resting susceptible bacteria. Interacts strongly with phospholipids in bacterial cell membrane, penetrates into and radically disrupts its permeability & function.

Colcin 20 has a protective effect against the adverse effects of endotoxins, as it has high activity to bind and neutralize the endotoxins produced by toxigenic strains of E.coli & Salmonella spp.

Indications -

Prevention & treatment of gastrointestinal infections caused by or associated with bacteria sensitive to colistin in poultry (broilers including hen), rabbits and calves.

Highly effective against gram negative bacteria, which includes - Aerobactor, E.coli, Hemophilus spp., Shigella spp., Bordetella spp., Vibrio spp. & Paracolon bacteria.

In Chickens - colibacillosis, colisepticaemia, enterotoxigenic salmonellosis, pullorosis, infectious coryza, klebsiellosis, bordetellosis, avian vibriosis hepatitis and pseudomonas infection.

In Calves - colienteritis, colisepticaemia, calf scour and secondary bacterial diarrhea after viral infections.

Dosage -

Preventive Inclusion -

1 gm / 50 kg body weight for 5- 7 days
(equivalent to 4 mg of colistin sulphate/ kg b.w.)

Treatment Inclusion -

1 gm / 30 kg body weight for 5- 7 days
(equivalent to 6 mg of colistin sulphate/ kg b.w.)

or As Directed by Consultant.

Packing -

100 gm, 500 gm & 1 kg



Polypeptide Antibiotic of Polymyxin Group

ROXICIN FORTE

Composition - Each gm contains -

Roxithromycin	100 mg
Vitamin B2	15 mg
Vitamin B6	15 mg
Niacinamide	60 mg
Protein Hydrolysate	10 mg
Water Soluble Base	Q.S.

Anti Bacterial Spectrum -

Staphylococcus, Streptococcus, Corynebacterium, E.coli, Clostridium etc. Along with Mycoplasma

Mode of Action -

Prevents Bacterial growth by interfering the protein synthesis

Benefits -

- ✦ Roxicin is most effective in treatment of systemic infections particularly against deep seated intra cellular bacterial infections, C.R.D., C.C.R.D. & other infections related to upper respiratory tract.
- ✦ Roxicin rapidly reaches the blood & maintains required MIC levels.
- ✦ Roxicin controls Fast growing bacteria at a much faster rate, there by bringing quick relief.

Dosage -

Chicks- 1gm/2lt of water for 5-7days

Broilers- 1gm/lt of water for 5-7 days

or As directed by Consultant

Packing -

50 gms & 250 gms

Broad spectrum Macrolide



LOX-BH

Composition -

Levofloxacin-10% With Bromhexine & Vitamin B-Complex

Spectrum of Activity -

Gram positive organisms

Enterococcus spp., Staphylococcus spp., Streptococcus spp., Clostridium spp., etc.

Gram negative organisms

E.coli, Salmonella spp., Haemophilus spp., Pasteurella spp., Compylobacter spp., Proteus spp., Pseudomonas spp., Bordetella spp., Klebsiella spp., Enterobacter spp., etc.

Mycoplasma spp.

Mycoplasma gallisepticum, M.synovia, M.meleagridis, etc

Indications -

Severe systemic infections like C.R.D., C.C.R.D., Colisepticaemia, Salmonellosis, Infectious Coryza, Fowl Cholera, Necrotic Enteritis, Gangrenous Dermatitis and non specific bacterial infections etc.

Dosage -

Prophylactic -

2- 4 gm / 10 Ltr of drinking water for 3-5 days

Severe Conditions -

4-8 gm / 10 Ltr of drinking water for 3-5 days

or **As Directed by Consultant.**

Packing -

100 gm & 500 gm



Third Generation Fluoroquinolone

The Unbeatable Two

CIPROXIN TZ

Ciprofloxacin is bactericidal and acts against enteropathogens like Salmonella, E coli, etc. It acts by inhibiting DNA synthesis.

Tinidazole is a potent anaerobicicide. Effective against Entamoeba & Giardia. It acts by damaging DNA strands.

Composition - Each gm contains -

Ciprofloxacin	100 mg
Tinidazole	100 mg
Vitamin B2	15 mg
Vitamin B6	15 mg
Niacinamide	60 mg
Protein Hydrolysate	10 mg
Water Soluble Base	Q.S.

Benefits -

- ✦ Ciproxin-TZ is an excellent choice for complicated urinary tract and gastrointestinal tract infections.
- ✦ Ciproxin-TZ has no effect on anaerobic microflora of gastrointestinal tract (GIT).
- ✦ Ciproxin-TZ has low protein binding and wide distribution.

Dosage -

Prophylactic -

1gm/2lt of water for 5-7days

Therapeutic -

1gm/lt of water for 5-7 days

or As directed by Consultant

Packing -

100 gms & 250 gms



Broad spectrum Antibacterial and Antiprotozoal

LOX-10

Composition -

Levofloxacin-10% fortified with Vitamin B-Complex

Spectrum of Activity -

Gram positive organisms

Enterococcus spp., Staphylococcus spp., Streptococcus spp., Clostridium spp., etc.

Gram negative organisms

E.coli, Salmonella spp., Haemophilus spp., Pasteurella spp., Compylobacter spp., Proteus spp., Pseudomonas spp., Bordetella spp., Klebsiella spp., Enterobacter spp., etc.

Mycoplasma spp.

Mycoplasma gallisepticum, M.synovia, M.meleagridis, etc

Indications -

Severe systemic infections like C.R.D., C.C.R.D., Colisepticaemia, Salmonellosis, Infectious Coryza, Fowl Cholera, Necrotic Enteritis, Gangrenous Dermatitis and non specific bacterial infections etc.

Dosage -

Prophylactic -

2- 4 gm / 10 Ltr of drinking water for 3-5 days

Severe Conditions -

4-8 gm / 10 Ltr of drinking water for 3-5 days

or **As Directed by Consultant.**

Packing -

100 gm & 500 gm



Third Generation Fluoroquinolone

CIPROXIN

Composition - Each gm contains -

Ciprofloxacin	100 mg
Vitamin B2	15 mg
Vitamin B6	15 mg
Niacinamide	60 mg
Protein Hydrolysate	10 mg
Water Soluble Base	Q.S.

Anti Bacterial Spectrum -

E.coli, Salmonella, Infectious Coryza, Fowl Cholera, Clostridium etc. Along with Mycoplasma

Benefits -

- ✦ Effective in treatment of systemic infections particularly against deep seated intra cellular bacterial infections.
- ✦ Rapidly reaches in blood & maintains required MIC levels.
- ✦ Controls Fast growing bacteria at a much faster rate there by bringing quick relief.
- ✦ Checks early chick mortality, improves FCR, weight gain, & maintain peak egg production.

Dosage -

Chicks-

1gm/2lt of water for 5-7days

Broilers/Layers-

1gm/lt of water for 5-7 days

or As directed by Consultant

Packing -

100 gms & 500 gms



Second Generation Fluoroquinolone

The Unbeatable Two

OXYCIN WS

Composition - Each 100 gm contains

Oxytetracycline Hcl I.P.	11.014 gm	Vitamin E	500 mg	Vitamin B ₁₂	500 mg
Neomycine Sulphate I.P.	11.012 gm	Vitamin K	500 mg	Cal-D-Panthonate	500 mg
Vitamin A	800000 IU	Niacinamide	1.25 gm	Sorbitol	2 gm
Vitamin D ₃	150000 IU	Vitamin B ₂	280 mg	Protein Hydrolysate Fortified Base	1 gm
					Q. S.

Benefits -

- ✦ Oxycin-WS is an excellent choice for mixed bacterial infections.
- ✦ Oxycin-WS combats most enteric organisms.
- ✦ Oxycin-WS improves availability, absorption & utilization of nutrients.
- ✦ Oxycin-WS effective against Streptomycin resistant gram negative & acid-fast organisms.

Dosage -

Stress -

1gm/ 4lt of water for 4- 5 days

Bacterial Infections -

1gm/ 2lt of water for 4- 5 days

Severe Mixed Infections -

1gm/ 1lt of water for 4- 5 days

or As directed by Consultant

Packing -

100gms



Synergistic Combination For Multi SafeGuards

Synergistic Advantage

AM-CLO

Composition - Each gm Contains -

Amoxicillin trihydrate I.P.
equivalent to Amoxicillin 5%w/w
Cloxacillin sodium I.P.
equivalent to Cloxacillin 5% w/w
Fortified with Vitamin B-Complex

Anti Bacterial Spectrum -

Staphylococcus, Streptococcus, Corynebacterium,
E.coli, Clostridium etc. Along with Mycoplasma

Indication -

Wing Rot
Fowl Cholera & Fowl Thypoid
Infectious Coryza

Benefits -

- ✦ Am-Clo has synergistic bactericidal action.
- ✦ Am-Clo is effective against penicillinase producing bacteria.
- ✦ Am-Clo gets rapidly absorbed from alimentary tract.

Dosage -

Prophylactic Use -

1gm/2lt of water for 3- 5 days

Therapeutic Use -

1gm/lt of water for 3- 5 days

or As directed by Consultant

Packing -

250 gm & 500 gm



Broad spectrum Antibacterial

The Unbeatable Three

N-DOXYN

Composition - Each gm. contains

Doxycycline	100 mg
Neomycin	100 mg
Colistin Sulphate	0.01 mg
Fortified with Vitamin B-Complex	

Indications -

- ✦ Mixed infections like C.R.D. With E.coli & CCRD complex
- ✦ Helps in most infections caused by Mycoplasma, gram positive & gram negative bacteria including certain fungi & protozoa
- ✦ Early chick mortality
- ✦ Colispeticaemia

Dosage -

Prevention of early chick mortality -

1g/ 10 litre of drinking water for 4-5 days.

Prophylactic Treatment -

1g/ 10 litre of drinking water for 4-5 days.

Treatment of Severe outbreaks -

1g/ 5 litre of drinking water for 4-5 days.

or As directed by Consultant

Packing -

100 gm & 500 gm



Covers Systemic & Gut Infections

The Unbeatable Two

TRIMOL

Composition - Each gm. contains

Trimethoprim	100 mg
Sulphamethoxale	500 mg
Protein Hydrolysate	10 mg
Fortified with Vitamin B-Complex	

Indications -

- ✦ Early chick mortality
- ✦ Bacillary White Diarrhoea
- ✦ C.R.D. Either alone or complicated with E.Coli
- ✦ Infectious Coryza
- ✦ Colispeticaemia

Dosage -

1g/5 litre of drinking water.

or As directed by Consultant

(Fresh solution should be made everyday. Only **Medicated Water** should be allowed throughout the day during the course of treatment.)

Packing -

100 gm & 500 gm



Antibacterial & Anticoccidiosis mixture

Assimilation of Nutrients for Performance

ANLIV

Liver is the most important organ of the body and its health is essential for routine metabolic activities, the digestion, assimilation of the nutrients, catabolism of the drugs and detoxification of toxins.

AN-LIV is a product designed to protect liver and its functions ensuring optimum health for best performance under farming conditions.

Composition - Each 10ml Contains -

Choline Chloride 2000 mg, **Liver Extract** 125 mg, **Yeast Extract** 40 mg

Vitamin B₁₂ 0.75 mcg, **Niacin** 24 mg, **DL-pantothenate** 25 mg, **Inositol** 35 mg

Benefits -

- ✦ Enhances growth & livability.
- ✦ Enhances hepatic functions.
- ✦ Enhances catabolism of the drugs.
- ✦ Enhances detoxification of toxins.

Dosage -

Chicks - 5ml/ 100 birds

Growers & Broilers - 10ml/ 100birds

Layers - 15ml/ 100 birds

or As Directed by Consultant

Packing -

5 Ltr.



Protect Liver Functions!

Electrolyte, Vitamin C & Probiotics

VETCOLYTE

Composition - Each 100 gm contains -

Sod. Chloride 800 mg, Pot. Chloride 50000 mg, Sod. Bicarbonate 3000 mg, Sod. Acid Phosphate 800 mg, Sod.Citrate 6500 mg, Calcium Lactate 1000 mg, Mag. Sulphate 1000 mg, Vitamin C 2000 mg, Probiotics 3000 million spores & Dextrose Q.S.

Indications -

- ✦ Osmotic imbalance.
- ✦ Heat Stroke
- ✦ Enteritis
- ✦ Dehydration.

Benefits -

- ✦ Prevents heat stress, makes birds lively & more productive.
- ✦ Improves availability, absorption & utilization of nutrients.
- ✦ Improves livability.

Dosage -

Drinking Water - 1gm/ 1lt of water

Feed - 1kg/ Ton of feed

or As directed by Consultant

Packing -

1Kg & 25 Kg



Performance in Summers!

Combination of B-Complex, Vitamin C, Probiotics & Electrolytes

DELITE

Composition - Each 100 gm contains -

Vitamin B₂ 125 mg, Vitamin B₆ 51.2 mg, Vitamin B₁₂ 520 mcg,
Cal. Pantothenate 80 mg & Niacinamide 3150 mg

Sod. Chloride 800 mg, Pot. Chloride 5000 mg, Sod. Bicarbonate 3000 mg,
Sod. Acid Phosphate 800 mg, Sod. Citrate 6500 mg, Calcium Lactate 1000 mg,
Mag. Sulphate 1000 mg, Vitamin C 2000 mg, Probiotics 3000 million spores &
Dextrose Q.S.

Indications -

- ✦ Osmotic imbalance
- ✦ Heat Stroke
- ✦ Enteritis
- ✦ Dehydration

Benefits -

- ✦ Maintains osmotic balance.
- ✦ Enhances body resistance to infections.
- ✦ Ideal restorative in enteritis & dehydration.
- ✦ Optimizes feed consumption and feed conversion.
- ✦ Fulfills the desired requirement of B-Complex in summers.

Dosage -

Drinking Water - 1gm/ 2lt of water

Feed - 1kg/ Ton of feed

or As Directed by Consultant

Packing -

1Kg & 25 Kg



Performance in Every Season!

Stimulate, Regenerate & Detoxify

HEPATOVIT

Composition - Each 10 ml Contains -

Tricholine Citrate	100 mg	Inositol	2 mg
Methionine	15 mg	Vitamin B ₁₂	0.33 mcg
Liver Extract	50 mg	Vitamin E	10 mg
Protein Hydrolysate	50 mg		

Base fortified with predigested Protein & Amino nitrogen

Indications -

- ✦ Enlargement, Hemorrhages & Necrosis of Liver
- ✦ Fatty Liver Syndrome
- ✦ Cirrhosis of Liver
- ✦ Cholecystitis & Colanitis

Benefits -

- ✦ Improves liver efficiency by regulating hepatic microsomal enzymes.
- ✦ Prevents Aflatoxicosis & Fatty Liver Syndrome.
- ✦ Counteracts the damaging effects of Mycotoxins & Chemical drugs.
- ✦ Enhances Egg production & weight gain in broilers.
- ✦ Overcomes stress conditions and improves metabolism.

Dosage -

Layers/Broilers - 15- 20 ml/ 100 birds for 5 days

Growers - 10 ml/ 100 birds for 3 days

Chicks - 5 ml/ 100 birds for 5 days

As Feed additive 750 gms to 1.5 kg per ton of feed.

or As directed by Consultant

Packing -

1 Ltr, 5 Ltr & 5 Kg



Keeps Liver Fit!

Solid Solution for Protection and Profits

CAPCID

Composition -

Copper Sulphate 25% Fortified with Glacial Acetic acid & Propionic acid.

Benefits -

✦ When used orally Capcid controls

Fungal Infections

Acidification of intestinal tract

Improves feed digestability & utilization of nutrients

Completely cure Brooder pneumonia in chicks and fungal Air Secuclitis, Peritonitis & lung infections.

✦ When used as spray Capcid controls

Fungal growth in litter

Multiplication of virus and bacteria

Growth of entero-pathogenic bacteria like E-Coli, Salmonella etc

Dosage -

Drinking Water - 1- 2 ml/ 1Ltr of drinking water for 4-6 days

For Feed - Spray 500ml per ton of feed

For Equipments & Premises -

Make the prescribed percentage solution & Spray/Dip the prepared 1lt of solution in 1000 sq.ft. area.

Empty sheds / Hatchery area / Feed mill - 5%

Livestock in shed - 0.5%

Dipping & Mopping - 2.5%

or As directed by Consultant

Packing -

500 ml

Anti Fungal & Anti Toxin



Proven Formulation for Respiratory Infections

AIRON

Composition -

Unique blend of herbs like Ocimum sanctum, Solanum xanthocarpum, Inula racemosa, Abiea webbiana, Acorus calamus, Calotropis procera, Ferula foetida, Piper longum, Piper nigrum linn, Curuma longa, Hyoscyamus niger and Zingiber officinale.

Benefits -

- ✦ Provides relief from acute or chronic bronchitis.
- ✦ Helps in the treatment of Pharyngitis, Laryngitis & viscid mucus secretions.
- ✦ Acts as anti-inflammatory.
- ✦ Ensures uniform growth.
- ✦ Overcomes stress condition.

Dosage -

Chicks:

5- 10 ml per 100 birds for 5-7 days

Grower/ Broiler:

10- 15 ml per 100 birds for 5-7 days

Layer:

15- 20 ml per 100 birds for 5-7 days

or As directed by Consultant

Packing -

500 ml, 1 Ltr & 5 Ltr.



For Clear Respiration!

On Target... Every Time

GO OUT OUT

Composition -

A Blend of highly potent natural alkaloid compounds having renal stimulants & diuretic activity

Indication -

- ✦ Visceral Gout
- ✦ Articular Gout
- ✦ Liver Kidney syndrome
- ✦ Ascites
- ✦ Infections effecting kidney functions e.g. IB

Benefits -

- ✦ Reduces the accumulation of uric acid in the blood.
- ✦ Protects visceral organs from uric acid deposition.
- ✦ Stimulates renal function.
- ✦ Prevents occurrence of urolithiasis.
- ✦ Optimizes Kidney functions, keeps kidney clear, healthy & active.
- ✦ Rejuvenates damaged nephrons.

Dosage -

Chick - 5-10 ml per 100 birds

Growers - 10-20 ml per 100 birds

Layers / Broilers / Breeders - 15 - 25 ml per 100 Birds

or As directed by Consultant

Packing -

1 Ltr. & 5 Ltr.



Comprehensive Solution for Gout

Specialist in controlling Micro Organism

PREDIS

Composition -

Food grade oxidizing agent with elemental metallic ions which are effectively stabilized by a unique & exclusive process

Bactericidal -

Exert bio-cidal activity against bacteria, bacterial spores, fungi, algae, protozoa etc. By hydrolyzing the peptide chain of the cell membranes of these organisms.

Virucidal -

Interact or penetrate or remove the non-nucleic acid coating in viruses preventing replication.

Biofilms -

Effectively control the formation of biofilms, which are composed of micro organisms present in water due to adherence with metallic or plastic surface.

Dosage -

In Drinking water - 1ml/5ltr. of water

For Spray - 5ml/ltr. of water

(Use 10 Ltrs. Of this sol. In 1000 sq.ft. Area of the shed)

or As directed by Consultant

Packing -

500 ml.



Broad Spectrum Microbicidal

Improves litter hygiene

LITTER LIFE

In deep litter poultry farms proper management of litter is of critical importance. Ammonia the gaseous pollutant in the farm originates from the breakdown of uric acid in the litter, which causes significant loss to poultry farmers. Poultry litter contains a number of pathogens that facilitates the spread of various infectious diseases such as respiratory diseases, foot-pad dermatitis, stunted growth, poor bird performance & health, from unhygienic bedding & due to reverse peristalsis of infections through cloaca.

Composition -

A proprietary blend of Orthorhombic crystals and Borofax embedded in Sassolites.

Mode of Action -

Ammonia react with Orthorhombic crystals to form ammonium sulphate salt, preventing release of ammonia gas. Sassolite mineral crystals performs various function in fluid flow trapping dissolved ammonium radicals, absorbing ammonia gas, drying litter by absorbing excess moisture.

Benefits -

- ✦ Lowers ammonia levels in litter.
- ✦ Lowers litter pH, thus checks bacterial growth in litter.
- ✦ Forms Biological barrier, reduces pathogen load in shed.
- ✦ Prevents Immuno-suppression.
- ✦ Eco-friendly and non-toxic product.

Dosage -

All species : 500 gm - 1 kg / 1000 sq.ft. of poultry litter on weekly basis

or As recommended by Consultant.

Packing -

25 Kg

Increases utility of litter



Skill, Solutions, Services..... You can Trust



VETCO (INDIA) PVT. LTD.

ANIMAL NUTRITIONS An ISO 9001 : 2008 Co.

www.vetcoindia.com