

SUNGENIUS COATINGS&INKS CO.,LTD.

MATERIAL SAFETY DATA SHEET			
PU SOLES PAINT			
1.IDENTIFICATION O	F THE PRODUCT AND COMPANY		
Trade name	POLYURETHANE		
Product Code	PU COLOR		
Normal use	That is used for the production of the polyurethane product		
Supplier	SUNGENIUS COATINGS&INKS CO,. LTD.		
Address	NO.501 Jinhui Road, Huishan District, Wuxi City, Jiangsu		
	Province, PRC.		
Emergency tel	+86-510-83763355		
2.HAZARDS IDENTIFICATION			
	The preparation is not classified as dangerous according to		
Risk Phrases	Directive 1999/45/EC and its amendments.		
3.COMPOSITION/INFORMATION ON INGREDIENTS			
substance	PU resin,pigment		
4.FIRST AID MEASUF	RES		
	In case of accident by inhalation: remove casualty to fresh air and		
Inhalation	keep at re		
	Remove contaminated clothing and shoes. Wash skin thoroughly		
	with soap and water or use recognized skin cleanser. Do not use		
Skin contact	solvents or thinners.		
	In case of contact, immediately flush eyes with plenty of water for at		
Eye contact	least 15 minutes. Get medical attention if irritation occurs.		
	If swallowed, seek medical advice immediately and show the		
	container or label. Keep person warm and at rest. Do not induce		
Ingestion	vomiting.		
5.FIRE FIGHTING ME	ASURES		
	Recommended: alcohol-resistant foam, CO2, powders, water spray.		
Extinguishing media	Not to be used : water jet.		
for minor fires	carbon oxides (CO, CO2)		
recommended	carbon oxides (CO, CO2)		
	On certain burning conditions traces of other unhealthy gases can		
to avoid	be formed		
Prevention	Self-contained breathing apparatus.		
Special procedure	Not available		
Special Equipment	Self-contained breathing apparatus		
1 11	U TIT TO THE		



SUNGENIUS COATINGS&INKS CO.,LTD.

6 ACCIDENTAL DELE	ASE MEASURES	
6.ACCIDENTAL RELEASE MEASURES		
personal precautions	Put on appropriate personal protective equipment	
Environmental	Not available	
precaution		
Cleaning/Taking up	Not available	
7.HANDLING AND STO	PRAGE	
	The paint contains organic solvents, please avoid fire and keep	
	ventilation.The paint issensitive to moisture, please seal the drum	
Storage	closely after use, and kept in cold dark place.	
	Keep containers sealed until ready for use. Put on appropriate personal	
Handling	protective equipment. Comply with the health and safety at work laws.	
8.EXPOSURE CONTRO	DLS/PERSONAL PROTECTION	
Exposure limit values	Not available.	
Respiratory protection	Recommended:filter combination B1-P2	
Eye protcetion	Avoid contact with eyes.	
	If swallowed, seek medical advice immediately and show the container	
Ingestion	or label. Keep person warm and at rest. Do not induce vomiting.	
9.PHYSICAL AND CHE	MICAL PROPERTIES	
Appearance	liquid	
Dry time	Less than 1hour	
Viscosity at 25 C	1200mPa.s/25℃	
(mpas)	1200HFd.S/23 C	
11.TOXIOLOGICAL INFORMATION		
	There is no data available on the preparation itself. The preparation has	
	been assessed following the conventional method of the Dangerous	
Toxicological	Preparations Directive 1999/45/EC and classified for toxicological	
information	hazards accordingly	
	,	
12.FCOLOGICAL INFO	12.ECOLOGICAL INFORMATION	
Ecological information	There is no data available on the preparation itself. Do not allow to enter drains or watercourses.	
Louigicai illioilliaii011	uiailis oi waltiloulists.	
40 01000041 0041015	EDATIONS.	
13.DISPOSAL CONSIDERATIONS		
	Do not empty into drains; dispose of this material and its container in a	
	safe way. Dispose of according to all federal, state and local applicable	
Material disposal	regulations.	



	•	
14.TRANSPORT INFORMATION		
Proper shipping name	Not available	
Packing group	Not available	
15.REHULATORY INFORMATION		
Symbols	Not available	
R Phrases	This product is not classified according to EU legislation.	
S Phrases	Not applicable.	
16.ADDITIONAL INFORMATION		
Date Prepared	October 20, 2010	
Prepared By:	SUNGENIUS COATINGS&INKS CO,. LTD.	