





GKS Engineered Cable Trays



Building Connections





- Designed and Tested according to IEC 61537
- Unique, engineered construction to achieve better performance and rigidity
- Confirms to the Limit of Deflection with 1.7 times safety factor
- Safe Working Load chart for support distances upto 2.5 mts
- Uniform finish and highest quality through completely automated manufacturing process

- Perforated and Unperforated cable trays in Strip and Hot dip galvanized versions
- Available in side heights of 60mm and 100mm with widths from 50mm to 500mm
- Snap-fit covers for ease of installation and maintenance
- Wide range of accessories for customized & weld free installations
- Aesthetically designed to suit open ceiling offices & showrooms




#### Applications:

##### **FS** Strip Galvanized

- Indoor use
- Dry atmosphere in the room
- No aggressive action
- Hazardous substances
- Textile industry

##### **FT** Hot-dip Galvanized

- Outdoor areas
- Power plant construction
- Plant and mechanical engineering
- Oil and gas industry
- Mining
- Process industry  
(Steel, Paper, Cement etc.)
- Automobile industry
- Rubber industry



## Installation Principle GKS Cable Trays

- |                                      |                                            |
|--------------------------------------|--------------------------------------------|
| <b>1</b> Perforated GKS Cable Tray   | <b>7</b> 45 degree bend horizontal         |
| <b>2</b> T branch piece              | <b>8</b> Reducer                           |
| <b>3</b> Add on TEE                  | <b>9</b> Cover                             |
| <b>4</b> 90 degree bend Horizontal   | <b>10</b> 90 degree vertical bend, Falling |
| <b>5</b> Straight Connector          | <b>11</b> 90 degree vertical bend, Rising  |
| <b>6</b> Unperforated GKS cable tray | <b>12</b> Intersection                     |



### Simple Snap Fit arrangement

To fix cover without any additional accessories.  
Type: GKS GDRL



### Straight Connector

Simply clamp the two side sections of the connector set in the side rail. Type: GKSLVL




### 90 degree bend

The bend is pushed into the rail on the one side and over the connector on the other. Type: GKSB




### 90 degree vertical falling bend

90° bend for the creation of simple vertical changes of direction. Type: GKSBV-falling



### Installation of TEE

The TEE is pushed over connectors and screwed tight. Type: GKST



### Installation of Cross-Over

The cross-over is pushed over connectors and screwed tight. Type: GKSK



All the OBO articles and systems are subjected to practical load testing. The basic principle for the tests of OBO cable support systems are included in IEC 61537. After the load test, the maximum load capacity can be determined for each component, depending on the support distances and specific article parameters, such as component dimensions.

- ⊕ Our own test centre
- ⊕ Tdap Certified
- ⊕ VDE Certified
- ⊕ ISO 9001, 14001, 50001 certified
- ⊕ Over 100 years of experience

## GKS Cable Tray

### Side height - 60mm

#### Perforated Cable Tray



| Article No. | Article Type  | W (mm) |
|-------------|---------------|--------|
| 6480030     | GKS GX 605 FS | 50     |
| 6480031     | GKS GX 610 FS | 100    |
| 6480032     | GKS GX 615 FS | 150    |
| 6480033     | GKS GX 620 FS | 200    |
| 6480034     | GKS GX 630 FS | 300    |
| 6480035     | GKS GX 640 FS | 400    |
| 6480036     | GKS GX 650 FS | 500    |

| Article No. | Article Type  | W (mm) |
|-------------|---------------|--------|
| 6483031     | GKS GX 610 FT | 100    |
| 6483032     | GKS GX 615 FT | 150    |
| 6483033     | GKS GX 620 FT | 200    |
| 6483034     | GKS GX 630 FT | 300    |
| 6483035     | GKS GX 640 FT | 400    |
| 6483036     | GKS GX 650 FT | 500    |

#### UnPerforated Cable Tray



| Article No. | Article Type  | W (mm) |
|-------------|---------------|--------|
| 6480001     | GKS FL 610 FS | 100    |
| 6480002     | GKS FL 615 FS | 150    |
| 6480003     | GKS FL 620 FS | 200    |
| 6480004     | GKS FL 630 FS | 300    |
| 6480005     | GKS FL 640 FS | 400    |
| 6480006     | GKS FL 650 FS | 500    |

#### Straight Connector



| Article No. | Article Type |
|-------------|--------------|
| 6481340     | GKSLVL 60 FS |

#### Angle Connector



| Article No. | Article Type |
|-------------|--------------|
| 6481352     | GKSGO 60 FS  |

#### Separating Retainer



| Article No. | Article Type |
|-------------|--------------|
| 6480111     | GKSTSG 60 FS |

#### Articulated connector



| Article No. | Article Type |
|-------------|--------------|
| 6481350     | GKSGV 60 FS  |

#### Joint Plate



| Article No. | Article Type |
|-------------|--------------|
| 6481355     | GKS SSL FS   |

### Side height - 100 mm

#### Perforated Cable Tray



| Article No. | Article Type  | W (mm) |
|-------------|---------------|--------|
| 6480052     | GKS GX 115 FS | 150    |
| 6480053     | GKS GX 120 FS | 200    |
| 6480054     | GKS GX 130 FS | 300    |
| 6480055     | GKS GX 140 FS | 400    |
| 6480056     | GKS GX 150 FS | 500    |

| Article No. | Article Type  | W (mm) |
|-------------|---------------|--------|
| 6483052     | GKS GX 115 FT | 150    |
| 6483053     | GKS GX 120 FT | 200    |
| 6483054     | GKS GX 130 FT | 300    |
| 6483055     | GKS GX 140 FT | 400    |
| 6483056     | GKS GX 150 FT | 500    |

#### Unperforated Cable Tray



| Article No. | Article Type  | W (mm) |
|-------------|---------------|--------|
| 6480022     | GKS FL 115 FS | 150    |
| 6480023     | GKS FL 120 FS | 200    |
| 6480024     | GKS FL 130 FS | 300    |
| 6480025     | GKS FL 140 FS | 400    |
| 6480026     | GKS FL 150 FS | 500    |

#### Straight Connector



| Article No. | Article Type  |
|-------------|---------------|
| 6481342     | GKSLVL 100 FS |

#### Separating Retainer



| Article No. | Article Type  |
|-------------|---------------|
| 6480113     | GKSTSG 100 FS |

#### Joint Plate



| Article No. | Article Type |
|-------------|--------------|
| 6481355     | GKS SSL FS   |

FS Strip Galvanized FT Hot-dip Galvanized W - Width

\* Standard cable tray length - 3m

## Accessories for GKS Series

### Side height - 60mm

#### 45 degree bend



| Article No. | Article Type   | W (mm) |
|-------------|----------------|--------|
| 6480161     | GKSB 45 610 FS | 100    |
| 6480162     | GKSB 45 615 FS | 150    |
| 6480163     | GKSB 45 620 FS | 200    |
| 6480164     | GKSB 45 630 FS | 300    |
| 6480165     | GKSB 45 640 FS | 400    |
| 6480166     | GKSB 45 650 FS | 500    |

|         |                |     |
|---------|----------------|-----|
| 6483161 | GKSB 45 610 FT | 100 |
| 6483162 | GKSB 45 615 FT | 150 |
| 6483163 | GKSB 45 620 FT | 200 |
| 6483164 | GKSB 45 630 FT | 300 |
| 6483165 | GKSB 45 640 FT | 400 |
| 6483166 | GKSB 45 650 FT | 500 |

#### 90 degree bend



| Article No. | Article Type   | W (mm) |
|-------------|----------------|--------|
| 6480121     | GKSB 90 610 FS | 100    |
| 6480122     | GKSB 90 615 FS | 150    |
| 6480123     | GKSB 90 620 FS | 200    |
| 6480124     | GKSB 90 630 FS | 300    |
| 6480125     | GKSB 90 640 FS | 400    |
| 6480126     | GKSB 90 650 FS | 500    |

|         |                |     |
|---------|----------------|-----|
| 6483121 | GKSB 90 610 FT | 100 |
| 6483122 | GKSB 90 615 FT | 150 |
| 6483123 | GKSB 90 620 FT | 200 |
| 6483124 | GKSB 90 630 FT | 300 |
| 6483125 | GKSB 90 640 FT | 400 |
| 6483126 | GKSB 90 650 FT | 500 |

#### Mounting Branch piece



| Article No. | Article Type | W (mm) |
|-------------|--------------|--------|
| 6480431     | GKSAA 610 FS | 100    |
| 6480432     | GKSAA 615 FS | 150    |
| 6480433     | GKSAA 620 FS | 200    |
| 6480434     | GKSAA 630 FS | 300    |
| 6480435     | GKSAA 640 FS | 400    |
| 6480436     | GKSAA 650 FS | 500    |

\*Mounting Branch piece with Lid

#### T branch piece, Horizontal



| Article No. | Article Type | W (mm) |
|-------------|--------------|--------|
| 6480461     | GKST 610 FS  | 100    |
| 6480462     | GKST 615 FS  | 150    |
| 6480463     | GKST 620 FS  | 200    |
| 6480464     | GKST 630 FS  | 300    |
| 6480465     | GKST 640 FS  | 400    |
| 6480466     | GKST 650 FS  | 500    |

|         |             |     |
|---------|-------------|-----|
| 6483461 | GKST 610 FT | 100 |
| 6483462 | GKST 615 FT | 150 |
| 6483463 | GKST 620 FT | 200 |
| 6483464 | GKST 630 FT | 300 |
| 6483465 | GKST 640 FT | 400 |
| 6483466 | GKST 650 FT | 500 |

#### Intersection, Horizontal



| Article No. | Article Type | W (mm) |
|-------------|--------------|--------|
| 6480501     | GKSK 610 FS  | 100    |
| 6480502     | GKSK 615 FS  | 150    |
| 6480503     | GKSK 620 FS  | 200    |
| 6480504     | GKSK 630 FS  | 300    |
| 6480505     | GKSK 640 FS  | 400    |
| 6480506     | GKSK 650 FS  | 500    |

|         |             |     |
|---------|-------------|-----|
| 6483501 | GKSK 610 FT | 100 |
| 6483502 | GKSK 615 FT | 150 |
| 6483503 | GKSK 620 FT | 200 |
| 6483504 | GKSK 630 FT | 300 |
| 6483505 | GKSK 640 FT | 400 |
| 6483506 | GKSK 650 FT | 500 |

#### 90 degree vertical bend, rising



| Article No. | Article Type    | W (mm) |
|-------------|-----------------|--------|
| 6480201     | GKSBV 90610S FS | 100    |
| 6480202     | GKSBV 90615S FS | 150    |
| 6480203     | GKSBV 90620S FS | 200    |
| 6480204     | GKSBV 90630S FS | 300    |
| 6480205     | GKSBV 90640S FS | 400    |
| 6480206     | GKSBV 90650S FS | 500    |

|         |                 |     |
|---------|-----------------|-----|
| 6483201 | GKSBV 90610S FT | 100 |
| 6483202 | GKSBV 90615S FT | 150 |
| 6483203 | GKSBV 90620S FT | 200 |
| 6483204 | GKSBV 90630S FT | 300 |
| 6483205 | GKSBV 90640S FT | 400 |
| 6483206 | GKSBV 90650S FT | 500 |

#### 90 degree vertical bend, falling



| Article No. | Article Type    | W (mm) |
|-------------|-----------------|--------|
| 6480281     | GKSBV 90610F FS | 100    |
| 6480282     | GKSBV 90615F FS | 150    |
| 6480283     | GKSBV 90620F FS | 200    |
| 6480284     | GKSBV 90630F FS | 300    |
| 6480285     | GKSBV 90640F FS | 400    |
| 6480286     | GKSBV 90650F FS | 500    |

|         |                 |     |
|---------|-----------------|-----|
| 6483281 | GKSBV 90610F FT | 100 |
| 6483282 | GKSBV 90615F FT | 150 |
| 6483283 | GKSBV 90620F FT | 200 |
| 6483284 | GKSBV 90630F FT | 300 |
| 6483285 | GKSBV 90640F FT | 400 |
| 6483286 | GKSBV 90650F FT | 500 |

#### Reduction, central, two-part



| Article No. | Article Type   | W (mm) |
|-------------|----------------|--------|
| 6480841     | GKSRA 6 25 FS  | 25     |
| 6480842     | GKSRA 6 50 FS  | 50     |
| 6480843     | GKSRA 6 75 FS  | 75     |
| 6480844     | GKSRA 6 100 FS | 100    |
| 6480845     | GKSRA 6 125 FS | 125    |
| 6480846     | GKSRA 6 150 FS | 150    |
| 6480847     | GKSRA 6 175 FS | 175    |
| 6480848     | GKSRA 6 200 FS | 200    |

#### Reduction, single sided, two-part



| Article No. | Article Type   | W (mm) |
|-------------|----------------|--------|
| 6480871     | GKSRL 6 50 FS  | 50     |
| 6480872     | GKSRL 6 100 FS | 100    |
| 6480873     | GKSRL 6 150 FS | 150    |
| 6480874     | GKSRL 6 200 FS | 200    |
| 6480875     | GKSRL 6 250 FS | 250    |
| 6480876     | GKSRL 6 300 FS | 300    |
| 6480877     | GKSRL 6 350 FS | 350    |
| 6480878     | GKSRL 6 400 FS | 400    |

#### End Closure



| Article No. | Article Type  | W (mm) |
|-------------|---------------|--------|
| 6481271     | GKS TC 610 FS | 100    |
| 6481273     | GKS TC 615 FS | 150    |
| 6481275     | GKS TC 620 FS | 200    |
| 6481277     | GKS TC 630 FS | 300    |
| 6481279     | GKS TC 640 FS | 400    |
| 6481281     | GKS TC 650 FS | 500    |

FS Strip Galvanized FT Hot-dip Galvanized W - Width

## Accessories for GKS Series

### Side height - 100mm

#### 45 degree bend



| Article No. | Article Type   | W (mm) |
|-------------|----------------|--------|
| 6480182     | GKSB 45 115 FS | 150    |
| 6480183     | GKSB 45 120 FS | 200    |
| 6480184     | GKSB 45 130 FS | 300    |
| 6480185     | GKSB 45 140 FS | 400    |
| 6480186     | GKSB 45 150 FS | 500    |

|         |                |     |
|---------|----------------|-----|
| 6483182 | GKSB 45 115 FT | 150 |
| 6483183 | GKSB 45 120 FT | 200 |
| 6483184 | GKSB 45 130 FT | 300 |
| 6483185 | GKSB 45 140 FT | 400 |
| 6483186 | GKSB 45 150 FT | 500 |

#### 90 degree bend



| Article No. | Article Type   | W (mm) |
|-------------|----------------|--------|
| 6480142     | GKSB 90 115 FS | 150    |
| 6480143     | GKSB 90 120 FS | 200    |
| 6480144     | GKSB 90 130 FS | 300    |
| 6480145     | GKSB 90 140 FS | 400    |
| 6480146     | GKSB 90 150 FS | 500    |

|         |                |     |
|---------|----------------|-----|
| 6483142 | GKSB 90 115 FT | 150 |
| 6483143 | GKSB 90 120 FT | 200 |
| 6483144 | GKSB 90 130 FT | 300 |
| 6483145 | GKSB 90 140 FT | 400 |
| 6483146 | GKSB 90 150 FT | 500 |

#### Mounting Branch piece



| Article No. | Article Type | W (mm) |
|-------------|--------------|--------|
| 6480451     | GKSAA 115 FS | 150    |
| 6480452     | GKSAA 120 FS | 200    |
| 6480453     | GKSAA 130 FS | 300    |
| 6480454     | GKSAA 140 FS | 400    |
| 6480455     | GKSAA 150 FS | 500    |

\*Mounting Branch piece with Lid

#### T branch piece, Horizontal



| Article No. | Article Type | W (mm) |
|-------------|--------------|--------|
| 6480482     | GKST 115 FS  | 150    |
| 6480483     | GKST 120 FS  | 200    |
| 6480484     | GKST 130 FS  | 300    |
| 6480485     | GKST 140 FS  | 400    |
| 6480486     | GKST 150 FS  | 500    |

|         |             |     |
|---------|-------------|-----|
| 6483482 | GKST 115 FT | 150 |
| 6483483 | GKST 120 FT | 200 |
| 6483484 | GKST 130 FT | 300 |
| 6483485 | GKST 140 FT | 400 |
| 6483486 | GKST 150 FT | 500 |

#### Intersection, Horizontal



| Article No. | Article Type | W (mm) |
|-------------|--------------|--------|
| 6480522     | GKSK 115 FS  | 150    |
| 6480523     | GKSK 120 FS  | 200    |
| 6480524     | GKSK 130 FS  | 300    |
| 6480525     | GKSK 140 FS  | 400    |
| 6480526     | GKSK 150 FS  | 500    |

|         |             |     |
|---------|-------------|-----|
| 6483522 | GKSK 115 FT | 150 |
| 6483523 | GKSK 120 FT | 200 |
| 6483524 | GKSK 130 FT | 300 |
| 6483525 | GKSK 140 FT | 400 |
| 6483526 | GKSK 150 FT | 500 |

#### 90 degree vertical bend, rising



| Article No. | Article Type    | W (mm) |
|-------------|-----------------|--------|
| 6480222     | GKSBV 90115S FS | 150    |
| 6480223     | GKSBV 90120S FS | 200    |
| 6480224     | GKSBV 90130S FS | 300    |
| 6480225     | GKSBV 90140S FS | 400    |
| 6480226     | GKSBV 90150S FS | 500    |

|         |                 |     |
|---------|-----------------|-----|
| 6483222 | GKSBV 90115S FT | 150 |
| 6483223 | GKSBV 90120S FT | 200 |
| 6483224 | GKSBV 90130S FT | 300 |
| 6483225 | GKSBV 90140S FT | 400 |
| 6483226 | GKSBV 90150S FT | 500 |

#### 90 degree vertical bend, falling



| Article No. | Article Type    | W (mm) |
|-------------|-----------------|--------|
| 6480302     | GKSBV 90115F FS | 150    |
| 6480303     | GKSBV 90120F FS | 200    |
| 6480304     | GKSBV 90130F FS | 300    |
| 6480305     | GKSBV 90140F FS | 400    |
| 6480306     | GKSBV 90150F FS | 500    |

|         |                 |     |
|---------|-----------------|-----|
| 6483302 | GKSBV 90115F FT | 150 |
| 6483303 | GKSBV 90120F FT | 200 |
| 6483304 | GKSBV 90130F FT | 300 |
| 6483305 | GKSBV 90140F FT | 400 |
| 6483306 | GKSBV 90150F FT | 500 |

#### Reduction, central, two-part



| Article No. | Article Type   | W (mm) |
|-------------|----------------|--------|
| 6480861     | GKSRA 1 25 FS  | 25     |
| 6480862     | GKSRA 1 50 FS  | 50     |
| 6480863     | GKSRA 1 75 FS  | 75     |
| 6480864     | GKSRA 1 100 FS | 100    |
| 6480865     | GKSRA 1 125 FS | 125    |
| 6480866     | GKSRA 1 150 FS | 150    |
| 6480867     | GKSRA 1 175 FS | 175    |
| 6480868     | GKSRA 1 200 FS | 200    |

#### Reduction, single sided, two-part



| Article No. | Article Type     | W (mm) |
|-------------|------------------|--------|
| 6480897     | GKSRL 100 50 FS  | 50     |
| 6480899     | GKSRL 100 100 FS | 100    |
| 6480895     | GKSRL 100 150 FS | 150    |
| 6480901     | GKSRL 100 200 FS | 200    |
| 6480903     | GKSRL 100 250 FS | 250    |
| 6480905     | GKSRL 100 300 FS | 300    |
| 6480907     | GKSRL 100 350 FS | 350    |
| 6480909     | GKSRL 100 400 FS | 400    |

#### End Closure



| Article No. | Article Type  | W (mm) |
|-------------|---------------|--------|
| 6481295     | GKS TC 115 FS | 150    |
| 6481297     | GKS TC 120 FS | 200    |
| 6481299     | GKS TC 130 FS | 300    |
| 6481301     | GKS TC 140 FS | 400    |
| 6481303     | GKS TC 150 FS | 500    |

FS Strip Galvanized FT Hot-dip Galvanized W - Width

■ Accessories - Cover for GKS series

Lid



| Article No. | Article Type | W (mm) |
|-------------|--------------|--------|
| 6480101     | GDRL 100 FS  | 100    |
| 6480102     | GDRL 150 FS  | 150    |
| 6480103     | GDRL 200 FS  | 200    |
| 6480104     | GDRL 300 FS  | 300    |
| 6480105     | GDRL 400 FS  | 400    |
| 6480106     | GDRL 500 FS  | 500    |

45 degree bend



| Article No. | Article Type    | W (mm) |
|-------------|-----------------|--------|
| 6480191     | GKSDB 45 100 FS | 100    |
| 6480192     | GKSDB 45 150 FS | 150    |
| 6480193     | GKSDB 45 200 FS | 200    |
| 6480194     | GKSDB 45 300 FS | 300    |
| 6480195     | GKSDB 45 400 FS | 400    |
| 6480196     | GKSDB 45 500 FS | 500    |

90 degree bend



| Article No. | Article Type    | W (mm) |
|-------------|-----------------|--------|
| 6480151     | GKSDB 90 100 FS | 100    |
| 6480152     | GKSDB 90 150 FS | 150    |
| 6480153     | GKSDB 90 200 FS | 200    |
| 6480154     | GKSDB 90 300 FS | 300    |
| 6480155     | GKSDB 90 400 FS | 400    |
| 6480156     | GKSDB 90 500 FS | 500    |

T branch piece



| Article No. | Article Type | W (mm) |
|-------------|--------------|--------|
| 6480491     | GKSDT 100 FS | 100    |
| 6480492     | GKSDT 150 FS | 150    |
| 6480493     | GKSDT 200 FS | 200    |
| 6480494     | GKSDT 300 FS | 300    |
| 6480495     | GKSDT 400 FS | 400    |
| 6480496     | GKSDT 500 FS | 500    |

Intersection



| Article No. | Article Type | W (mm) |
|-------------|--------------|--------|
| 6480531     | GKSDK 100 FS | 100    |
| 6480532     | GKSDK 150 FS | 150    |
| 6480533     | GKSDK 200 FS | 200    |
| 6480534     | GKSDK 300 FS | 300    |
| 6480535     | GKSDK 400 FS | 400    |
| 6480536     | GKSDK 500 FS | 500    |

90 degree vertical bend, rising



| Article No. | Article Type     | W (mm) |
|-------------|------------------|--------|
| 6480231     | GKSDBV 90100S FS | 100    |
| 6480232     | GKSDBV 90150S FS | 150    |
| 6480233     | GKSDBV 90200S FS | 200    |
| 6480234     | GKSDBV 90300S FS | 300    |
| 6480235     | GKSDBV 90400S FS | 400    |
| 6480236     | GKSDBV 90500S FS | 500    |

90 degree vertical bend, falling



| Article No. | Article Type     | W (mm) |
|-------------|------------------|--------|
| 6480311     | GKSDBV 90100F FS | 100    |
| 6480312     | GKSDBV 90150F FS | 150    |
| 6480313     | GKSDBV 90200F FS | 200    |
| 6480314     | GKSDBV 90300F FS | 300    |
| 6480315     | GKSDBV 90400F FS | 400    |
| 6480316     | GKSDBV 90500F FS | 500    |

90 degree vertical bend, falling





| Article No. | Article Type     | W (mm) |
|-------------|------------------|--------|
| 6480332     | GKSDBV 90150F FS | 150    |
| 6480333     | GKSDBV 90200F FS | 200    |
| 6480334     | GKSDBV 90300F FS | 300    |
| 6480335     | GKSDBV 90400F FS | 400    |
| 6480336     | GKSDBV 90500F FS | 500    |

\*For cable trays of side height 100mm

\*For cable trays of side height 60mm

**FS** Strip Galvanized    **FT** Hot-dip Galvanized    W - Width



Why GKS Engineered Cable Trays ?

The illustration below shows the natural resources we consume to manufacture just 10,000 metres of cable tray with a side height of 60mm and width 300mm.



Sustainability @ OBO - We at OBO are committed to UN Sustainable Development Goals 2015. Through our sustainability practices, we manufacture engineered products to the highest degree of perfection and confirming to the latest International Standards.



Conventional Cable Trays

V/s

OBO Engineered Cable Trays



56

Steel Consumption  
(tonnes)

35



1,84,430

Water Consumption  
(litres)

1,15,170



4,31,902

Energy Consumption  
(KWh)

2,69,707



525

CO<sub>2</sub> Emission  
(in tonnes)

328

**Consume less, Achieve more!!!**

## Sales Offices:

### NORTH

**OBO Bettermann India Pvt Ltd.**

212, Ansal Chamber-II,  
9, Bhikaji Cama Place,  
New Delhi - 110066

Phone: +91 11 41727344

### EAST

**OBO Bettermann India Pvt Ltd.**

BJ-249, Sector - II, Salt Lake  
Kolkata - 700091

Mobile: +91 78240 34358

### WEST

**OBO Bettermann India Pvt Ltd.**

Excellencia Lodha Supremus  
Unit No : 10, 1<sup>st</sup> Floor, Road No 22  
Wagle Estate

Thane (W) - 400604

Mobile: +91 88796 37276

### SOUTH 1

**OBO Bettermann India Pvt Ltd.**

Plot No. A - 51, SIPCOT industrial  
Growth Centre,  
Oragadam, Sriperumbudur Taluk,  
Kancheepuram District - 602 105,  
Tamil Nadu, India

Mobile: +91 99625 36186

### SOUTH 2

**OBO Bettermann India Pvt Ltd.**

#No. 1312, 1<sup>st</sup> Floor, 25th Main  
Road, 9<sup>th</sup> Block, Jayanagar,  
Bangalore – 560069

Phone: +91 080 42062651

### SRILANKA

**OBO Bettermann Lanka Pvt Ltd.**

No 150/1, Baudhaloka Mawatha,  
Colombo 04  
Sri Lanka

Phone: +94-112 554 480

## Territory Locations:

|                         |                             |                          |                          |                          |                                  |
|-------------------------|-----------------------------|--------------------------|--------------------------|--------------------------|----------------------------------|
| Ahmedabad<br>9638432920 | Bhubaneswar<br>9042624814   | Chandigarh<br>8939993152 | Coimbatore<br>9962537190 | Ernakulam<br>8879637273  | Gujarat<br>8939993198            |
| Guwahati<br>9836400525  | Hyderabad<br>8939993192     | Nagpur<br>7824034666     | Indore<br>8939993193     | Jamshedpur<br>9661801372 | Lucknow<br>8939993154            |
| Pune<br>8879637627      | Visakhapatnam<br>8939993195 | Patna<br>8939993172      | Puducherry<br>9962537183 | Raipur<br>9384018643     | Thiruvananthapuram<br>8939993130 |
| Vadodara<br>8939993198  | Dhaka<br>+880 1714345697    |                          |                          |                          |                                  |

**OBO BETTERMANN INDIA PVT LTD.**

Plot No: A-51, SIPCOT Industrial Growth Center,  
Oragadam, Sriperumbudur Taluk,  
Kancheepuram District - 602 105,  
Tamil Nadu, India

Mob: +91 89399 04000

Email: [info@oboindia.com](mailto:info@oboindia.com)

[www.oboindia.com](http://www.oboindia.com)

KTS-GKS-002

## Building Connections

