

Please note that the certificates of analysis are also conveniently available on your BASF online portal.

Certificate No 1582
 Page 1 of 2

Test Report 2.2 according to EN 10204

Tetrahydrofuran

180kg Metal-Drum, non remov. head
 Purchase Order/Customer Product#
 20-21/026
 000000000054474287

Material 54474287
 Order 6008627258 000010
 Delivery 6209258083 000010
 Lot 292A140701
 Lot/Qty 14400.000 KG
 Total 14400.000 KG
 Transport SIKU3051189

Characteristic Method	Unit	Value	Lower Limit	Upper Limit
Assay GC	wt%	99.98	99.95	
Water ASTM E 1064	wt%	0.006		0.010
Colour (APHA) ASTM D 1209		< 5		10
Suspended solid Visual inspection		None		

Specification for Suspended Solid = None

This product is usually stabilized with 200-350 ppm BHT (3,5-Di-tert-butyl-4-hydroxytoluene)

Manufacturing address:
 BASF PETRONAS CHEMICALS SDN BHD
 Jalan Gebeng 2/1, Kawasan Perindustrian Gebeng, Kuantan,
 Pahang Darul Makmur, 26080, Malaysia

For BASF India Limited

Authorised Signatory

Please refer to MSDS for more details

IMPORTANT: While the information contained herein is presented in good faith and believed to be accurate, it is provided for your guidance

The aforementioned data shall constitute the agreed contractual quality of the product at the time of passing of risk. The data are controlled at regular intervals as part of our quality assurance program. Neither these data nor the properties of product specimens shall imply any legally binding guarantee of certain properties or of fitness for a specific purpose. No liability of ours can be derived therefrom.

Please note that the certificates of analysis are also conveniently available on your BASF online portal.

Certificate No 1582
Page 2 of 2

Test Report 2.2 according to EN 10204

Tetrahydrofuran

180kg Metal-Drum, non remov. head
Purchase Order/Customer Product#
20-21/026
000000000054474287

Material	54474287
Order	6008627258 000010
Delivery	6209258083 000010
Lot	292A140701
Lot/Qty	14400.000 KG
Total	14400.000 KG
Transport	SIKU3051189

only and subject to change without notices. As many factors may affect processing or application/uses, we recommend that you conduct the appropriate tests and evaluations to determine the suitability of a product for the intended application prior to such use. NO WARRANTIES OF ANY KIND, EITHER EXPRESS OR IMPLIED, ARE MADE REGARDING INFORMATION CONTAINED HEREIN OR PRODUCTS DESCRIBED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR WARRANTIES THAT ANY PRODUCT, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. BASF Petronas Chemicals Sdn. Bhd. assumes no obligation or liability for the information or advice being given or results obtained. All such information, advice or results being accepted at your risk. BASF PETRONAS Chemicals Sdn Bhd will not be liable on the product quality after the retest date, under any circumstances whatsoever. Further, BASF PETRONAS Chemicals Sdn Bhd will not reveal its sampling method or procedure or and extend the sample holding period.
Release Date : 14.07.2020

Note:

This product meets all applicable BASF PETRONAS Chemicals Sdn Bhd specification. The above analytical values are derived from our internal laboratory quality checks on the above lot number. It does not relieve the purchaser from examining the product upon receipt for verification.

For BASF India Limited

Authorised Signatory

The aforementioned data shall constitute the agreed contractual quality of the product at the time of passing of risk. The data are controlled at regular intervals as part of our quality assurance program. Neither these data nor the properties of product specimens shall imply any legally binding guarantee of certain properties or of fitness for a specific purpose. No liability of ours can be derived therefrom.