

PRINS[®]

JODHPUR

PIPES AND TANKS

AN ISO 9001 : 2015 CERTIFIED COMPANY



CM/L-8400129007



CM/L-8400156616




CM/L-8400156709



**TANKS
DESIGNED
WITH
QUALITY
STANDARDS**



**NEW
ARRIVAL**



**NEW
ARRIVAL**



**NEW
ARRIVAL**

TOLL FREE : 1800 571 2020




UNIQUE FEATURES

- 100% HDPE Virgin Raw Material
- Higher Strength and Unbreakable
- UV Stable
- Food Grade Material
- Ruff and Tuff
- Leak Proof and Rust Proof
- No Maintenance
- Threaded Lead

RANGE AND SPECIFICATION

Tank Capacity	Height	Width	Man Hole
500 Liters	40"	33"	16"
750 Liters	46"	38"	16"
1000 Liters	51"	42"	16"
1500 Liters	52"	54"	16"
2000 Liters	64"	54"	16"

Beauty, Unbreakable & Purity
A composition of 5 layer water tanks





UNIQUE


FEATURES

- 100% HDPE Virgin Raw Material
- Higher Strenght and unbreakable
- UV Stable
- Food Grade Material
- Leak Proof & Rust Proof

Range and Specification

Tank Capacity	Height	Width	Man Hole
500 Liters	40"	33"	16"
750 Liters	46"	38"	16"
1000 Liters	51"	42"	16"

Beauty, Unbreakable & Purity
A composition of 4 layer water tanks





FEATURES


- Industry Approved Design
- Low Maintenance
- Finely Finished
- Hygienic
- Strong and Durable
- Food grade Material
- Threaded Lead Advance Technology

RANGE AND SPECIFICATION

Tank Capacity	Height	Width	Man Hole
300 Liters	35"	28"	12"
500 Liters	40"	33"	16"
750 Liters	46"	38"	16"
1000 Liters	51"	42"	16"

★ An Extra 0.30 Paisa/Litre Will Be Charged On 300 Liter Tanks.

Beauty, Unbreakable & Purity
A composition of 3 layer water tanks





Price : ₹4/- Per Litre




FEATURES

- Industry Approved Design
- Threaded Lead Advance Technology

RANGE AND SPECIFICATION

Tank Capacity	Height	Width	Man Hole
500 Litres	40"	33"	16"
1000 Litres	51"	42"	16"

Beauty, Unbreakable & Purity
A composition of 3 layer water tanks





Range and Specification

Tank Capacity	Height	Width	Man Hole
500 Liters	42"	34"	16"
750 Liters	44"	40"	16"
1000 Liters	52"	43"	16"
1500 Liters	60"	49"	16"
2000 Liters	65"	54"	16"
3000 Liters	74"	61"	16"
5000 Liters	82"	76"	16"
★ 7500 Liters	103"	77"	16"
★ 10000 Liters	113"	86"	16"

Note:

- ★ Roto Tanks Are Available From 2 Layers Upto 10 Layers.
- ★ ₹1/Liter extra charge on 7500L & 10000L tanks.

FLEXIBLE

PRINS

Rotomould tanks are very flexible which makes them highly durable.

THREADED LEAD

PRINS

Threaded leads, so you can be assured of purity untempered water

USVP

PRINS

Rotomould tanks are lined with UVSP layer which prevents harm from the sun or from climatic changes to our tanks

MULTI-LAYERED

PRINS

Rotomould tanks comes with three layer to avoid xtreme temperatures, durability and protection.



Thermal Insulation

Provision of foam layer in the tanks together with it's **golden/marble** colour improves the insulation and keeps the inside water cool in summer. Also keeps water reasonably warm in winter time. Thus it helps to maintain a temperature difference of around 10° to 15°C.

Most suitable for Drinking Water

Use of food grade material ensure its suitability for potable water as water doesn't get affected due to its long term contact with plastics.

Range and Specification :

Tank Capacity	Height	Width	Man Hole
500 Liters	42"	34"	16"
750 Liters	44"	40"	16"
1000 Liters	52"	43"	16"
1500 Liters	60"	49"	16"
2000 Liters	65"	54"	16"
3000 Liters	74"	61"	16"
5000 Liters	82"	76"	16"
★ 7500 Liters	103"	77"	16"
★ 10000 Liters	113"	86"	16"

★ ₹1/Liter extra charge on 7500L & 10000L tanks.



Prins chemical storage tanks are manufactured by means of the rotational moulding process that produces a one-piece, seamless, watertight tank. Prins chemical storage tanks are ideal for storing liquid fertilisers, oil, variety of chemicals, molasses and numerous other liquids that are heavy in chemical make-up.

Range and Specification

Tank Capacity	Height	Width	Man Hole
500 Liters	42"	34"	16"
750 Liters	44"	40"	16"
1000 Liters	52"	43"	16"
1500 Liters	60"	49"	16"
2000 Liters	65"	54"	16"
3000 Liters	74"	61"	16"
5000 Liters	82"	76"	16"
★ 7500 Liters	103"	77"	16"
★ 10000 Liters	113"	86"	16"

★ ₹1/Liter extra charge on 7500L & 10000L tanks.

UNIQUE FEATURES

- Store from 500 to 5000 liters tank type dependent
- Chemical and Corrosion resistant systems
- Best Raw Material
- Reasonable Cost
- Made using latest manufacturing technique.
- Long Life



The water tanks with its ISI mark ensures its quality reliability and safety. Each water tank is made with tested materials and inputs to meet ISI specifications resulting in trust.

water tanks

FEATURES

- Unique Properties
- Lightweight
- Strong and durable
- Hygienic
- Maintenance Free
- Readily Available
- Versatile
- Wide Range
- Extremely Easy to Install

Range and Specification

Tank Capacity	Height	Width	Man Hole
500 Liters	42"	34"	16"
700 Liters	40"	39"	16"
1000 Liters	52"	43"	16"
1500 Liters	60"	49"	16"
2000 Liters	65"	54"	16"
3000 Liters	74"	61"	16"
5000 Liters	82"	76"	16"
★ 7500 Liters	103"	77"	16"
★ 10000 Liters	113"	86"	16"

★ ₹1/Liter extra charge on 7500L & 10000L tanks.



PVC CONDUIT PIPE

PRICE LIST	QUANTITY	PER PC RATE	AMOUNT
PVC CONDUIT PIPE 25MM HEAVY	25 PCS	120	3000
PVC CONDUIT PIPE 25MM MEDIUM	25 PCS	100	2500
PVC CONDUIT PIPE 20MM HEAVY	40 PCS	90	3600
PVC CONDUIT PIPE 20MM MEDIUM	40 PCS	70	2800

BEND	QUANTITY	PER PC RATE	AMOUNT
25MM HEAVY BEND	400 PCS	12	4800
25 MM MEDIUM BAND	400 PCS	10	4000
20 MM HEAVY BAND	600 PCS	9	5400
20 MM MEDIUM BAND	600 PCS	7	4200

SWR PIPES & FITTINGS


RING FIT

PRINS®
JODHPUR
PIPES & FITTINGS



SWR RING FIT - TYPE - A

Size		Rate	
Inch	mm	3 Mtr.	6 Mtr.
2½"	75	350	700
3"	90	470	940
4"	110	600	1200
6"	160	1250	2500



BEND 87.5°

Size		Box Packing	Rate
Inch	mm		
2½"	75	90	40
4"	110	32	75



SINGLE TEE

Size		Box Packing	Rate
Inch	mm		
2½"	75	50	64
4"	110	24	120



BEND 45°

Size		Box Packing	Rate
Inch	mm		
2½"	75	100	44
4"	110	36	80



COUPLER

Size		Box Packing	Rate
Inch	mm		
2½"	75	105	38
4"	110	48	56



SINGLE Y

Size		Box Packing	Rate
Inch	mm		
2½"	75	30	80
4"	110	20	152



REDUCER TEE

Size		Box Packing	Rate
Inch	mm		
4" x 2½"	110 x 75	28	118



REDUCER

Size		Box Packing	Rate
Inch	mm		
4" x 2½"	110 x 75	60	56



SWR RING FIT - TYPE - B

Size		Rate	
Inch	mm	3 Mtr.	6 Mtr.
2½"	75	580	1160
3"	90	-	-
4"	110	960	1920
6"	160	-	-



BEND WITH DOOR

Size		Box Packing	Rate
Inch	mm		
2½"	75	48	60
4"	110	32	114



SINGLE TEE WITH DOOR

Size		Box Packing	Rate
Inch	mm		
2½"	75	50	88
4"	110	24	152



NAHANI TRAP

Size		Box Packing	Rate
Inch	mm		
4" x 2½"	110 x 75	40	80
4" x 3"	110 x 90	35	105
4" x 4"	110 x 110	28	105



END CAP

Size		Box Packing	Rate
Inch	mm		
2"	63	-	0
2½"	75	-	0
3"	90	176	30
4"	110	100	40



P-TRAP

Size		Box Packing	Rate
Inch	mm		
4" x 4"	110 x 110	12	180



VENT COWL

Size		Box Packing	Rate
Inch	mm		
2½"	75	275	16
4"	110	130	28

SWR PIPES & FITTINGS

SELF FIT

PRINS
JODHPUR
PIPES & FITTINGS



SWR SELF FIT - TYPE - A

Size		Rate	
Inch	mm	3 Mtr.	6 Mtr.
2½"	75	350	700
3"	90	470	940
4"	110	600	1200
6"	160	1250	2500



SWR SELF FIT - TYPE - B

Size		Rate	
Inch	mm	3 Mtr.	6 Mtr.
2½"	75	580	1160
3"	90	-	-
4"	110	960	1920
6"	160	-	-

SWR FITTINGS (SELF-FIT)



BEND 87.5°

Size		Box Packing	Rate
Inch	mm		
2½"	75	80	27
4"	110	32	65



BEND 45°

Size		Box Packing	Rate
Inch	mm		
2½"	75	85	40
4"	110	32	80



SINGLE TEE

Size		Box Packing	Rate
Inch	mm		
2½"	75	72	50
4"	110	20	90



COUPLER

Size		Box Packing	Rate
Inch	mm		
2½"	75	86	40
4"	110	68	75



END CAP

Size		Box Packing	Rate
Inch	mm		
2"	63	-	-
2½"	75	-	-
3"	90	176	30
4"	110	100	40



VENT COWL

Size		Box Packing	Rate
Inch	mm		
2½"	75	275	16
4"	110	130	28



P-TRAP

Size		Box Packing	Rate
Inch	mm		
4" x 4"	110 x 110	12	180



NAHANI TRAP

Size		Box Packing	Rate
Inch	mm		
4" x 2½"	110 x 75	40	80
4" x 3"	110 x 90	35	105
4" x 4"	110 x 110	28	105

Agriculture Pipes self Fit Working Pressure (kgf/Sq cm))

Outside Diameter		2.5 Kg (Clss-1) Price Per Pipe	4 Kg (Clss-2) Price Per Pipe	EXTRA STRONG	6 Kg (Clss-3) Price Per Pipe
mm	Inch				
40	1¼	-	-	-	-
50	1½	-	-	-	-
63	2	-	540	-	650
75	2½	-	740	830	900
90	3	680	940	1050	1280
110	4	1000	1350	1500	1850
140	5	1520	2100	-	3300
160	6	2100	2750	-	3900
180	7	2300	3500	-	4800
200	8	2750	4200	-	6200



AGRICULTURE FITTINGS

PRINS[®]
JODHPUR
PIPES & FITTINGS



ELBOW PN-4			
Size		Box Packing	Rate
Inch	mm		
2"	63	135	20
2½"	75	85	25
3"	90	48	35
4"	110	32	55
5"	140	24	200
6"	160	10	250



TEE PN-4			
Size		Box Packing	Rate
Inch	mm		
2"	63	72	40
2½"	75	60	46
3"	90	35	65
4"	110	20	95
5"	140	17	220
6"	160	8	360



BEND 45°			
Size		Box Packing	Rate
Inch	mm		
2½"	75	84	44
3"	90	60	60
4"	110	30	80



END CAP			
Size		Box Packing	Rate
Inch	mm		
2½"	75	-	-
3"	90	176	30
4"	110	100	40



REDUCER COUPLER			
Size		Box Packing	Rate
Inch	mm		
3" x 2"	90 x 63	112	30
2" x 2½"	90 x 75	112	30
4" x 2"	110 x 63	64	50
4" x 2½"	110 x 75	100	50
4" x 3"	110 x 90	78	50



REDUCING TEE			
Size		Box Packing	Rate
Inch	mm		
3" x 2"	90 x 63	-	-
2" x 2½"	90 x 75	-	-
4" x 2"	110 x 63	-	-
4" x 2½"	110 x 75	24	160
4" x 3"	110 x 90	24	160



NAHANI TRAP			
Size		Box Packing	Rate
Inch	mm		
4" x 2½"	110 x 75	40	80
4" x 3"	110 x 90	35	105
4" x 4"	110 x 110	28	105



COUPLER			
Size		Box Packing	Rate
Inch	mm		
2"	63	84	30
2½"	75	125	40
3"	90	90	50
4"	110	52	75
5"	140	33	120
6"	160	24	160
7"	180	18	200
8"	200	12	240



P-TRAP			
Size		Box Packing	Rate
Inch	mm		
4" x 4"	110 x 110	12	180



VENT COWL			
Size		Box Packing	Rate
Inch	mm		
2½"	75	275	16
4"	110	130	28



SINGLE Y			
Size		Box Packing	Rate
Inch	mm		
3"	90	20	160
4"	110	15	180

CPVC PIPES & FITTINGS

PRINS®
JODHPUR
PIPES & FITTINGS

CPVC PIPES SDR 11

Size		Pkg. Bag	Rate	
Inch	mm		3 Mtr.	5 Mtr.
½"	15	-	-	-
¾"	20	50	200	-
1"	25	30	300	-
1¼"	32	20	460	-
1½"	40	15	580	-
2"	50	10	1000	-
2½"	65	1	2200	-
3"	80	1	2900	-
4"	100	1	4000	-

CPVC PLUMBING FITTINGS



ELBOW 90°

Size		Pcs. (Per.) Pkt	Rate
Inch	mm		
¾"	20	100	12
1"	25	50	22
1¼"	32	25	55
1½"	40	25	90
2"	50	10	190
2½"	65	5	400
3"	80	2	580



COUPLER

Size		Pcs. (Per.) Pkt	Rate
Inch	mm		
¾"	20	100	8
1"	25	50	14
1¼"	32	25	35
1½"	40	25	55
2"	50	10	110
2½"	65	5	240
3"	80	5	300



EQUAL TEE

Size		Pcs. (Per.) Pkt	Rate
Inch	mm		
¾"	20	100	14
1"	25	50	28
1¼"	32	25	70
1½"	40	25	125
2"	50	10	230
2½"	65	5	550
3"	80	2	700



UNION

Size		Pcs. (Per.) Pkt	Rate
Inch	mm		
¾"	20	40	28
1"	25	25	46
1¼"	32	25	110
1½"	40	25	160
2"	50	10	280
2½"	65	2	560
3"	80	1	800



MALE THREADED ADAPTOR (PLASTIC)

Size		Pcs. (Per.) Pkt	Rate
Inch	mm		
¾"	20	50	8
1"	25	50	14
1¼"	32	25	40
1½"	40	25	50
2"	50	10	100
2½"	65	2	250
3"	80	2	350



FEMALE THREADED ADAPTOR (PLASTIC)

Size		Pcs. (Per.) Pkt	Rate
Inch	mm		
¾"	20	50	10
1"	25	50	20
1¼"	32	25	50
1½"	40	25	90
2"	50	10	120
2½"	65	5	260
3"	80	2	400

CPVC FITTINGS

PRINS[®]
JODHPUR
PIPES & FITTINGS



ELBOW 45°			
Size		Pcs. (Per.) Pkt	Rate
Inch	mm		
¾"	20	100	15
1"	25	50	22
1¼"	32	25	45
1½"	40	25	70
2"	50	5	180



TANK NIPPLE			
Size		Pcs. (Per.) Pkt	Rate
Inch	mm		
¾"	20	40	26
1"	25	25	40
1¼"	32	25	120
1½"	40	25	140
2"	50	10	200



REDUCER COUPLER			
Size		Pcs. (Per.) Pkt	Rate
Inch	mm		
1" x ¾"	25 x 20	100	10
1¼" x ¾"	32 x 20	50	27
1¼" x 1"	32 x 25	50	30
1½" x ¾"	40 x 20	25	50
1½" x 1"	40 x 25	25	40
1½" x 1¼"	40 x 32	25	50
2" x ¾"	50 x 20	-	-
2" x 1"	50 x 25	10	80
2" x 1¼"	50 x 32	10	90
2" x 1½"	50 x 40	10	100



REDUCER TEE			
Size		Pcs. (Per.) Pkt	Rate
Inch	mm		
1" x ¾"	25 x 20	50	32
1¼" x ¾"	32 x 20	25	65
1¼" x 1"	32 x 25	25	65
1½" x ¾"	40 x 20	25	105
1½" x 1"	40 x 25	25	110
1½" x 1¼"	40 x 32	25	115
2" x ¾"	50 x 20	-	-
2" x 1"	50 x 25	10	200
2" x 1¼"	50 x 32	10	210
2" x 1½"	50 x 40	10	220




END CAP			
Size		Pcs. (Per.) Pkt	Rate
Inch	mm		
¾"	20	100	5
1"	25	50	9
1¼"	32	50	25
1½"	40	25	40
2"	50	10	80
2½"	65	5	180
3"	80	5	250



REDUCER BUSH			
Size		Pcs. (Per.) Pkt	Rate
Inch	mm		
1¼" x ¾"	32 x 20	25	20
1¼" x 1"	32 x 25	50	20
1½" x ¾"	40 x 20	25	40
1½" x 1"	40 x 25	25	30
1½" x 1¼"	40 x 32	25	30
2" x ¾"	50 x 20	10	70
2" x 1"	50 x 25	10	70
2" x 1¼"	50 x 32	10	70
2" x 1½"	50 x 40	10	80



BALL VALVE			
Size		Pcs. (Per.) Pkt	Rate
Inch	mm		
¾"	20	72	130
1"	25	42	200
1¼"	32	1	320
1½"	40	1	640
2"	50	1	900




STEP OVER BEND			
Size		Pcs. (Per.) Pkt	Rate
Inch	mm		
¾"	20	25	60
1"	25	15	80

CPVC FITTINGS & CPVC BRASS FITTINGS

PRINS[®]
JODHPUR
PIPES & FITTINGS



SOLVENT CEMENT		
Size	Pcs. (Per.) Pkt	Rate
ML Tin		
59 ml	48	90
118 ml	24	135
237 ml	15	230



NAIL CLAMP			
Size		Pcs. (Per.) Pkt	Rate
Inch	mm		
¾"	20	100	4
1"	25	100	6
1¼"	32	50	8
1½"	40	50	10
2"	50	50	18



REDUCER ELBOW			
Size		Pcs. (Per.) Pkt	Rate
Inch	mm		
1" x ¾"	25 x 20	50	22




LONG PLUG			
Size		Pcs. (Per.) Pkt	Rate
Inch	mm		
½"	15	50	6

CPVC BRASS FITTINGS



FEMALE THREADED BRASS ELBOW			
Size		Pcs. (Per.) Pkt	Rate
Inch	mm		
¾" x ½"	20 x 15	50	50
1" x ½"	25 x 15	50	54



BRASS TEE			
Size		Pcs. (Per.) Pkt	Rate
Inch	mm		
¾" x ½"	20 x 15	50	52
1" x ½"	25 x 15	50	56



MALE THREADED BRASS ADAPTOR			
Size		Pcs. (Per.) Pkt	Rate
Inch	mm		
¾"	20	50	80
1"	25	25	110
1¼"	32	15	350
1½"	40	10	500
2"	50	5	700
2½"	65	2	1500
3"	80	1	1800
¾" x ½"	20 x 15	50	50
1" x ½"	25 x 15		



FEMALE THREADED BRASS ADAPTOR			
Size		Pcs. (Per.) Pkt	Rate
Inch	mm		
¾"	20	50	58
1"	25	25	88
1¼"	32	15	270
1½"	40	10	400
2"	50	5	500
2½"	65	2	1080
3"	80	1	1500
¾" x ½"	20 x 15	50	48
1" x ½"	25 x 15		

PRIME EDGE COLLECTION

HPEP
High Performance
Engineering Plastic



**NEW
ARRIVAL**


PRINS[®]
JODHPUR
BATHWARE




PE-101 ₹ 220/-
Bib Cock I-40
With Flange M-240




PE-108 ₹ 400/-
Pillar Cock I-24
M-144



PE-111 ₹ 220/-
Angle Cock I-40
With Flange M-240




PE-125 ₹ 300/-
Long Body I-60
With Flange M-360



PE-131 ₹ 570/-
2 In 1 Bib Cock I-18
With Flange M-108



PE-149 ₹ 600/-
Sink Cock I-20
With Flange M-120



PE-166 ₹ 550/-
2 Way Angle I-20
Cock With M-120
Flange



PE-171 ₹ 2000/-
Wall Mixer I-8
With L Bend M-48
(20mm)



PE-175 ₹ 1600/-
Sink Mixer I-8
(20mm) M-48

I - Inner Carton
M - Master Carton

CLASSIC WHITE COLLECTION PPCP



**NEW
ARRIVAL**

PRINS[®]
JODHPUR
BATHWARE



CW-204 ₹ 110/-

Bib Cock
With Flange
(45°)

I-40
M-240



CW-207 ₹ 135/-

Bib Cock
With Flange
(90°)

I-40
M-240



CW-213 ₹ 190/-

Pillar Cock
With Flange

I-20
M-120



CW-219 ₹ 120/-

Angle Cock
With Flange

I-60
M-360



CW-222 ₹ 135/-

Long Body
With Flange
(45°)

I-40
M-240



CW-231 ₹ 285/-

2 In 1
Bib Cock
With Flange

I-18
M-108



CW-240 ₹ 265/-

Sink Cock
With Flange

I-20
M-120



CW-249 ₹ 285/-

Swan Neck
With Flange

I-20
M-120



CW-252 ₹ 145/-

Nozzle
Bib Cock
With Flange

I-40
M-240

I - Inner Carton
M - Master Carton

STUDIO SERIES



**NEW
ARRIVAL**

PRINS[®]
JODHPUR
BATHWARE



S-3006 ₹ 560/-

Nozzle Cock
With Flange



S-3024 ₹ 660/-

Bib Cock
With Flange



S-3036 ₹ 715/-

Long Body
Bib Cock With Flange



S-3051 ₹ 740/-

Pillar Cock
With Flange



S-3069 ₹ 375/-

Angle Valve
With Flange



S-3084 ₹ 1030/-

2 Way Bib Cock
With Flange



S-3312 ₹ 3400/-

Wall Mixer
With Flange



S-3189 ₹ 945/-

Sink Cock
With Flange



S-3249 ₹ 2440/-

Sink Mixer
With Flange



S-3216 ₹ 945/-

Swan Neck
With Flange



S-3336 (20mm) ₹ 640/-

S-3375 (25mm) ₹ 780/-

CPVC Concealed



S-3123 (15mm) ₹ 860/-

S-3156 (20mm) ₹ 910/-

Concealed

FLUSHING CISTERN

**NEW
ARRIVAL**

PRINS[®]
JODHPUR
BATHWARE



DCF-0013 ₹ 1200/-

Diamond Box Pkg -10
Front Push



SSF-0003 ₹ 900/-

Smart Box Pkg -10
Side Handle



SSF-0006 ₹ 1180/-

Smart Box Pkg -10
Top Push



SSF-0009 ₹ 1600/-

Smart Box Pkg -10
Dual Push



EWC ₹400/-

EWC Box Pkg -20
Seat Cover



AIF ₹450/-

Anglo Indian Box Pkg -20
Seat Cover



DRAINAGE LIDS

LOAD CAPACITY 3 M. TON

PRODUCT NAME	QUANTITY	PER PC RATE	AMOUNT
12"X12" BLACK	32 PCS	280	8960
18"X18" BLACK	10 PCS	740	7400
21"X21" BLACK	08 PCS	960	7680
24"X24" BLACK	06 PCS	1280	7680
27"X27" BLACK	04 PCS	2300	9200

LOAD CAPACITY 6 M. TON

PRODUCT NAME	QUANTITY	PER PC RATE	AMOUNT
12"X12" BLACK	32 PCS	430	13760
18"X18" BLACK	10 PCS	1150	11500
21"X21" BLACK	08 PCS	1440	11520
24"X24" BLACK	06 PCS	2030	12180
27"X27" BLACK	04 PCS	3000	12000



PVC GARDEN PIPES

SIZE	BRAND	LENGTH	WEIGHT / ROLL	PACKING / BAGS	MRP / ROLL	MRP / BAGS
1/2 INCH	PRINS PVC GARDEN PIPE	50 FEET	1.8 K.G.	12 ROLL	350	4200
1/2 INCH	PRINS PVC GARDEN PIPE	100 FEET	3.5 K.G.	7 ROLL	700	4900
3/4 INCH	PRINS PVC GARDEN PIPE	50 FEET	3 K.G.	20 ROLL	600	12000
3/4 INCH	PRINS PVC GARDEN PIPE	100 FEET	6 K.G.	10 ROLL	1200	12000
1" INCH	PRINS PVC GARDEN PIPE	50 FEET	4 K.G.	14 ROLL	800	11200
1" INCH	PRINS PVC GARDEN PIPE	100 FEET	8 K.G.	7 ROLL	1600	11200

BRAIDED PIPES

SIZE	BRAND	LENGTH	WEIGHT/ROLL	PACKING / BAGS	MRP / ROLL	MRP / BAGS
1/2" INCH	PRINS PVC BRAIDED PIPE	100 FEET	3.5 K.G.	14 ROLL	770	10780
3/4" INCH	PRINS PVC BRAIDED PIPE	100 FEET	5.6 K.G.	8 ROLL	1230	9840
1" INCH	PRINS PVC BRAIDED PIPE	100 FEET	8 K.G.	7 ROLL	1760	12320

PRINS POLYTECH (P) LTD.



NATION WIDE TRANSPORT NETWORK

PRINS Polytech (P) Ltd. have 25+ transport vehicles to supply our tanks in
Rajasthan | Bihar | Delhi | Punjab | Hariyana | Gujarat | Madhya Pradesh
Uttar Pradesh | Maharastra | Karnataka | Jharkhand | Chhattisgarh etc.



TOLL FREE : 1800 571 2020

PRINS[®]
POLYTECH (P) LTD.
An ISO 9001:2015 Certified Company



Address : G-1/881, 882, 883, 884
4th Phase RIICO Industrial Area,
Boranada, Jodhpur - 342012
Rajasthan (INDIA)



Address : 195-197
Wood Street,
London, E17 3NU
(UNITED KINGDOM)
+44 7780392326



Visit us : www.prinspipeandtank.com

WWW.PRINSPIPEANDTANK.COM