



# TRANSASIA PETROCHEM PVT. LTD.

An ISO Certified 9001: 2015 Company

MANUFACTURER & EXPORTER OF AUTOMOTIVE & INDUSTRIAL GREASES



MADE IN INDIA

[www.transasiapetrochem.com](http://www.transasiapetrochem.com)



01

**Calcium Graphite Grease**



Grades - NLGI 0/00/1/2/3  
Drop Point - 103-110° C

Packing Size: 30KG, 50KG, 180KG

02


**Calcium Red Gel Grease**



Grades - NLGI 0/00/1/2/3  
Drop Point - 103-110° C

03


**Calcium Gold Gel Grease**



Grades - NLGI 0/00/1/2/3  
Drop Point - 103-110° C

04

**MPSP Calcium Grease**



Grades - NLGI 0/00/1/2/3  
Drop Point - 280-300°+ C

05

**Calcium Sulfonate Grease**



Grades - NLGI 2  
Drop Point - 250°+ C

06

**Chassis Grease**



Grades - NLGI 0/00/1/2/3  
Drop Point - 100-110° C

07

**High temperature Non Soap Grease (Non Melt)**



Grades - NLGI 0/00/1/2/3  
Drop Point - 280-300°+ C

08

**High Temperature Non Soap Moly Grease**



Grades - NLGI 0/00/1/2/3  
Drop Point - 280-300°+ C

Packing Size: 30KG, 50KG, 180KG

Packing Size: 30KG, 50KG, 180KG

09

**(A) Multipurpose Grease Eco (MP/EP)**



Grades - MP0/00/00/  
Mp1/Mp2/MP3  
Drop Point - 145-155° C

09

**(B) Multipurpose Grease Special (MP/EP)**



Grades - MP0/00/00/  
Mp1/Mp2/MP3  
Drop Point - 170-180° C

09

**(C) Multipurpose Grease Premium (MP/EP)**



Grades - MP0/00/00/  
Mp1/Mp2/MP3  
Drop Point - 190-205° C

10

**Wheel Bearing Grease**



Drop Point - 170-180° C  
(Sodium Base)

Packing Size: 30KG, 50KG, 180KG

Packing Size: 30KG, 50KG, 180KG





11

(A) Extreme Pressure Grease Eco (EP)



Grades - 0/00/000/1/2/3  
Drop Point - 145-155° C

Packing Size: 30KG, 50KG, 180KG

11

(B) Extreme Pressure Grease Special (EP)



Grades - 0/00/000/1/2/3  
Drop Point - 170-180° C.

Packing Size: 30KG, 50KG, 180KG

11

(C) Extreme Pressure Grease Premium (EP)



Grades - 0/00/000/1/2/3  
Drop Point - 190-205° C

12

Lithium Complex Grease



Grades - NLGI 0/00/000/1/2/3  
Drop Point - 250-280° C

Packing Size: 30KG, 50KG, 180KG

13

Lithium complex Grease 222



Grades - NLGI 2  
Drop Point - 250-280° C

14

Lithium Complex Moly Grease



Drop Point - 230-250° C

Packing Size: 30KG, 50KG, 180KG

15

Lithium Moly Grease 3



Drop Point - 190-205° C

16

Lithium Graphite Grease



Drop Point - 190-205° C

Packing Size: 30KG, 50KG, 180KG

17

Lithium Long Life Grease



Grades-NLGI 2/3  
Drop Point - 215-230° C

18

APLR Grease



Grades- NLGI 2/3  
Drop Point - 180-190° C

Packing Size: 30KG, 50KG, 180KG

19

EPL 2 Grease



Drop Point - 175-185° C



# TRANSASIA PETROCHEM PVT. LTD.

An ISO Certified 9001: 2015 Company

MANUFACTURER & EXPORTER OF AUTOMOTIVE & INDUSTRIAL GREASES



#### **CORPORATE OFFICE:**

801, Ghanshyam Enclave, Link Road,  
Lalji Pada, Kandivali(W), Mumbai-400067,  
Maharashtra, INDIA  
Tel.No.: +91 93231 26536, 99309 20590  
Website: [www.transasiapetrochem.com](http://www.transasiapetrochem.com)  
Email: [info@transasiapetrochem.com](mailto:info@transasiapetrochem.com)

#### **MANUFACTURING UNIT:**

Plot No. 15, Survey No. 433/3, Bidco Area,  
Village - Mahim, Palghar (W)-401404  
Maharashtra, India  
Tel.No.: +91 93231 26536, 99309 20590  
Website: [www.transasiapetrochem.com](http://www.transasiapetrochem.com)  
Email: [info@transasiapetrochem.com](mailto:info@transasiapetrochem.com)

