



Kristar
lights

About Us at Kristar Lights

Welcome to **Kristar Lights**, your trusted partner in innovative LED lighting solutions. Established with a passion for sustainability and efficiency, we specialize in providing high-quality LED lighting products that enhance your living and working environments while minimizing environmental impact.

At **Kristar Lights**, we are dedicated to pioneering advancements in LED technology. Our range includes a variety of lighting solutions designed for both residential and commercial settings, ensuring that every space is not only well-lit but also energy-efficient and eco-friendly. From sleek indoor lighting fixtures to robust outdoor systems, our products are crafted to offer maximum reliability, durability, and style.

Our team at **Kristar Lights** is made up of experienced professionals who are enthusiastic about making a positive change in the world through reduced energy consumption and innovative design. We believe that good lighting can transform spaces and moods, improving productivity and comfort. Our commitment to excellence is reflected in our rigorous testing, quality control, and continuous research and development processes.



Choose **Kristar Lights** for your lighting needs and join us in lighting up the world responsibly.

INDEX

Model	Page No	Model	Page No
STREET GLASS MODEL	01	DIAMOND LENS MODEL	13
STREET LENS MODEL	03	LENS STAR MODEL	15
OVAL MODEL	05	AHMEDABAD MODEL	17
SOLAR STREET	07	WHITE PANTHOR MODEL	19
VACCINE MODEL	09	LITE MODEL	21
KGM MODEL	11	MOON MODEL	23

STREET GLASS MODEL
(A01)

FEATURES



Application



SL-5GLASSMODEL / WITH FRAME (A05)

STREET GLASS MODEL

Wattage	:	150 to 200W
Casting Weight	:	1.35KG
PCB Size	:	150*215mm
Casting Size	:	435*210*80mm
Driver Area (L*W*D)	:	103*157*50mm
Pipe I.D.	:	54mm
Total Weight	:	2.055Kg
Outer Packaging	:	10 Pcs.

- Roadsides
- Gardens
- Streets
- Industries

SL-1GLASS MODEL (A01)

STREET GLASS MODEL



Wattage	:	24 to 36W
Casting Weight	:	0.276KG
PCB Size	:	66*132mm
Casting Size	:	322*102*45mm
Driver Area (L*W*D)	:	100*70*32mm
Pipe I.D.	:	42mm
Total Weight	:	0.6Kg
Outer Packaging	:	50 Pcs.

SL-2GLASS MODEL (A02)

STREET GLASS MODEL



Wattage	:	36 to 50W
Casting Weight	:	0.381KG
PCB Size	:	90*170mm
Casting Size	:	340*120*48mm
Driver Area (L*W*D)	:	75*90*35mm
Pipe I.D.	:	40mm
Total Weight	:	0.75Kg
Outer Packaging	:	40 Pcs.

SL-3GLASS MODEL (A03)

STREET GLASS MODEL



Wattage	:	50 to 72W
Casting Weight	:	0.44KG
PCB Size	:	108*190mm
Casting Size	:	140*385*50mm
Driver Area (L*W*D)	:	110*85*45mm
Pipe I.D.	:	45mm
Total Weight	:	0.95Kg
Outer Packaging	:	30 Pcs.

SL-4GLASS MODEL (A04)


STREET GLASS MODEL



Wattage	:	100 to 150W
Casting Weight	:	1.06KG
PCB Size	:	150*215mm
Casting Size	:	410*190*60mm
Driver Area (L*W*D)	:	160*95*45mm
Pipe I.D.	:	54mm
Total Weight	:	1.78Kg
Outer Packaging	:	12 Pcs.

STREET LENS MODEL
(B05)

FEATURES




Application



100W SL LENS MODEL (B05)

STREET LENS MODEL

Wattage	:	100W
Casting Weight	:	0.765KG
PCB Size	:	135*235mm
Casting Size	:	455*190*60mm
Driver Area (L*W*D)	:	80*170*50mm
Pipe I.D.	:	52mm
Total Weight	:	1.06Kg
Outer Packaging	:	12 Pcs.



- Roadsides
- Gardens
- Streets
- Industries

24W SL LENS MODEL (B01)

STREET LENS MODEL



Wattage	:	24 W
Casting Weight	:	0.22KG
PCB Size	:	60*105mm
Casting Size	:	180*110*55mm
Driver Area (L*W*D)	:	60*90*31mm
Pipe I.D.	:	42mm
Total Weight	:	0.37Kg
Outer Packaging	:	50 Pcs.

36W SL LENS MODEL (B02)

STREET LENS MODEL



Wattage	:	36W
Casting Weight	:	0.32KG
PCB Size	:	82*142mm
Casting Size	:	335*130*57mm
Driver Area (L*W*D)	:	73*110*44mm
Pipe I.D.	:	45mm
Total Weight	:	0.45Kg
Outer Packaging	:	40 Pcs.

50W SL LENS MODEL (B03)

STREET LENS MODEL



Wattage	:	50W
Casting Weight	:	0.59KG
PCB Size	:	110*155mm
Casting Size	:	385*165*57mm
Driver Area (L*W*D)	:	83*140*44mm
Pipe I.D.	:	45mm
Total Weight	:	0.84Kg
Outer Packaging	:	30 Pcs.

72W SL LENS MODEL (B04)

STREET LENS MODEL



Wattage	:	72W
Casting Weight	:	0.59KG
PCB Size	:	110*155mm
Casting Size	:	385*165*57mm
Driver Area (L*W*D)	:	83*140*44mm
Pipe I.D.	:	45mm
Total Weight	:	0.84Kg
Outer Packaging	:	30 Pcs.

OVAL MODEL
(Lens Model) (D03)


FEATURES



Application



- Gardens
- Streets
- Roadsides



24W SLENS OVAL MODEL (D01)

STREET OVAL MODEL



Wattage	:	24W
Casting Weight	:	0.230KG
PCB Size	:	50*120MM
Casting Size	:	100*270MM
Driver Area (L*W*D)	:	70*45*32MM
Pipe I.D.	:	38MM
Total Weight	:	0.280Kg
Outer Packaging	:	50 Pcs.

36W SLENS OVAL MODEL (D02)

STREET OVAL MODEL



Wattage	:	36W
Casting Weight	:	0.275KG
PCB Size	:	70*143MM
Casting Size	:	130*300MM
Driver Area (L*W*D)	:	95*55*35MM
Pipe I.D.	:	38MM
Total Weight	:	0.370MM
Outer Packaging	:	40 Pcs.

50W SLENS OVAL MODEL (D03)

STREET OVAL MODEL




Wattage	:	50W
Casting Weight	:	0.340KG
PCB Size	:	90*171MM
Casting Size	:	158*330MM
Driver Area (L*W*D)	:	105*55*35MM
Pipe I.D.	:	38MM
Total Weight	:	0.480MM
Outer Packaging	:	30 Pcs.

SOLAR STREET

KRC01

FEATURES



Application



SOLAR STREET MODEL (C01)

SOLAR STREET MODEL

Wattage	:	24 /36 W
Casting Weight	:	0.98KG
PCB Size	:	110x150mm
Casting Size	:	410x210x90mm
Driver Area (L*W*D)	:	180x155x85mm
Pipe I.D.	:	52mm
Total Weight	:	1.73kg
Outer Packaging	:	10pcs.



- Gardens
- Streets
- Roadsides



SOLAR STREET LIGHT

"Bathed in the amber glow of the street light,
every lonely pavement tells a story."

FEATURES



Application



- Gardens
- School
- Factory

300W FLD VACCINE MODEL (K05)

VACCINE MODEL

Wattage	:	300 to 400 W
Casting Weight	:	1.995KG
PCB Size	:	270*200mm
Casting Size	:	420*375*65mm
Driver Area (L*W*D)	:	100*300*42mm
Total Weight	:	4.05Kg
Outer Packaging	:	6Pcs.



30W FLD VACCINE MODEL (K01)

VACCINE MODEL



Wattage	:	30 to 50 W
Casting Weight	:	0.333KG
PCB Size	:	120*60mm
Casting Size	:	165*195*50mm
Driver Area (L*W*D)	:	45*160*28mm
Total Weight	:	0.85Kg
Outer Packaging	:	30Pcs.

50W FLD VACCINE MODEL (K02)

VACCINE MODEL



Wattage	:	50 to 60W
Casting Weight	:	0.475KG
PCB Size	:	160*80mm
Casting Size	:	200*230*50mm
Driver Area (L*W*D)	:	50*200*30mm
Total Weight	:	1.1Kg
Outer Packaging	:	20Pcs.

100W FLD VACCINE MODEL (K03)

VACCINE MODEL



Wattage	:	100 to 120 W
Casting Weight	:	0.7KG
PCB Size	:	200*90mm
Casting Size	:	245*190*57mm
Driver Area (L*W*D)	:	65*245*38mm
Total Weight	:	1.6Kg
Outer Packaging	:	20Pcs.



150/200W FLD VACCINE MODEL (K04)

VACCINE MODEL



Wattage	:	150 to 200W
Casting Weight	:	1.3KG
PCB Size	:	225*175mm
Casting Size	:	315*330*65mm
Driver Area (L*W*D)	:	80*260*45mm
Total Weight	:	2.35Kg
Outer Packaging	:	12Pcs.

FEATURES



Application



- Warehouse
- Temple
- Playground



50WFLDKGMMODEL (L01)

FLD KGM MODEL



Wattage	:	50 to 60 W
Casting Weight	:	0.505KG
PCB Size	:	170*120mm
Casting Size	:	220*230*50mm
Driver Area (L*W*D)	:	45*190*45mm
Total Weight	:	1.13Kg
Outer Packaging	:	20Pcs.

100WFLDKGMMODEL (L02)

FLD KGM MODEL



Wattage	:	100 to 150W
Casting Weight	:	0.8KG
PCB Size	:	200*140mm
Casting Size	:	275*285*65mm
Driver Area (L*W*D)	:	60*240*50mm
Total Weight	:	1.78Kg
Outer Packaging	:	10Pcs.

200WFLDKGMMODEL (L03)


FLD KGM MODEL



Wattage	:	200 to 250 W
Casting Weight	:	1.6KG
PCB Size	:	240*155mm
Casting Size	:	240*260*40mm
Driver Area (L*W*D)	:	45*280*40mm
Total Weight	:	2.865Kg
Outer Packaging	:	8Pcs.

DIAMOND LENS MODEL (M01)

FEATURES



Application



- Walkways
- Stairs
- Underpasses
- Door entrances
- Retail buildings
- Construction sites
- Sports fields
- Gardens.



50W FLD LENS DIAMOND MODEL (M01)

DIAMOND MODEL



Wattage	:	50 W
Casting Weight	:	0.350
PCB Size	:	185*85mm
Casting Size	:	180*225*39mm
Driver Area (L*W*D)	:	62*193*32mm
Total Weight	:	0.645Kg
Outer Packaging	:	40Pcs.


100W FLD LENS DIAMOND MODEL (M02)

DIAMOND MODEL



Wattage	:	100 W
Casting Weight	:	0.635KG
PCB Size	:	250*125mm
Casting Size	:	230*290*39mm
Driver Area (L*W*D)	:	68*228*33mm
Total Weight	:	1.147Kg
Outer Packaging	:	30Pcs.

FEATURES



Application



- Walkways
- Stairs
- Underpasses
- Door entrances
- Retail buildings
- Construction sites
- Sports fields
- Gardens.



50W FLD LENS STAR MODEL (N01)

LENS LITE MODEL



Wattage	:	50 W
Casting Weight	:	0.23KG
PCB Size	:	150*85mm
Casting Size	:	172*190*36mm
Driver Area (L*W*D)	:	50*155*26mm
Total Weight	:	0.484Kg
Outer Packaging	:	40Pcs.

100W FLD LENS STAR MODEL (N02)

LENS LITE MODEL



Wattage	:	100 W
Casting Weight	:	0.365KG
PCB Size	:	190*130mm
Casting Size	:	220*235*38mm
Driver Area (L*W*D)	:	50*200*30mm
Total Weight	:	0.75Kg
Outer Packaging	:	30Pcs.

200W FLD LENS STAR MODEL (N03)

LENS LITE MODEL



Wattage	:	200 W
Casting Weight	:	0.83KG
PCB Size	:	240*185mm
Casting Size	:	290*310*38mm
Driver Area (L*W*D)	:	96*265*30mm
Total Weight	:	1.37Kg
Outer Packaging	:	20Pcs.

FEATURES



Application



- Garden
- Warehouse
- Playground



150W FLDA, BADMODEL (O01)

FLD AHMEDABAD MODEL



Wattage	:	150 to 200 W
Casting Weight	:	1.09KG
PCB Size	:	250*120mm
Casting Size	:	290*350*50mm
Driver Area (L*W*D)	:	55*300*35mm
Total Weight	:	2.59Kg
Outer Packaging	:	12Pcs.


200W FLDA, BADMODEL (O02)

FLD AHMEDABAD MODEL



Wattage	:	200 to 300W
Casting Weight	:	1.55KG
PCB Size	:	330*155mm
Casting Size	:	325*420*60mm
Driver Area (L*W*D)	:	80*375*35mm
Total Weight	:	3.339Kg
Outer Packaging	:	7Pcs.

FEATURES



Application



400W FLB PANTHOR MODEL (T05)

WHITE PANTHOR MODEL

Wattage	:	400/600W
Casting Weight	:	4.955KG
PCB Size	:	390*250mm
Casting Size	:	340*500*150mm
Driver Area (L*W*D)	:	145*230*50mm(2 Pcs)
Total Weight	:	7.25 kg
Outer Packaging	:	4 Pcs.



● Highways ● Hospitals ● Parking Area

100W FLB PANTHOR MODEL (T01)

WHITE PANTHOR MODEL



Wattage	: 100 to 150 W
Casting Weight	: 1.2KG
PCB Size	: 200*150mm
Casting Size	: 240*300*115mm
Driver Area (L*W*D)	: 90*150*45mm
Total Weight	: 2.15Kg
Outer Packaging	: 10 Pcs.

150W FLB PANTHOR MODEL (T02)


WHITE PANTHOR MODEL



Wattage	: 150/200W
Casting Weight	: 1.72KG
PCB Size	: 250*200mm
Casting Size	: 240*350*120mm
Driver Area (L*W*D)	: 120*220*45mm
Total Weight	: 2.85 kg
Outer Packaging	: 8 Pcs.

200W FLB PANTHOR MODEL (T03)

WHITE PANTHOR MODEL



Wattage	: 200/300W
Casting Weight	: 2.325KG
PCB Size	: 270*210mm
Casting Size	: 300*400*140mm
Driver Area (L*W*D)	: 145*230*50mm
Total Weight	: 4.15Kg
Outer Packaging	: 6 Pcs.

300W FLB PANTHOR MODEL (T04)

WHITE PANTHOR MODEL



Wattage	: 300/400W
Casting Weight	: 4.33KG
PCB Size	: 390*250mm
Casting Size	: 340*500*150mm
Driver Area (L*W*D)	: 145*230*50mm
Total Weight	: 6.6 kg
Outer Packaging	: 4 Pcs.

FEATURES



Application



● Gardens ● Streets

200W FLB LITE MODEL (Z01)


LITE MODEL

Wattage	:	200 to 300 W
Casting Weight	:	1.725KG
PCB Size	:	270*210mm
Casting Size	:	300*400*140mm
Driver Area (L*W*D)	:	120*220*45mm
Total Weight	:	3.33kg
Outer Packaging	:	6 Pcs.






FEATURES



Application




● Factory ● Warehouses ● Outdoor Areas



100W HB MOONMODEL (V01)

MOON MODEL



Wattage	:	100 W
Casting Weight	:	0.91KG
PCB Size	:	173*173mm
Casting Size	:	255*225*20mm
Driver Area (L*W*D)	:	90*150*45mm
Total Weight	:	1.502Kg
Outer Packaging	:	12Pcs.

150W HB MOONMODEL (V02)


MOON MODEL




Wattage	:	150 to 200 W
Casting Weight	:	1.57KG
PCB Size	:	260*260mm
Casting Size	:	355*355*110mm
Driver Area (L*W*D)	:	120*220*45mm
Total Weight	:	2.744Kg
Outer Packaging	:	6Pcs.





200W HB MOONMODEL (V03)

MOON MODEL



Wattage	:	200 to 250 W
Casting Weight	:	2.12KG
PCB Size	:	260*260mm
Casting Size	:	385*385*115mm
Driver Area (L*W*D)	:	145*230*50mm
Total Weight	:	3.36Kg
Outer Packaging	:	6Pcs.



-  **Kristar lights**
Plot No. 17/18, Prince Industrial Hub, Near GEM
Corporation, Kuha Patia, Indore Highway,
Ahemdabad-382433.
-  **Marketing - 8866509955**
-  **Order - 8866804855**
-  **Account - 8866014855**

Follow us:

