

**Package Boiler** 



#### MFG.Of: Multi Fuel Steam Boiler

Water Cum Smoke Tube Combination Hybrid Steam Boiler, Water Tube Steam Boiler, WHRB, Economizer, Super Heater, Steam Pressure Parts, Package Boiler

&

Pollution Control Equipment

Specilised in : Waste To Energy Plastic Fire Steam Boiler



**Water Cum Smoke Tube Boiler** 

# Triveni Boiler Pvt. Ltd.

Innovation | Energy | Sustainability

### Fuel:

- Rice Husk
- Biomass
- Coal
- Lignite
- Briquette
   Mustard husk
- Palm Shell
- Baggase



#### **SOLID FUEL PACKAGE TYPE STEAM BOILER**

Range: 1 TPH to 6 TPH

Pressure : 10.54 Kg to 17.5 kg/cm<sup>2</sup> g



Type

 Shell & Tube Type Fully Wet Back, Three Pass Solid Fuel Fired, Smoke Tube Boiler & Dry Back Boiler

 Fuel
 Coal. Lignite, Briquette, Husk Ground Nut Shell. Wooden Chips & Other Pulverized Fuels

Optional · Vibratory Feeder OR Screw Feeder

Variable Speed Drive

· Manual Firing of Wood, Coal, Lignite

Grate Bars / Nozzles

. Over head / Front door firing, Dropfeeding

Salient Features

· Three Pass optimum heat recovery

Large heating surface area

· Large water and steam holding capacity

· Convenient Operation & Maintenance

. Large Integral Furnace

 Factory Assembled Less Site Work & Immediate Commissioning

· Easy Access For Inspection And Cleaning

### **SMALL INDUSTRIAL BOILER**

• Range : 500 Kgs / hr to 1000 Kgs / hr

Pressure : 7 kg/cm² g to 10.54 kg/cm² g

Type : Shell & Tube Type, Dry / Semi Wet Back,

Two Pass, Solid Fuel Fired

Salient Features :

 Suitable for Natural Draught Operation hence power Cost Saving

· Suitable for Bagasse, Wood, Coal & Biomass

· Easy & Quick in Erection & Commissioning

· Lower Power Consmption

· Best (in Small Capacity



# PACKAGE TYPE THREE PASS WETBACK OIL AND GAS FIRED

• Salient Features: 1 TPH To 25 TPH At 21 Kg / Cm 2

- Shell Duly Insulated and clad
- · Manhole with cover
- · Explosion relif door
- Leader, Platform
- · Lifting Lugs



#### **BI-DRUM WATER TUBE BOILER**

Range : 06 TPH To 50 TPH
 Pressure : up to 75Kgs/ cm² g

Fuel : Coal, Lignite, Baggas, Wood, Husk, Saw Dust Biomass Fuel and Hazard RDF Municipal Waste

Type : Bi- drum Water Tube Boiler with various Furnace
 Options Like FBC, Reciprocating Grate, Traveling

Grate, Fixed Grate

Type of Firing • Under - Bed and / or Over - Bed Firing

• Super Heater, Steam Soot Blower, Economizer,
And Dearator Unit



#### **BI-DRUM BOILER**

### **WATER CUM SMOKE TUBE HYBRID AFBC STEAM BOILER**

Range 1 TPH to 25 TPH

Pressure 10.54 kg/cm<sup>2 g</sup> to 35 kg/cm<sup>2</sup> g

Type
 Water cum Smock Tube Boiler

Membrane Water Wall Panel

· Radiant Furnace with Shell & Tube Boiler

Options
 Pneumatic Auto Firing

· Dumping Grate For Bagasse Firing

Travelling Grate for Higher Capacities

Steam Super Heating

· Provision for FBC Conversion

- Salient Features :
  - Ideal For Fuels with higher Volatile Contact
     & Lighter Fuel e.g. Light, Rice Husk, Bagasse
     Ground Nut Shell etc
  - Very High THERMAL EFFICIENCY Due to efficient Combustion & minimum Radiation Losses
  - Higher Free Board Space & Large Combustion Volume
  - Minimum Choking Hence Lower Cleaning Frequency
  - Large Water Holding & Steam Space



- Better Response to Fluctuating Steam Load
- · Quicker Initial Straming
- Superior Membrance Technology in Large Boilers
- Minimum usage of Refractory in Furnace hence Lower Maintenance Minimum Air Leakage
- Easy in : Operation Maintenance Cleaning











WHRB OIL GAS BBC FBC FBC / BBC





# Triveni Boiler Pvt. Ltd.

AN ISO 9001: 2015 Certified Company

Specialised in : Waste to Energy Steam Boiler ( Non Recycle Waste )

Manufacturing of: Steam Boiler Capacity From 0.5 TPH to 50 TPH at

Working Pressure up to 75 Kg/cm² for Multi Fuels Boiler

- Pressure Parts Like Steam Drum, Water Wall, Inbed Assembly, Super Heater, Economizer Assembly
- Pollution Control Equipment Like ESP, Bag Filter,
   Wet Scrubber, Incinators etc

**Project Work** 

: Turnkey Projects of Steam Boiler

## TRIVENI BOILER PVT. LTD.

An ISO 9001: 2015 Certified Company

Mfg. Steam Boiler, Pressure Parts, Boiler Auxiliary and Pollution Control Equipment

Factory & Regd Office :A-1/903 & 904, G.I.D.C.,
Panoli-394 116 Ankleshwar
Dist. Bharuch ( Gujarat ) India
Contact :- +91 9251 24385

E-mail : triveniboiler@yahoo.com

Branch Office :-A-6/2/1, G.I.D.C., Por Ramangamdi, Vadodara Dist. Vadodara ( Gujarat ) India Contact :- +91 9251 24385

E-mail: triveniblrbaroda@yahoo.com

Print & Design By : Trans Print # 9426334918 / 99781