

**GARUD®**



“CREATING SEAMLESS RETROFITS  
FOR RESPONDER TO ENHANCE  
THEIR COMFORT AND EFFICIENCY  
IN THE FIELD”





# About Us

The journey of our company began with a vision: to create a more efficient and vibrant emergency response system that would serve as a beacon of hope. Established in 2011, we set out to transform this vision into reality.

Our commitment towards efforts and strategic planning has driven us to undertake projects that not only benefit national interests but also support our allies, such as the Nepal, Bhutan Police. We take pride in partnering with various medical service providers, fabricators and almost every state police forces, such as Delhi Police, Gujarat Police, Maharashtra Police, Odisha Police, Karnatka Police and other key clients too.

At the core of our mission is a dedication to our clients' best interests. We believe in collaboration and achieving common goals for excellence in emergency response system. Together, we strive to make a meaningful impact in the communities we serve.





# Mini Buster




## Specifications

- Length : 205, 280, 320, 355, 431, 560mm
- Height : 50 ~ 90mm
- Width : 220mm
- Input Voltage : 12 Volt/ 24 Volt - DC
- Lens Material : Polycarbonate (UV sterilized)
- Base Plate : Aluminium extrusion
- Mounting : Magnet Mounting

Model No : HEE - BLF1

Colour Code



Sunproof



Fireproof



Waterproof



Electrically Insulated



Pressure Resistant



Scratch Resistant

\*Product Customization available for Bulk Orders.

\*\*Images provided are for reference purpose only. The actual product may vary.



# Buster



## Specifications

- Length : 760, 890, 990, 1100, 1200mm
- Height : 50 ~ 90mm
- Width : 220mm
- Input Voltage : 12 Volt/ 24 Volt - DC
- Lens Material : Polycarbonate (UV sterilized)
- Base Plate : Aluminium extrusion
- Mount : Powder Coated non Rust GI Clamp

Model No : HEE - BLF1

Colour Code



Sunproof



Fireproof



Waterproof



Electrically Insulated



Pressure Resistant



Scratch Resistant

\*Product Customization available for Bulk Order.

\*\*Images provided are for reference purpose only. The actual product may vary.



# Regular Barlight



## Specifications

- Length : 990, 1100mm
- Height : 140 ~ 185mm
- Width : 275mm
- Input Voltage : 12 Volt/ 24 Volt - DC
- Speakers : Two inbuilt speakers(50w each) in 1100mm & One inbuilt speaker(80w) in 990mm
- Lens Material : Polycarbonate (UV sterilized)
- Base Plate : Aluminium extrusion
- Speaker Grill : Stainless Steel (304 Grade)
- Box content : Amplifier cum PA system, Mic, Wiring lead, Fitting clamps

Model No : HEE - RBL

Colour Code



Sunproof



Fireproof



Waterproof



Electrically Insulated




Pressure Resistant



Scratch Resistant



# Classic Curved



## Specifications

- Length : 890, 1100, 1200mm
- Height : 120 ~ 175mm
- Width : 300mm
- Input Voltage : 12 Volt/ 24 Volt - DC
- Speakers : One inbuilt speaker (80w)
- Lens Material : Polycarbonate (UV sterilized)
- Base Plate : Aluminium extrusion
- Speaker Grill : Stainless Steel (304 Grade)
- Box content : Amplifier cum PA system, Mic, Wiring lead, Fitting clamps

Model No : HEE - CBL

Colour Code



Sunproof



Fireproof



Waterproof



Electrically Insulated



Pressure Resistant




Scratch Resistant

\*Product Customization available for Bulk Orders.

\*\*Images provided are for reference purpose only. The actual product may vary.



# Beam SPK Barlight



## Specifications

- Length : 560, 762, 940, 990mm
- Height : 120 ~ 165mm
- Width : 275mm
- Input Voltage : 12 Volt/ 24 Volt - DC
- Speakers : One inbuilt speaker (80w)
- Lens Material : Polycarbonate (UV sterilized)
- Base Plate : Aluminium extrusion
- Speaker Grill : Stainless Steel (304 Grade)
- Box content : Amplifier cum PA system, Mic, Wiring lead, Fitting clamps

Model No : HEE - BLF2

Colour Code



Sunproof



Fireproof



Waterproof



Electrically Insulated



Pressure Resistant



Scratch Resistant

\*Product Customization available for Bulk Orders.

\*\*Images provided are for reference purpose only. The actual product may vary.



# Beam SPK Barlight



## Specifications

- Length : 890, 1100mm
- Height : 120 ~ 165mm
- Width : 275mm
- Input Voltage : 12 Volt/ 24 Volt - DC
- Speakers : Two inbuilt speakers of 50w each
- Lens Material : Polycarbonate (UV sterilized)
- Base Plate : Aluminium extrusion
- Speaker Grill : Stainless Steel (304 Grade)
- Box content : Amplifier cum PA system, Mic, Wiring lead, Fitting clamps

Model No : HEE - BLF2

Colour Code



Sunproof



Fireproof



Waterproof



Electrically Insulated



Pressure Resistant



Scratch Resistant

\*Product Customization available for Bulk Orders.

\*\*Images provided are for reference purpose only. The actual product may vary.



# Beam



## Specifications

- Length : 355, 458, 558, 762, 990, 1100mm
- Height : 120 ~ 165mm
- Width : 275mm
- Input Voltage : 12 Volt/ 24 Volt - DC
- Without Speaker
- Lens Material : Polycarbonate (UV sterilized)
- Base Plate : Aluminium extrusion

Model No : HEE - BLF2

Colour Code



Sunproof



Fireproof



Waterproof



Electrically Insulated



Pressure Resistant



Scratch Resistant

\*Product Customization available for Bulk Orders.

\*\*Images provided are for reference purpose only. The actual product may vary.



# Quick Silver



## Specifications

- Quick Silver is specially designed for First Responder Vehicle. It comes with listed assets which are set of Six(6) Blinker, Seven(7) Indicators, 3 worklamps/spotlight and control box with sound card and Flashing patterns as per AIS-125 Standards.
- It has 4 Distinct Frequency tone and a detachable microphone (with push to talk feature).
- Blinker : 2 Red, 2 Blue, 1 Amber Blue, 1 Amber Red.
- Indicator : 7pc Red Blue.
- Worklamps/Spotlight 3pc.

Model No : HEE - FRB

Colour Code



 Sunproof	 Fireproof	 Waterproof
 Electrically Insulated	 Pressure Resistant	 Scratch Resistant

\*Images provided are for reference purpose only. The actual product may vary.



# Defence Revolving



Model No : HEE - HRL(DM)

## Specifications

- Height : 200mm
- Diameter : 110/180 mm
- Flashing Pattern : Revolving/Flashing
- Mounting : Bolt
- Light Type : LED
- Input Voltage : 12/24V DC
- Lens Material : Polycarbonate
- Base Material : Polycarbonate/ABS

# Revolving Light



Model No : HEE - HRL

## Specifications

- Height : 115mm
- Diameter : 150mm
- Flashing Pattern : Revolving/Flashing
- Lens Material : Polycarbonate
- Mounting : Bolt, Magnet
- Light Type : LED
- Input Voltage : 12/24V DC



Sunproof



Fireproof



Waterproof



Electrically Insulated



Pressure-resistant



Scratch-resistant



# Beacon Lights

## Tri - Colour Beacon



### Specifications

- Height : 115mm
- Diameter : 150mm
- Input Voltage : 12/24V DC
- Lens Material : Polycarbonate
- Mounting : Bolt, Magnet
- Light Type : LED
- Flashing Patterns : Revolving/Flashing


## Multi - Colour Beacon



### Specifications

- Height : 115mm
- Diameter : 150mm
- Input Voltage : 12/24V DC
- Lens Material : Polycarbonate
- Mounting : Bolt, Magnet
- Light Type : LED
- Flashing Patterns : Revolving/Flashing

## Green Beacon



### Specifications

- Height : 115mm
- Diameter : 150mm
- Input Voltage : 12/24V DC
- Lens Material : Polycarbonate
- Mounting : Bolt, Magnet
- Light Type : LED
- Flashing Patterns : Revolving/Flashing



# Display Board Light Bar

## CommLite



### Specifications

Model No : HEE - VBF1

- Versatile Warning Light with Exterior Mount Variable Sign Board can be controlled through a mobile App for Instant communication
- Input Voltage 12/24 Volt DC
- Dimensions of Light : 1100×220×50(L×B×H)
- Dimensions of Board : 750×40×90(L×B×H)
- Board Feature : Configurable Running LED Board through user friendly mobile application

Colour Code :

## InfoBeam



### Specifications

Model No : HEE - VBF2

- Revolutionary Emergency Vehicle Warning Light with an integrated message Sign Board, easily controlled via Mobile App for Quick Message Updates
- Input Voltage 12/24 Volt DC
- Dimensions of Light : 1100×275×120(L×B×H)
- Inbuilt Display Board
- Board Feature : Configurable Running LED Board through user friendly mobile application

Colour Code :



# Blinker Lights

## Polaris Blinker



Model No : HEE - FLM/WL

### Specifications

- Length - 90mm • Height - 80mm
- Depth - 40 ~ 58mm
- Lens Type : Transparent/Coloured
- Colours : Red, Amber, Blue, White (Worklamp/Spotlight)

## AIS Indicator



Model No : HEE - DTI

### Specifications

- Length - 113mm • Depth - 35mm
- Height - 35mm
- Lens Type : Transparent
- Colour : Multicolour (Red Blue)



## Vega Blinker

Model No : HEE - FLB

### Specifications

- Length - 125mm • Depth - 60 ~ 90mm • Height - 120mm
- Lens Type : Coloured • Colours Available : Red, Blue, Amber, White

## Sirius Blinker



### Specifications

Model No : HEE - FLA


- Length - 145mm • Depth - 40 ~ 53mm • Height - 80mm
- Colours Available : Red, Blue, Amber • Lens Type : Transparent
- Amber+Red, Red+Blue, Amber+Blue



## FIXED SIGNAGE DISPLAY BOARD



## VARIABLE MESSAGE SIGN BOARD



### Specifications

- Model No : HEE - DPSB
- Dimensions : 780(L) X 100(H) X 38(D)mm
- Lens Material : Polycarbonate/Acrylic
- Box Material : Aluminium/GI
- Backlit Fixed Message or Signboard with Static/Flashing Pattern

### Specifications

- Model No : HEE - DPCT
- Dimensions : 650 ~ 750(L) X 90(H) X 48(D)mm
- Lens Material : Polycarbonate/Acrylic
- Box Material : Aluminium/GI
- Running LED Board Configurable with User Friendly Mobile Application

# FALCON



Colour Code



Model No : HEE - FC2

### Specifications

- Length : 365mm
- Width : 120mm
- Height : 135mm
- Lens Material : Polycarbonate
- Base Material : Aluminium/GI
- Mounting : Magnet
- Input Voltage : 12/24V DC



Sunproof



Fireproof



Waterproof



Electrically Insulated



Pressure-resistant



Scratch-resistant

\*Product Customization available for Bulk Order.

\*\*Images provided are for reference purpose only. The actual product may vary.



## Pilot Bike Accessories Set



Pilot Bike Accessories Set is purposely used in the pilot bikes acting as the ground mobile patrolling unit. With Siren, 2 Front Dome Light, 2 Back Blinkers and a Control Box with Mic.

Some other attachment options :

**TRAFFIC POLICE**

**POLICE**

**DELHI POLICE**

### Specifications

- White Illuminated Sign Board
- Flashing Type : Static/Flashing

**TRAFFIC POLICE**

### Specifications

- Multicolour Sign Board with Switch
- Flashing Type : Static/Flashing



### Specifications

Customised Bike Visor with Polycarbonate Windshield



### Specifications

- Pole Light
- Model No : HEE - TL/CL
- Shapes : Round, Elliptical (with ChallanLight)



### Specifications

- Trapezium Shape Blinking Light
- Length : 150mm
- Height : 50mm
- Depth : 35 ~ 75mm

\*Product Customization available for Bulk Orders.

\*\*Images provided are for reference purpose only. The actual product may vary.



# SIREN

## SIREN 60W



Model No : HEE - I S60

### Specifications

- Input Voltage : 12/24V DC
- Siren Tones : 5 Tones  
(Wail, Yelp, Yelp - 1, HI-LO, Air Horn)
- Wattage : 60W
- Sound Pressure : ~119db

## SIREN 40W



Model No : HEE - I S40

### Specifications

- Input Voltage : 12/24V DC
- Siren Tones : 2 (Wail, Yelp)
- Wattage : 40W
- Sound Pressure : ~116db

## SIREN 30W



Model No : HEE - I S30

### Specifications

- Input Voltage : 12/24V DC
- Siren Tones : 2 (Wail, Yelp)
- Wattage : 30W
- Sound Pressure : ~113db



## BARLIGHT SPEAKER



### Specifications

- Dimensions - 145 x 110(L172)mm
- Wattage - 50/80W
- Impedance - 6/12Ω

## SPEAKER 50W



### Specifications

- Dimensions - 315 x 175(L290)mm
- Wattage - 50W
- Impedance - 6Ω

## SPEAKER 40W



### Specifications

- Dimensions - 178 x 150(L145)mm
- Wattage - 40W
- Impedance - 6Ω

## SPEAKER 30W



### Specifications

- Dimensions - 160 x 136(L145)mm
- Wattage - 30W
- Impedance - 6Ω

## MICROPHONE



### Specifications

- Unidirectional Microphone
- Material - ABS
- Impedance - 600Ω

## FLASHER



### Specifications

- Input Voltage - 12V DC
- No. of Channels - 2
- Current Rating - 3.5A



# PA System

## PA System(60W)



Model No : HEE - PAS4

### Specifications

- Input Voltage : 12/24 Volt DC
- Tone : 4 Tone (Distinct Frequency)
- Power : 60W
- Speaker : Single Speaker
- Box Include : Speaker, Mic ,Amplifier
- Mic : Push to Talk

## PA System(100W)



Model No : HEE - PAS6

### Specifications

- Input Voltage : 12/24 Volt DC
- Tone : 6 Tone (Distinct Frequency)
- Power : 100W
- Speaker : Double Speaker
- Box Include : 2 Speaker, Mic ,Amplifier
- Mic : Push to Talk

## PA System with USB & Bluetooth



Model No : HEE - PASB

### Specifications

- Input Voltage : 12/24 Volt DC
- Tone Type : 2, 4, 6 Tone (Distinct Frequency)
- Power : 50W, 80W, 100W
- Speaker : Single/Double Speaker
- Box Include : Speaker, Mic, Amplifier

\*Product Customization available for Bulk Orders.

\*\*Images provided are for reference purpose only. The actual product may vary.

# Amplifier



Scan QR Code For More Information



**4 Tone Amplifier**

- Model No : HEE - A73S
- Input Voltage - 12/24V DC
- 4 Tone      • Power - 80W



**Barlight Amplifier Rec. & Play**

- Model No : HEE - BARP
- Input Voltage - 12/24V DC
- 4/6 Tone      • Power - 100W
- 11 Minutes Record & Playback with Bluetooth



**First Responder Amplifier**

- Model No : HEE - BA8D/FRB
- Input Voltage - 12/24V DC
- 4/6 Tone      • Power - 100W



**2 Tone USB Amplifier**

- Model No : HEE - BA2
- Input Voltage - 12/24V DC
- 2 Tone      • Power - 80W
- Features - Bluetooth, USB, AUX, FM



**6 Tone Amplifier**

- Model No : HEE - BA8D
- Input Voltage - 12/24V DC
- 6 Tone      • Power - 100W



**4 Tone USB Amplifier**

- Model No : HEE - BA4
- Input Voltage - 12/24V DC
- 4 Tone      • Power - 100W
- Features - Bluetooth, USB, AUX, FM



**Customize Amplifier**

- Model No : HEE - CBA
- Input Voltage - 12/24V DC
- 2/4/6 Tone      • Power - 50/80/100W
- Custom Controls



**6 Tone USB Amplifier**

- Model No : HEE - BA6
- Input Voltage - 12/24V DC
- 6 Tone      • Power - 200W
- Features - Bluetooth, USB, AUX, FM

\*Images provided are for reference purposes only. The actual product may vary.



## LED Profile Light



### Specifications

- Model No : HEE - ATL1
- Dimension : 30 X 20mm(W X H)
- Length Available : 1FT, 2.5FT, 4F T,  
5FT, 6.5FT, 8FT
- Input Voltage : 12/24V DC

## LED Profile Light



### Specifications

- Model No : HEE - ATL2
- Dimension : 75 X 28mm(W X H)
- Length Available : 1FT, 2FT
- Input Voltage : 12/24V DC

## Search Light



### Specifications

- Model No : HEE - SRL
- Dimension :  
230(L) X 220(W) X 190(H)mm
- Input Voltage : 12V DC
- Lamp Power : 50W

## Hand-Held Torch



### Specifications

- Model No : HEE - RTL
- Diameter : 100 - 125mm
- Type of Battery - Lithium-ion/SMF
- Housing Material -  
ABS/Aluminium/Polycarbonate







# **GARUD**<sup>®</sup>

**HIMANSHU ELECTRONICS & ELECTRICALS**

[www.garudwarninglight.com](http://www.garudwarninglight.com)

**Address:**

Plot No. 6782, Dabua Pali Road,  
Industrial Area, Near 17 no. Chungi  
Faridabad, Haryana, 121001.

**Phone:**

+91 9999248467  
+91 9873238446

**Mail:**

[info@garudwarninglight.com](mailto:info@garudwarninglight.com)  
[garudelectronics61@gmail.com](mailto:garudelectronics61@gmail.com)

**Customer Support:**

[support@garudwarninglight.com](mailto:support@garudwarninglight.com)  
+91 9873238467