











# PUMPS | MOTORS | SOLAR

RANGE: V3, V4, V5, V6, V6, V7, V6, V8, V8, V9, V10









# SELF PRIMING & CENTRIFUGAL MONOBLOCK PUMPS

#### **Performance:**

Power range: 0.5 HP to 10 HP Head Range: up to 60 meter Flow range: up to 1800 lpm

#### **Salient Features:**

- Self priming up to 7.5 meters
- Wide voltage range
- Dynamically balanced rotor for longer bearing life
- Efficient performance
- Water lubricated
- Designed for silent and smooth operation
- Available in Aluminum & CI body

### **OPENWELL PUMPS**

#### Performance:

Power range: 0.5 HP to 15 Hp Head Range: up to 70 meter Flow range: up to 1800 lpm

#### **Salient Features:**

- Highly durable motor body
- Optimally loaded motor for longer life
- Easily rewindable
- High efficiency
- Water lubricated
- Dynamically balanced rotating parts
- Available in SS and CI body





#### Performance:

Power range: 0.5 HP to 7.5 HP Head Range: up to 340 meter Flow range: up to 400 lpm

#### Salient Features:

- Light weight & easy to install
- · High quality insulated winding wire for long life
- Engineering polymer for impeller & diffusers
- Available in aluminum and copper rotor
- Water lubricated
- Up to 60 stages









## **V5 & V6 SUBMERSIBLE PUMPSET**

#### Performance:

Power range: 3 HP to 35 HP Head Range: up to 490 meter Flow range: up to 1700 lpm

#### **Salient Features:**

- Radial and Mix flow design for variable condition
- Special thrust bearing design
- 50 feet per stage pumps are available in SS material
- Wide voltage range
- · Water lubricated
- Sturdy construction ensures long lasting performance
- ISI and 5 star rating available in selective models

### V6/V7 & V6/V8 SUBMERSIBLE PUMPSET

#### Performance:

Power range: 5 HP to 35 Hp Head Range: up to 250 meter Flow range: up to 2300 lpm

#### Salient Features:

- · Special LTB-4 bush for longer life
- Dynamically designed diffusers for high discharge
- Corrosion and abrasion free internals
- High efficiency
- · Dynamically balanced rotary parts for long life
- Easily rewindable motor



# **V8,V9 & V10 SUBMERSIBLE PUMPSET**

#### Performance:

Power range: 10 HP to 150 HP Head Range: up to 400 meter Flow range: up to 3800 lpm

#### Salient Features:

- Specially designed for high water requirement
- · High quality insulated winding wire for long life
- Specially designed thrust bearing
- Available in Radial and Mix flow design
- Water lubricated
- More durability and high operating efficiency







# **DC & AC SOLAR PUMPSET**

#### **Features**

- Voltage range according to MNRE guideline
- Available as per MNRE / SECI / PM KUSUM guideline
- SS robust construction
- NEEMA standards

Smooth motor starting (VFD controller eliminate the

high starting current)

- Water filled motor
- Cost-effective
- Energy-efficient
- Reliable and durable
- Eco-friendly
- Versatile

### Performance of submersible pumps

Power range: 1 HP to 25 HP Head Range: up to 250 meter Flow range: up to 168750 lpd

### Performance of surface pumps

Power range: 1 HP to 25 HP Head Range: up to 100 meter Flow range: up to 472500 lpd



# Thrust bearing

4

Available in teflon, carbon and silicon carbide

#### Stain steel rotor:

Rotor are dynamically balanced for smooth and vibration free operation and protected with anticorrosive paints.

#### Diffusor and impeller:

Available in C.I. / S.S. & engineering polymer

#### **Graded casting part**

Graded casting parts protected with anti corrosive paints.







# COMPANY PROFILE

A trusted brand since 1998, SAMRUDDHI PUMPS ranks high among the worlds fastest-growing fluid management solution providers with a wide global presence. We believe in providing quality products and service we ensure that products are of high quality and meet or exceed international specifications. With a strong distribution channel that include our retail locations and support service we ensure just in time

SAMRUDDHI PUMPS believes in providing quality products and services. We ensure that all products are of high quality and meet or exceed international specifications. With our strong distribution channel and support services we ensure just in time availability at reasonable prices. Customer Oriented Services Hard work and ethics have played a main role in building the strength of our company.

With Distribution centres and our own retail stores in key locations, we are serving customers in far flung regions of the world. Our quality policy covers all activities that impact the service we offer to our customers nd is fully embedded into our overall business management systems.

# WHY CHOOSE SAMRUDDHI PUMPS

- 1. Over 25 Years of Experience
- 2. Incredible Product Range
- 3. Efficient, Reliable and Durable Products with continuous improvment
- 4. Commitment towards customer satisfaction
- 5. One of Fastest growing Indian manufacturer of Water Pumps
- 6. Quality is the only criterion to prove the technology

## **VISION**

To become organisation, where

- Customer delight is paramount
- •Technology and innovation are the levers for growth
- •Product quality and EHS are the foundation
- •Employees are prime movers
- •Sustainable and profitable growth is a way of life

## **MISSION**

To deliver high quality products on time to our customers at competitive prices, not only to the locations where we operate directly, but also where we operate through our growth partners, thereby enhancing stakeholder

















# CERTIFICATES







Nothing contained on these pages is intended to extend any warranty or representation, expressed or implied, regarding the product described herein. Any such warranties or other terms and conditions of sale of products shall be in accordance with Samruddhi Pumps standard terms and conditions of sale such products

Product improvement is a continuing goal at Samruddhi Pumps therefore Design, MOC and specifications are subject to change without prior notice or obligation.



1 Ohm estate, Opp Krishna Gopal Estate, B/h. SBI Bank, Naroda Road, Ahmedabad-380025, Gujarat, INDIA

Email: samruddhipumps@gmail.com



