





G.D. AGRO INDUSTRIES



YOUR NEED, OUR DESIGN, MAKE FUTURE MACHINE



We provide complete series of machines for Seed Cleaning, Grading & Sorting for all kind of seeds, Grains, Pulses, Oil Seeds & Spices



M: 9812828777, 9996539999

Email: g.d.sheet2008@gmail.com, gdagro08@gmail.com,

Rampur Sersheri Road, Opp Axiom Factory, Ambala Cantt, Haryana

Web : www.gdagroindustries.com, www.gdagroindustry.com



G.D. AGRO INDUSTRIES

ABOUT US

GD Agro industries, an agro technical company formed in 2008, specializes in providing end to end Solutions for agricultural requirements. We develop and manufacture an entire range of seed processing machines and equipment for all sorts of cleaning, sorting, grading and treatment. We deliver seed processing equipment for a variety of grain, cereals, oil seeds other commercial seed. We have strong hold in seed processing equipment, where we maintain a strong focus on quality, Machine efficiency, & accuracy in Machine work.


INFRASTRUCTURE

We have world class production setup like CNC Laser sheet cutting machine & CNC Dynamic Blower Balancing Machine, which is equipped with all facilities requisite for seed processing machine. The production facility is located in Industrial Area, Jagadhari Road Ambala Cantt. - 133006, Haryana, India, which provides immense depth in terms of product delivery. We have well qualified and experienced engineer in RND having complete knowledge of Mechanical part of machinery.




Our company is certified with ISO 9001:2015, ISO14001:2015, ISO 18001:2007 & Machinery is tested with SFMTTI Rehmankheda (Govt. of India)

We have many satisfied user of Govt. and Pvt. Sector using our machinery from long time.





G.D. AGRO INDUSTRIES SEED PRE-CLEANER-PC6-RB




Model	: PC-6RB (Newly Design Pre Cleaner Available 5TPH - 6 TPH)
Capacity	: 6 TPH Based on wheat with 12% moisture & 10% Impurities on Input basis.
No. Of Layers	: 4
No. Of screen	: 9
Size of top screen 1	: 125 x 80 CM (W X L)
Size of top screen 2	: 125 x 160 CM (W X L)
Bottom & Middle screen	: 125 x 240 CM (W X L)
Total screening area	: 9.00 sq mtr
Screen inclination	: Fixed
No. of scalping	: 2 No.
No. of grading	: 2 No.
No. of air aspiration	: 2 No.
Electric motor	: 5 HP Blower & 1 HP for Auger
1 Screen set, 2 Air	
Trunk & 1 elbow	: Included in machine
Air Chamber	: Self Cleaning System
Sieve Boat Material	: Wooden
Deck Oscillation	: 400-600 RPM
Material construction	: Pipe Frame
Sieve Cleaning System	: Rubber Ball
Over all dimension	: 313 X 250 X 240 CMS (L X W X H)

This is newly design precleaner having imported wooden deck, with advance technique like Rubber ball for cleaning sieve, 2 auger system, single shaft operating machine is worked on only 8 hp three phase motor supply. its deck having one more advance feature that deck oscillation, That's speed is controlled by motor.

Its base frame structure is made with pipe



G.D. AGRO INDUSTRIES SEED PRE-CLEANER-NANO EC



Model
Capacity

: Nano -EC
: 1 TPH Based on wheat with
12% moisture & 10% Impurities
on Input basis.

No. Of Layers
No. Of screen
Size of top screen
Bottom &
Middle screen
Total screening area
Screen inclination
No. of scalping
No. of grading
No. of air aspiration
Electric motor

: 3
: 3
: 66 X 76 CM (W X L)
: 66 X 130 CM (W X L)
: 2.2 sq mtr
: Fixed
: 1 No.
: 1 No.
: 2 No.
: 5 HP, 440 volt, 3ph, 50Hz,
Ac supply
: Included in machine

1 Screen set, 2 Air
trunk & 1 elbow
Over all dimension

: 280 X 122 X 196 CMS (L X W X H)


SEED PRE-CLEANER- PC-5

Model
Capacity

: PC-5
: 5 TPH Based on wheat
with 12% moisture &
10% Impurities on Input basis.


No. Of Layers
No. Of screen
Size of top screen
Bottom screen
Total screening area
Screen inclination
No. of scalping
No. of grading
No. of air aspiration
Electric motor
1 Screen set, 2 Air
Trunk & 1 elbow
Over all dimension

: 2
: 2
: 122 X 111 CM (W X L)
: 122 X 180 CM (W X L)
: 3.5 sq mtr
: Fixed
: 1 No.
: 1 No.
: 2 No.
: 5 HP, 440 volt, 3ph, 50Hz, Ac supply
: Included in machine
: 285 X 186 X 232 CMS (L X W X H)






G.D. AGRO INDUSTRIES SEED PRE-CLEANER-EON 3K



Model	: EON 3K
Capacity	: 3 TPH Based on wheat with 12% moisture & 10% Impurities on Input basis.
No. Of Layers	: 2
No. Of screen	: 2
Size of top screen	: 90 x 120 CM (W X L)
Bottom screen	: 90 x 182 CM (W X L)
Total screening area	: 2.71 sq mtr
Screen inclination	: Fixed
No. of scalping	: 1No.
No. of grading	: 1 No.
No. of air aspiration	: 2 No.
Electric motor	: 5 + 1 HP, 440 volt, 3ph, 50Hz, Ac Supply
1 Screen set, 2 Air Trunk & 1 elbow	: Included in machine
Over all dimension	: 291 X 129 X 249 CMS (L X W X H)

SEED PRE-CLEANER-EON 5K

Model	: EON 5 K
Capacity	: 5 TPH Based on wheat with 12% moisture & 10% Impurities on Input basis.
No. Of Layers	: 3
No. Of screen	: 3
Size of top screen	: 135 x 120 CM (W X L)
Bottom & Middle screen	: 135 x 182 CM (W X L)
Total screening area	: 6.53 sq mtr
Screen inclination	: Fixed
No. of scalping	: 1No.
No. of grading	: 2 No.
No. of air aspiration	: 2 No.
Electric motor	: 5 HP Blower & 2 HP for Cradle
1 Screen set, 2 Air Trunk & 1 elbow	: Included in machine
Over all dimension	: 313 X 250 X 240 CMS (L X W X H)





G.D. AGRO INDUSTRIES


SEED FINE CLEANER SUPREME DELUXE -EC /SUPEREME DELUXE



Model	: Supreme Deluxe (Pneumatic & Top feed)
Capacity	: 1 TPH Based on wheat with 12%moisture & 10% Impurities on Input basis.
No. Of Layers	: 2
No. Of screen	: 2
Size of top screen	: 66 X76 CM (W X L)
Bottom screen	: 66 X 130 CM (W X L)
Total screening area	: 1.35 sq mtr
Screen inclination	: Fixed
No. of scalping	: 1No.
No. of grading	: 1 No.
No. of air aspiration	: 2 No.
Electric motor	: 5 HP, 440 volt, 3ph, 50Hz, Ac supply
1 Screen set, 2 Air trunk & 1 elbow	: Included in machine
Over all dimension	: 280 X 122 X 196 CMS (L X W X H)

SEED FINE CLEANER SUPREME GREEN/GOLD

Model	: Supreme Green
Capacity	: 1.5 TPH Based on wheat with 12% moisture & 10% Impurities on Input basis.
No. Of Layers	: 3
No. Of screen	: 3
Size of top screen	: 90 x 100 CM (W X L)
Bottom screen	: 90 x 180 CM (W X L)
Total screening area	: 4.2 sq mtr
Screen inclination	: Fixed
No. of scalping	: 1No.
No. of grading	: 2 No.
No. of air aspiration	: 2 No.
Electric motor	: 5 HP, 440 volt, 3ph, 50Hz, Ac supply
1 Screen set, 2 Air Trunk & 1 elbow	: Included in machine
Over all dimension	: 275 X 150 X 241 CMS (L X W X H)





G.D. AGRO INDUSTRIES SEED FINE CLEANER ALPHARD 3K



Model	: Alphard 3 K
Capacity	: 3 TPH Based on wheat with 12% moisture & 10% Impurities on Input basis.
No. Of Layers	: 3
No. Of screen	: 3
Size of top screen	: 90 x 120 CM (W X L)
Bottom screen	: 90 x 182 CM (W X L)
Total screening area	: 4.35 sq mtr
Screen inclination	: Fixed
No. of scalping	: 1No.
No. of grading	: 2 No.
No. of air aspiration	: 2 No.
Electric motor	: 3 + 1 HP, 440 volt, 3ph, 50Hz, Ac Supply
1 Screen set, 2 Air Trunk & 1 elbow	: Included in machine
Over all dimension	: 291 X 129 X 249 CMS (L X W X H)


SEED FINE CLEANER ALPHARD 5K

Model	: Alphard 5 K
Capacity	: 5 TPH Based on wheat with 12% moisture & 10% Impurities on Input basis.
No. Of Layers	: 3
No. Of screen	: 3
Size of top screen	: 135 x 120 CM (W X L)
Bottom & Middle screen	: 135 x 182 CM (W X L)
Total screening area	: 6.53 sq mtr
Screen inclination	: Fixed
No. of scalping	: 1No.
No. of grading	: 2 No.
No. of air aspiration	: 2 No.
Electric motor	: 5 HP Blower & 2 HP for Cradle
1 Screen set, 2 Air Trunk & 1 elbow	: Included in machine
Over all dimension	: 313 X 250 X 240 CMS (L X W X H)







G.D. AGRO INDUSTRIES PLANT GALLERY





G.D. AGRO INDUSTRIES SEED FINE CLEANER GEN-X



CLEANING AND GRADING OF ALL KIND
OF CROPS SUCH AS WHEAT, PADDY,
SOYABEAN, OIL SEEDS & PULSES ETC.

OPERATION:

THIS MACHINE IS SPECIALLY DESIGNED FOR EFFICIENT CLEANING AND GRADING OF VARIOUS KIND OF OILSEED PULSE SEED VEGETABLE SEED SPICES SEED AND ALL TYPE OF FOOD AND GRAIN SEED. THIS MACHINE IS CAPABLE OF UPGRADING AND SEPARATING OF SEEDS BASED ON SIZE WITH 12 % MOISTURE CONTENT AND 20% IMPURITIES BASED ON WHEAT ON INPUT BASIS.

OPTIONAL ITEM:

- > DUST COLLECTOR
- > AIR TRUNK

MODEL	GEN-XM	GEN-X	GEN- XL
CAPACITY	2-3 TPH	3 - 4 TPH	5-6 TPH
OVERALL DIAMM	312 X 130 X 382 (LXWXH) IN CMS	312 X 150 X 382 (LXWXH) IN CMS	312 X 170 X 382 (LXWXH) IN CMS
ELECTRIC MOTOR	7.5 HP (THREE PHASE)	7.5 HP (THREE PHASE)	8 HP (THREE PHASE)
SCREENING AREA	5.12 Sq. Mtr	6.4 Sq. Mtr	8 Sq. Mtr
FEED SYSTEM	ELEVATOR	ELEVATOR	ELEVATOR
SCREEN SIZE	800X800mm (8 Nos.)	1000x800mm (8 Nos.)	1250x800 mm(8 Nos.)

G.D. AGRO INDUSTRIES SEED GRAVITY SEPERATOR



OPERATION:

THE MACHINE IS SPECIALLY MEANT FOR REMOVING IMPURITIES AND ACHIEVING VERY HIGH GRADING IN ANY FREE FLOWING GRANULAR MATERIAL/ GRAINS ALL TYPE OF SEEDS SPICES ETC. THIS IS CAPABLE OF UPGRADING AND SEPARATING OF SEEDS BASED ON SPECIFIC WEIGHT. SEED SAME IN SIZE BUT DIFFERENT IN WEIGHT CAN BE SEPARATED WITH THIS MACHINE.


OPTIONAL ITEM:

> FEED HOPPER

MODEL	G-3 FAN	G-5 FAN	G-7 FAN
CAPACITY	1-2 TPH	3 - 4 TPH	5-6 TPH
OVERALL DIAMM	225 X 120 X 150 (LXWXH) IN CMS	280 X 165 X 180 (LXWXH) IN CMS	312 X 170 X 200 (LXWXH) IN CMS
ELECTRIC MOTOR	4.5 HP (THREE PHASE)	9.5 HP (THREE PHASE)	13 HP (THREE PHASE)
DECK SIZE	160x80cm	234x105cm	310x115cm
FEED SYSTEM	ELEVATOR	ELEVATOR	ELEVATOR



G.D. AGRO INDUSTRIES SEED FINE CLEANER ALPHARD 3K



Model	: Alphard 3 K
Capacity	: 3 TPH Based on wheat with 12% moisture & 10% Impurities on Input basis.
No. Of Layers	: 3
No. Of screen	: 3
Size of top screen	: 90 x 120 CM (W X L)
Bottom screen	: 90 x 182 CM (W X L)
Total screening area	: 4.35 sq mtr
Screen inclination	: Fixed
No. of scalping	: 1No.
No. of grading	: 2 No.
No. of air aspiration	: 2 No.
Electric motor	: 3 + 1 HP, 440 volt, 3ph, 50Hz, Ac Supply
1 Screen set, 2 Air Trunk & 1 elbow	: Included in machine
Over all dimension	: 291 X 129 X 249 CMS (L X W X H)

SEED FINE CLEANER ALPHARD 5K

Model	: Alphard 5 K
Capacity	: 5 TPH Based on wheat with 12% moisture & 10% Impurities on Input basis.
No. Of Layers	: 3
No. Of screen	: 3
Size of top screen	: 135 x 120 CM (W X L)
Bottom & Middle screen	: 135 x 182 CM (W X L)
Total screening area	: 6.53 sq mtr
Screen inclination	: Fixed
No. of scalping	: 1No.
No. of grading	: 2 No.
No. of air aspiration	: 2 No.
Electric motor	: 5 HP Blower & 2 HP for Cradle
1 Screen set, 2 Air Trunk & 1 elbow	: Included in machine
Over all dimension	: 313 X 250 X 240 CMS (L X W X H)






G.D. AGRO INDUSTRIES SEED DESTONER VIBRO TYPE



MODEL	GD DS-2	GD-DS4	GD DS-6
CAPACITY	2 TPH	4 TPH	5-6 TPH
ELECTRONIC MOTOR FOR BLOWER	1 HP	2 HP	3 HP
SIZE OF RECTANGULAR DECK	105 X 60 CM	130 X 120 CM	140 X 170 CM
OVERALL DIMENSIONS	120 X 77 X 135 CM	145 X 135 X 150 CM	155 X 185 X 200 CM


SEED MEGNATIC DESTONER

MODEL	GD DS-2	GD-DS4	GD DS-6
CAPACITY	2 TPH	4 TPH	5-6 TPH
ELECTRONIC MOTOR FOR BLOWER	1 + 1 HP	2 + 1 HP	3 + 1.5 HP
SIZE OF RECTANGULAR DECK	105 X 60 CM	130 X 120 CM	140 X 170 CM
OVERALL DIMENSIONS	120 X 77 X 135 CM	145 X 135 X 150 CM	155 X 185 X 200 CM
BELT THICKNESS	3 MM	3 MM	3 MM
OVERALL DIAM	120 x 120 x 175 cm	145 x 175 x 190 cm	155 x 185 x 200 cm





G.D. AGRO INDUSTRIES SEED GRADER INDENT TYPE




Model	: IC-5
Capacity	: 5 TPH based on wheat with 12% moisture & 10% Impurities on Input basis.
No. Of Cylinder	: 1
Dia of Cylinder	: 32 cm
Length of grader	: 10 ft
Speed Of Cylinder	: Variable
Thickness of Sieve	: 2 mm
Electric motor	: 5+1.5 HP 440 volt, 3ph, 50Hz, Ac Supply

MODEL	GD- IC-2	GD- IC-4	GD- IC-6
CAPACITY	2 TPH	3-4 TPH	5-6 TPH
ELECTRIC MOTOR	2 HP	2 HP	3 HP
NO. OF CYLINDER	1 OR 2	1 OR 2	1 OR 2
SPEED OF CYLINDER	VARIABLE	VARIABLE	VARIABLE

SEED TREATER DRUM TYPE

Model	: ST - 5 TPH
Capacity	: 5 TPH based on wheat with 12% moisture & 10% Impurities on Input basis.
No. Of Cylinder	: 1
Dia of Cylinder	: 32 CM
Length of grader	: 4-5 ft
Speed Of Cylinder	: Variable
Thickness of Sieve	: 2 mm
Electric motor	: 3 HP 440 volt, 3ph, 50Hz, Ac Supply

MODEL	GD-ST-1	GD-ST-2-3	GD-ST-3-5
CAPACITY	1 TPH	2 TPH	3-4 TPH
ELECTRIC MOTOR	1 HP	2 HP	3 HP
NO. OF CYLINDER	1	1 OR 2	1 OR 2
SPEED OF CYLINDER	VARIABLE	VARIABLE	VARIABLE



G.D. AGRO INDUSTRIES SEED STORAGE BIN 5-30 TON



SELF SUPPORTING WITH
HEAVY MS PLATE OR GI
SHEET.

- GI OR MS BOTH TYPE
AVAILABLE
- FULLY CNC BANDING &
CUTTING .
- FULLY FOLDING SYSTEM



VERTICAL BUCKET ELEVATOR




CAPACITY	2-3 TPH	4.5 TPH	7.5 TPH	10-15 TPH
ELECTRIC MOTOR	1 HP	2 HP	3 HP	3 HP
GEAR BOX	1 HP	2 HP	3 HP	3 HP
SLURRY TANK	4 X 4 "	5 X 5 "	6 X 6 "	7 X 7 "

SELF SUPPORTING WITH HEAVY MS PLATE AND SELF
CLEANING TYPE. FOOD GRADE FLAT BELT IS USED AND
BUCKETS ARE SELF CLEANING TYPE AND ARE OF FOOD
GRADE. BUCKETS ARE FASTENED WITH CUP BOLT &
WASHER WITH BELT





G.D. AGRO INDUSTRIES SPARE ITEM



**BAG STITCHING
MACHINE**

**GD AGRO INDUSTRIES
SEED SUCTION BLOWER
MODEL SB 3 K
SR No: 03/2020**



**PORTABLE WEIGHING
MACHINE**




MOISTURE METER

**SUCTION BLOWER 1-15
TPH**



CONVEYOR BELT



Electric Control Panel



**DOUBLE
VB ELEVATOR MS/ GI.**




G.D. AGRO INDUSTRIES LOADER/ BAG STACKER

BAG LOADER / STACK LOADER
CAPACITY 10-25 BAG/ PER MINUTE
HEIGHT: 20-25 FT"



- Loading Capacity of minimum 20 bags per minute of 25 to 50 Kg per bag;
- Overall conveyer length of minimum 25 ft;
- Width of belt to be minimum 2ft,
- stacking height to be minimum 12 ft
- Geared motor
- Adjustable height of bag discharge/unloading,
- Bag counter,
- Jack for stability and sturdy structure.



AUTOMATIC WEIGHING & BAGGING MACHINE

- Packing for all type of seed & grains.
- Accuracy: +/- 0.2 % in weight.
- Packing Speed : 5 bags per minute
- Capacity : 05 - 50 kg
- Power supply: 240 volt AC, 50 Hz and 3-phase 415 volt AC
- Weighing Principle: Based on Load cell
- Air Pressure 5-10 kg



BELT CONVEYER

GI SHEET FOR BIN

LOAD CELL



G.D. AGRO INDUSTRIES PLANT GALLERY





AN ISO CERTIFIED COMPANY

ISO 9001--2015, 14001-2015, 18001-2007, CE201803001

AUTHORISED DEALER

M: 9812828777, 9996539999

**# Rampur Sersheri Road, Opp Axiom Factory, Ambala Cantt
Haryana**

Email: g.d.sheet2008@gmail.com, gdagro08@gmail.com,

Web : www.gdagroindustries.com, www.gdagroindustry.com