



The Efficiency Lighting

Company Profile



Introduction

“V -LITE”

A brand which you can trust for its Good Quality, Products & Services.

We are a manufacturer of Electrical Accessories.

“V - Lite” group is known in the industry for the largest manufacturers of electrical products.

We always believe in new innovation with new expansion.

We have a good experienced hands with us.

Loyalty is our motto to provide you excellent service;

If you switch with “V - Lite” you will experience your life style & living style and living style changing dramatically.

Our Vision :


In a world where technology increasingly touches every aspect of our daily lives,

We will be a leading solutions provider in the areas of electronics & technology, aspiring to become the most admired company.






Code	Wattage (W)	Design	Outer Size (mm)	Cut Out Size (mm)
V - 101	4 W	230V - Round & Square	80 X 80	68 X 68
V - 102	8 W	230V - Round & Square	105 X 105	95 X 95
V - 103	12 W	230V - Round & Square	150 X 150	135 X 135
V - 104	15 W	230V - Round & Square	175 X 175	160 X 160
V - 105	22 W	230V - Round & Square	210 X 210	200 X 200
V - 106	30 W	230V - Square	300 X 300 (1 X 1)	285 X 285
V - 107	50 W	230V - Square	595 X 595 (2 X 2)	575 X 575



Code	Wattage (W)	Design	Outer Size (mm)	Height (mm)
V - 108	4 W	230V - Round & Square	80 X 80	40 mm
V - 109	8 W	230V - Round & Square	101 X 101	40 mm
V - 110	12 W	230V - Round & Square	143 X 143	40 mm
V - 111	15 W	230V - Round & Square	167 X 167	40 mm
V - 112	22 W	230V - Round & Square	205 X 205	40 mm
V - 113	30 W	230V - Square	300 X 300(1 X 1)	50 mm

LED PANEL LIGHT

(Rectangle Concealed Type)



Code	Wattage (W)	Design	Outer Size (mm)	Cut Out Size (mm)
V - 114	1/11 12 W	230V - Square	295 X 100	280 X 190
V - 115	2/11 22 W	230V - Square	300 X 180	285 X 160
V - 116	1/36 30 W	230V - Square	520 X 157	510 X 147
V - 117	2/36 36 W	236V - Square	533 X 228	520 X 218
V - 118	1/40 40/50 W	236V - Square	1200 X 157	1175 X 147
V - 119	2/40 40/50 W	236V - Square	1200 X 300	1175 X 275
V - 120	1/36 30 W	236V - Surface	533 X 228	Height : 50 mm
V - 121	2/2 40/50 W	236V - Square	595 X 595	575 X 575



V - 122



V - 123



V - 124



V - 125



Code	Wattage (W)	Design	Outer Size (mm)	Cut Out Size (mm)	Height (mm)
V - 122	3 - 4 W	230V - Round / Square	68 X 68	58 X 58	35
V - 123	6 - 7 W	230V - Round / Square	88 X 88	68 X 68	40
V - 124	9 - 10 W	230V - Round / Square	105 X 105	95 X 95	55
V - 125	10 - 12 W	230V - Round / Square	100 X 100	90 X 90	70

COB SPOT LIGHT

(Square / Round Concealed Type)



Code	Wattage (W)	Design	Outer Size (mm)	Cut Out Size (mm)	Height (mm)
V - 126	15 / 18 W	Round	120 X 120	105 X 105	85
V - 127	20 / 24 W	Round	140 X 140	120 X 120	90
V - 128	30 / 36 W	Round	165 X 165	145 X 145	110
V - 129	40 / 50 W	Round	200 X 200	175X 175	110
V - 130	30 / 36 W	Round (360° Movable)	155 X 155	145 X 145	200
V - 131	24 / 30 W	Round Square (Zoom)	145 X 145	115 X 115	130
V - 132	30 / 50 W	Round Square (Zoom)	170 X 170	130 X 130	130



V - 133



V - 134



V - 135



V - 136



V - 137



V - 138



V - 139



V - 140



V - 141



V - 142

Code	Wattage (W)	Design	Outer Size (mm)	Cut Out Size (mm)	Height (mm)
V - 133	1 W	LED Button Round & Square	35 X 35	27 X 27	20
V - 134	3 W	LED Button Round & Square	40 X 40	33 X 33	25
V - 135	3 W	LED Surface Round & Square	65 X 65	65 X 65	30
V - 136	4 W	LED Surface Round	73 X 73	73 X 73	65
V - 137	6 W	LED Surface Round	90 X 90	90 X 90	90
V - 138	10 W	LED Surface Round	110 X 110	110 X 110	110
V - 139	15 W	LED Surface Round	125 X 125	125 X 125	125
V - 140	20 W	LED Surface Round	140 X 140	140 X 140	120
V - 141	30 W	LED Surface Round	170 X 170	170 X 170	150
V - 142	50 W	LED Surface Round	200 X 200	200 X 200	160

COB SPOT LIGHTS



V - 143



V - 146



V - 144



V - 145



V - 147



V - 148



V - 149



V - 150 / 151 / 152

IP-65

Code	Wattage (W)	Design	Outer Size (mm)	Cut Out Size (mm)	Height (mm)
V - 143	30 / 50 W	Zoom Square (4 X 6")	145 X 235	135 X 220	100
V - 144	15 W	COB Zoom	105 X 105	95 X 95	55
V - 145	20 W	COB Zoom	125 X 125	115 X 115	75
V - 146	30 / 50 W	COB Zoom	190 X 190	180 X 180	135
V - 147	6 - 10 / 15 W	MR 16 Trio	50 X 50	50 X 50	65 / 85
V - 148	3 W	Junction Fitting	80 X 80	60 X 60	40
V - 149	6 W	Junction Fitting	105 X 105	85 X 85	40
V - 150	10 W	LED Spaike	100 X 75	100 X 75	100
V - 151	15 W	LED Spaike	100 X 75	100 X 75	100
V - 152	20 W	LED Spaike	100 X 75	100 X 75	100



Code	Wattage (W)	Design	Outer Size (mm)	Cut Out Size (mm)	Height (mm)
V - 153	8 - 10 W	Round & Square	105 X 105	95 X 95	25
V - 154	12 - 15 W	Round & Square	150 X 150	135 X 135	25
V - 155	15 - 18 W	Round & Square	170 X 170	150 X 150	25
V - 156	22 - 24 W	Round & Square	200 X 200	185 X 185	25



Code	Wattage (W)	Design	Outer Size (mm)	Cut Out Size (mm)	Height (mm)
V - 157	8 - 10 W	Round & Square	105 X 105	95 X 95	25
V - 158	15 - 18 W	Round & Square	145 X 145	130 X 130	25
V - 159	22 - 24 W	Round & Square	170 X 170	157 X 157	25

LED DOWN LIGHT

(Round / Square Concealed Type
Flat Model)



Code	Wattage (W)	Design	Outer Size (mm)	Cut Out Size (mm)	Height (mm)
V - 160	12 W	Round	135 X 135	120 X 120	55
V - 161	18 W	Round	170 X 170	155 X 155	55
V - 162	24 W	Round	200 X 200	175 X 175	55
V - 163	12 W	Square	135 X 135	120 X 120	55
V - 164	18 W	Square	165 X 165	155 X 155	55
V - 165	24 W	Square	195 X 195	175 X 175	55



Eco Model



Code	Wattage (W)	Design	Outer Size (mm)	Cut Out Size (mm)	Height (mm)
V - 166	30 W	Led Back Light - Square	300 X 300	285 X 285	30
V - 167	8 W	Eco Series (Round)	92 X 92	80 X 80	65
V - 168	12 W	Eco Series (Round)	130 X 130	115 X 115	65
V - 169	18 W	Eco Series (Round)	160 X 160	145 X 145	65
V - 170	24 W	Eco Series (Round)	190 X 190	175 X 175	65





Code	Wattage (W)	Design	Outer Size (mm)	Cut Out Size (mm)	Height (mm)
V - 171	8 W	Round	119 X 119	100 X 100	53
		Square	110 X 110	90 X 90	53
V - 172	18 W	Round	154 X 154	125 X 125	58
		Square	145 X 145	120 X 120	58
V - 173	24 W	Round	175 X 175	150 X 150	58
		Square	170 X 170	140 X 140	58



Code	Wattage (W)	PCB Size (mm)	Dimension (Height x Length x Width)
V - 174	12 / 15 W	55 X 100	33 X 60 X 45
V - 175	15 / 18 W	68 X 133	33 X 80 X 65
V - 176	18 / 24 W	68 X 133	33 X 95 X 70
V - 177	24 / 30 W	82 X 157	38 X 100 X 85
V - 178	24 W Rocket	68 X 133	45 X 95 X 60
V - 179	30 / 36 W	110 X 190	38 X 110 X 85
V - 180	36 / 40 W	110 X 190	40 X 110 X 85

LED STREET LIGHTS



V - 181

V - 182

V - 183

V - 184

Code	Wattage (W)	PCB Size (mm)	Dimension (Height X Length X Width)
V - 181	40 / 50 W	140 X 200	48 X 142 X 95
V - 182	60 / 72 W	160 X 220	50 X 160 X 95
V - 183	100 / 150 W	213 X 270	50 X 215 X 125
V - 184	200 / 300 W	250 X 300	53 X 245 X 160

LENS LED STREET LIGHTS PC COVER LED STREET LIGHTS



V - 185

V - 186

V - 187

BACK

Code	Wattage (W)	PCB Size (mm)	Dimension (Height X Length X Width) MM
V - 185	18 / 24 W	80 X 90	43 X 95 X 55
V - 186	30 / 32 W	95 X 140	43 X 105 X 55
V - 187	50 / 60 W	105 X 150	45 X 125 X 75

BACK CHOCK FLOOD LIGHT

Aluminium casting with water proof
(Heavy Duty) IP - 65



V - 188



V - 189



V - 190




V - 191




V - 192



V - 193



V - 194



BACK

Code	Wattage (W)	PCB Size	Fixture Size (Length X Width)	Driver Area Dimension (Height X Length X Width)
V - 188	10 / 15 W	60 X 70	130 X 95	25 X 80 X 45
V - 189	20 / 30 W	130 X 180	205 X 150	30 X 110 X 65
V - 190	36 / 50 W	130 X 190	245 X 180	40 X 150 X 85
V - 191	60 / 72 W	120 X 180	290 X 235	40 X 150 X 85
V - 192	100 / 120 W	230 X 145	340 X 255	40 X 220 X 110
V - 193	150 / 180 W	260 X 196	390 X 300	40 X 220 X 110
V - 194	200 / 250 W	300 X 250	500 X 340	50 X 230 X 150
	300 / 400 W	300 X 250	500 X 340	50 X 230 X 150 X 2

DOWN CHOCK FLOOD LIGHTS

Aluminium casting with water proof
(Heavy Duty) IP - 65

V-lite™
LED LIGHTING SOLUTIONS



V - 195



V - 196




V - 197



V - 198



V - 199



V - 200



BACK


Code	Wattage (W)	PCB Size	Fixture Size (Length X Width)	Driver Area Dimension (Height X Length X Width)
V - 195	20 / 30 W	125 X 75	180 X 160	70 X 125 X 50
V - 196	30 / 50 W	135 X 85	215 X 205	75 X 130 X 55
V - 197	50 / 72 W	140 X 100	270 X 245	75 X 145 X 75
V - 198	100 W	184 X 134	305 X 280	70 X 180 X 75
V - 199	150 W	230 X 155	345 X 325	70 X 220 X 95
V - 200	200 W	260 X 200	415 X 370	60 X 280 X 100



Available in all Type & Wattege

- 1) Glass (Flood Type)
- 2) Clear Doom (Well Glass Type)
- 3) Milky Doom (Well Glass Type)
- 4) Aluminium Reflector Type

Code	Wattage (W)	PCB Size	Fixture Size (Radius)	Driver Area Dimension (Height X Lenght X Width)
V - 201	30 / 40 W	133 X 133	180 X 180	30 X 110 X 65
V - 202	50 to 72 W	175 X 175	230 X 230	40 X 150 X 85
V - 203	100 to 150 W	275 X 275	320 X 320	40 X 220 X 110
V - 204	200 to 300 W	350 X 350	402 X 402	50 X 230 X 150





Available in colors :

■ WH ■ WW ■ NW
■ Red ■ Blue ■ Green ■ Pink



Code	Wattage (W)	Design	PCB Size
V - 205	5 W	1 Ft. Tubelight	9.5 X 290
V - 206	10 W	2 Ft. Tubelight	9.5 X 570
V - 207	20 W	4 Ft. Tubelight	9.5 X 1170


LED TRACK LIGHT



CRI : > 80
Voltage : 110-310V , 50Hz
PF : > 0.9
Mounting : Channel

Code	Wattage (W)	CCT (K)	Body Colour
V - 208	15 W	3000 / 4000 / 6500	Black / White
V - 209	30 W	3000 / 4000 / 6500	Black / White
V - 210	50 W	3000 / 4000 / 6500	Black / White

LED LINEAR LIGHT



Code	Wattage (W)	CCT (K)	Height X Length X Width mm
V - 211	18 W	3000 / 4000 / 6500	70 X 600 X 50
V - 212	36W	3000 / 4000 / 6500	70 X 1200 X 50
V - 213	72W	3000 / 4000 / 6500	70 X 2400 X 50



Code	Wattage (W)	Outer Size(mm)	PCB Dimensions(mm)	Height X Length X Width (mm)
V - 214	8 / 10 W	6"	130	55 X 150 X 175
V - 215	8 / 10 W	6"	130	55 X 150 X 175
V - 216	12 - 15 W	8"	173	55X 200 X 200
V - 217	12 - 15 W	8"	173	55X 200 X 200

LED BULKHEAD ALFA
(Big & slim Black & White Body)



Code	Wattage (W)	PCB Dimensions(mm)	Height X Length X Width (mm)
V - 218	10 W	130 X 50	65 X 175 X 95
V - 219	10 W	130 X 50	50 X 175 X 95
V - 220	10 W	130 X 50	50 X 175 X 95



“I Don’t Want a **Perfect Life**,
I Want a **Happy Life**”





Our Values:

- Delight Customers
- Deliver on commitments
- Develop People



MAKE IN INDIA

Our brand's promise is sense & simplicity. It encapsulates our commitment to delivering products & solutions that are advanced, easy to use & designed to meet the needs of all our users, wherever in the world they may be.

Mfd. by. : SHREE BHERUNATH ENTERPRISES

F-A, Gala No.:21, 22, Taluka : Vasai, Parmar Ind. Arihant Estate, Vasai (E), Dist : Palghar - 401 208
Customer Care No. : 08956864455, E-mail : sbenterprises739@gmail.com
Web : www.vliteled.in

Design & Printed By : Pooja Advt. & Mktg.
Cell : 9324671262 E- mail : sg25271@gmail.com