

AATOMIZE[®]

NEVER COMPROMISE

शारीरिक ऊर्जा में जो लाये निखार,
स्वच्छ आटा ही एक आधार।

CE



AMAZING FEATURES FOR AATACHAKKI

ISI MARK



SAVER MOTOR



GLOW LED LIGHT



PURE SS CONTAINER



VOLTAGE CONTROL SYSTEM



FULLY AUTOMATIC



PURE SS BITTER



PURE SS & PURE VIRGIN HOPPER



CHILD LOCK



MULTIPLE USAGE



GRINDING CAPACITY (PER HOURS)

GRAINS	1 HP	0.5 HP
WHEAT	6-8 KG	5-7 KG
BESAN	6-8 KG	5-7 KG
RICE	6-8 KG	5-7 KG
BAJARI	6-8 KG	5-7 KG
JUVAR	6-8 KG	5-7 KG
MAIZE	5-7 KG	4-6 KG
RAVA	5-7 KG	4-6 KG
UDAD	6-8 KG	5-7 KG
DHANIYA	2-4 KG	1-3 KG



अरे वाह...!!!
मेरी आटाचक्की फुली ओटोमेटिक



1 HOPPER

2 SAFETY LOCK

3 LED LIGHT

4 MODE SWITCH

5 CUTTER

6 SS BITTER

7 NET

8 FILTER

9 DOOR ENGINS

10 CONTAINER

11 HEAVY WHEEL



1 HP FLOURMILL



GREEN LEAF KEY FEATURE



AATOMIZE - A101

POWER SAVER MOTOR ISI | SENSOR TECHNOLOGY | S.S. HOPPER
S.S. CONTAINER | INDOOR LED LIGHT | CHILD SAFETY LOCK
HIGH LAW VOLTAGE SYSTEM | M.S. SHARP CUTTER
4 ALU BLADE BITTER | MEMBRANE DOOR & TOP



SQUARE KEY FEATURE



AATOMIZE - A101

POWER SAVER MOTOR ISI | SENSOR TECHNOLOGY | S.S. HOPPER
S.S. CONTAINER | INDOOR LED LIGHT | CHILD SAFETY LOCK
HIGH LAW VOLTAGE SYSTEM | M.S. SHARP CUTTER
4 ALU BLADE BITTER | MEMBRANE DOOR & TOP



LIVE MUSIC KEY FEATURE



AATOMIZE - J101

POWER SAVER MOTOR NON | SENSOR TECHNOLOGY | S.S. HOPPER
S.S. CONTAINER | INDOOR LED LIGHT | CHILD SAFETY LOCK
HIGH LAW VOLTAGE SYSTEM | M.S. SHARP CUTTER
4 S.S. BLADE BITTER | MEMBRANE DOOR & TOP



DOLFIN KEY FEATURE



AATOMIZE - J101

POWER SAVER MOTOR ISI | SENSOR TECHNOLOGY | S.S. HOPPER
S.S. CONTAINER | INDOOR LED LIGHT | CHILD SAFETY LOCK
HIGH LAW VOLTAGE SYSTEM | M.S. SHARP CUTTER
4 S.S. BLADE BITTER | MEMBRANE DOOR & TOP



ORANGE KEY FEATURE



AATOMIZE - S101

POWER SAVER MOTOR ISI | SENSOR TECHNOLOGY | S.S. HOPPER
S.S. CONTAINER | INDOOR LED LIGHT | CHILD SAFETY LOCK
HIGH LAW VOLTAGE SYSTEM | S.S. SHARP CUTTER
6 S.S. BLADE BITTER | MEMBRANE DOOR & TOP



BLUE KEY FEATURE



AATOMIZE - S101

POWER SAVER MOTOR ISI | SENSOR TECHNOLOGY | S.S. HOPPER
S.S. CONTAINER | INDOOR LED LIGHT | CHILD SAFETY LOCK
HIGH LAW VOLTAGE SYSTEM | S.S. SHARP CUTTER
6 S.S. BLADE BITTER | MEMBRANE DOOR & TOP




LITE WOOD TALKY KEY FEATURE



AATOMIZE - T101

POWER SAVER MOTOR ISI | SENSOR TECHNOLOGY | S.S. HOPPER
S.S. CONTAINER | INDOOR LED LIGHT | CHILD SAFETY LOCK
HIGH LAW VOLTAGE SYSTEM | S.S. SHARP CUTTER
6 ALU BLADE BITTER | TALKY



DARK WOOD TALKY KEY FEATURE



AATOMIZE - T101

POWER SAVER MOTOR ISI | SENSOR TECHNOLOGY | S.S. HOPPER
S.S. CONTAINER | INDOOR LED LIGHT | CHILD SAFETY LOCK
HIGH LAW VOLTAGE SYSTEM | S.S. SHARP CUTTER
6 ALU BLADE BITTER | TALKY



3D CIRCLE KEY FEATURE



AATOMIZE - V101

POWER SAVER MOTOR ISI | SENSOR TECHNOLOGY | S.S. HOPPER
S.S. CONTAINER | INDOOR LED LIGHT | CHILD SAFETY LOCK
HIGH LAW VOLTAGE SYSTEM | S.S. SHARP CUTTER
6 S.S. BLADE BITTER | VACUUM CLEANER



3D LIVE KEY FEATURE



AATOMIZE - V101

POWER SAVER MOTOR ISI | SENSOR TECHNOLOGY | S.S. HOPPER
S.S. CONTAINER | INDOOR LED LIGHT | CHILD SAFETY LOCK
HIGH LAW VOLTAGE SYSTEM | S.S. SHARP CUTTER
6 S.S. BLADE BITTER | VACUUM CLEANER

0.5 HP FLOURMILL



BLACK MAGIC
KEY FEATURE









AATOMIZE-A051

POWER SAVER MOTOR I PURE VIRGIN HOPPER I PURE VIRGIN CONTAINER
CHILD SAFETY LOCK I PURE MS CUTTER I MICRO CONTROL CIRCUIT
VOLTAGE CONTROL SYSTEM I LED LIGHT
4 BLADE BITTER I PLYWOOD BODY



LITE WOOD
KEY FEATURE








AATOMIZE-S051

ISI POWER SAVER MOTOR I PURE SS HOPPER I PURE SS CONTAINER
CHILD SAFETY LOCK I PURE SS CUTTER I MICRO CONTROL CIRCUIT
VOLTAGE CONTROL SYSTEM I LED LIGHT I PURE SS BITTER

OIL SQUEEZER



OIL SQUEEZER	DELUXE	SUPER DELUXE	JUMBO DELUXE
VOLTAGE	220 volt / 50 hz	220 volt / 50 hz	220 & 440 volt / 50 hz
POWER	350 Watts	400 Watts	1500 Watts
CAPACITY	2 - 4kg/H	3 - 5kg/H	8 - 12kg/H
KEEP WORKING	8 - 10 Hrs	8 - 10 Hrs	9 - 13 Hrs
POWER CONSUMPTION	1 Unit / 2.5 Hrs Machine Work	1 Unit / 2.5 Hrs Machine Work	1.5 Unit / 2.5 Hrs Machine Work
WEIGHT	14 kg	14 kg	40 kg
SIZE	15 x 12 x 6.5 inch	15.5 x 13 x 6.5 inch	24.5 x 23 x 9.5 inch
WARRENTY	1 Year*	2 Year*	1 Year*

GRAVY MACHINE



GRAVY MACHINE	1 HP DELUXE	2 HP SUPER DELUXE	3 HP SUPER DELUXE	5 HP HEAVY DUTY	7 HP SUPER POWER
MODEL	DG101	SD101	JD101	HD101	SP101
MIXING CAPACITY	10 TO 15 KG	35 TO 40 KG	100 TO 150 KG	200 TO 300 KG	600 TO 700 KG
AUTOMATION GRADE	SEMI AUTOMATIC	SEMI AUTOMATIC	SEMI AUTOMATIC	SEMI AUTOMATIC	SEMI AUTOMATIC
MATERIAL	SS BODY	SS BODY	SS BODY	SS BODY	SS BODY
POWER SOURCE	ELECTRIC	ELECTRIC	ELECTRIC	ELECTRIC	ELECTRIC
MOTOR SPEED	2880	2880	2880	2880	2880
MOTOR CAPACITY	1 HP	2 HP	3 HP	5 HP	7 HP
MOTOR TYPE	SINGLE PHASE	SINGLE PHASE	SINGLE PHASE	SINGLE PHASE	SINGLE PHASE
MACHINE SIZE MM	125 X 75	150 X 75	230 X 75	305 X 100	355 X 175
MACHINE WEIGHT	20 KG	38 KG	45 KG	64 KG	140 KG

MICRO GRINDING 2 IN 1 PULVERIZER

"PATENT APPLIED"



MICRO GRINDING	1 HP	2 HP	3 HP
MODEL	AZ101	AZ201	AZ301
GRINDING CAPACITY	10 TO 15 KG	15 TO 17 KG	25 TO 30 KG
AUTOMATION GRADE	SEMI AUTOMATIC	SEMI AUTOMATIC	SEMI AUTOMATIC
MATERIAL	MS BODY	MS BODY	MS BODY
POWER SOURCE	ELECTRIC	ELECTRIC	ELECTRIC
VOLTAGE (V)	230	230	230
POWER	6	10	15
CORROSION RESISTANCE	YES	YES	YES
POWER CONSUMPTION	0.75KWH	1.5KWH	2.25KWH
MOTOR SPEED	2800	2800	2800
FREQUENCY (HZ)	50	50	50
MOTOR TYPE	SINGLE PHASE	SINGLE PHASE	SINGLE PHASE
COATING	POWDER COATING	POWDER COATING	POWDER COATING
CHAMBER	SINGLE CHAMBER	SINGLE CHAMBER	SINGLE CHAMBER
MACHINE DIMENSION MM	325 X 610 X 815	350 X 640 X 865	400 X 690 X 915
CHAMBER DIMENSION MM	205 X 105	255 X 105	255 X 135

CRETA POWER 2 IN 1 PULVERIZER

"PATENT APPLIED"



CRETA POWER	1 HP	2 HP	3 HP
MODEL	AZ102	AZ202	AZ302
GRINDING CAPACITY	12 TO 15 KG	20 TO 25 KG	30 TO 40 KG
AUTOMATION GRADE	SEMI AUTOMATIC	SEMI AUTOMATIC	SEMI AUTOMATIC
MATERIAL	MS BODY	MS BODY	MS BODY
POWER SOURCE	ELECTRIC	ELECTRIC	ELECTRIC
VOLTAGE (V)	230	230	230
POWER (W)	6	10	15
CORROSION RESISTANCE	YES	YES	YES
POWER CONSUMPTION	1.5KWH	1.5KWH	2.25KWH
MOTOR SPEED	2800	2800	2800
FREQUENCY (HZ)	50	50	50
MOTOR TYPE	SINGLE PHASE	SINGLE PHASE	SINGLE PHASE
COATING	POWDER COATING	POWDER COATING	POWDER COATING
CHAMBER	DOUBLE CHAMBER	DOUBLE CHAMBER	DOUBLE CHAMBER
MACHINE DIMENSION MM	325 X 660 X 890	430 X 765 X 980	415 X 815 X 1015
FRONT CHAMBER DIMENSION MM	205 X 105	255 X 105	255 X 135
BACK CHAMBER DIMENSION MM	125 X 75	170 X 90	170 X 90

CRETA POWER - AZ502 (5 HP)

MODEL	AZ502	VOLTAGE (V)	230 / 440	FREQUENCY (HZ)	50
GRINDING CAPACITY	60 TO 65 KG	POWER (W)	15	MOTOR TYPE	SINGLE PHASE / THREE PHASE
AUTOMATION GRADE	SEMI AUTOMATIC	CORROSION RESISTANCE	YES	COATING	POWDER COATING
MATERIAL	MS BODY	POWER CONSUMPTION	2.25KWH	CHAMBER	DOUBLE CHAMBER
POWER SOURCE	ELECTRIC	MOTOR SPEED	2800	MACHINE DIMENSION MM	465 X 865 X 1065
FRONT CHAMBER DIMENSION MM	315 X 165	BACK CHAMBER DIMENSION MM	225 X 100		

SUPER POWER 2 IN 1 PULVERIZER



"PATENT APPLIED"

SUPER POWER	3 HP	5 HP
MODEL	AZ303	AZ503
GRINDING CAPACITY	40 TO 45 KG	65 TO 70 KG
AUTOMATION GRADE	SEMI AUTOMATIC	SEMI AUTOMATIC
MATERIAL	MS BODY	MS BODY
POWER SOURCE	ELECTRIC	ELECTRIC
VOLTAGE (V)	230 / 440	230 / 440
POWER (W)	18 / 9	20 / 8
CORROSION RESISTANCE	YES	YES
POWER CONSUMPTION	1.5KWH	2.25KWH
MOTOR SPEED	1440	1440
FREQUENCY (HZ)	50	50
MOTOR TYPE	SINGLE PHASE/THREE PHASE	SINGLE PHASE/THREE PHASE
COATING	POWDER COATING	POWDER COATING
CHAMBER	DOUBLE CHAMBER WITH PEDICTION	DOUBLE CHAMBER WITH PEDICTION
MACHINE DIMENSION MM	482 X 1187 X 1119	510 X 1238 X 1169
FRONT CHAMBER DIMENSION MM	255 X 105	315 X 165
BACK CHAMBER DIMENSION MM	170 X 90	225 X 100

HEAVY DUTY 2 IN 1 PULVERIZER



"PATENT APPLIED"

HEAVY DUTY	7.5 HP	10 HP	15 HP
MODEL	AZ751	AZ1001	AZ1501
GRINDING CAPACITY	85 TO 90 KG	100 TO 110 KG	140 TO 150 KG
AUTOMATION GRADE	SEMI AUTOMATIC	SEMI AUTOMATIC	SEMI AUTOMATIC
MATERIAL	MS BODY	MS BODY	MS BODY
POWER SOURCE	ELECTRIC	ELECTRIC	ELECTRIC
VOLTAGE (V)	440	440	440
POWER (W)	11	15	22
CORROSION RESISTANCE	YES	YES	YES
POWER CONSUMPTION	5.70KWH	7.5KWH	8KWH
MOTOR SPEED	1440	1440	1440
FREQUENCY (HZ)	50	50	50
MOTOR TYPE	THREE PHASE	THREE PHASE	THREE PHASE
COATING	POWDER COATING	POWDER COATING	POWDER COATING
CHAMBER	DOUBLE CHAMBER WITH PEDICTION	DOUBLE CHAMBER WITH PEDICTION	DOUBLE CHAMBER WITH PEDICTION
MACHINE DIMENSION MM	560 X 1365 X 1220	610 X 1490 X 1270	670 X 1615 X 1320
FRONT CHAMBER DIMENSION MM	430 X 285	430 X 285	430 X 285
BACK CHAMBER DIMENSION MM	275 X 120	275 X 120	275 X 120

HEAVY DUTY MIXER GRINDER



GRAVY MACHINE	1.5HP HEAVY DUTY ROYAL NAVY	2 HP GOLDEN DRAGON	3 HP DARK FALCON
MODEL	RN150	DG200	DF300
MIXING CAPACITY	5 LTR	10 LTR	14 LTR
AUTOMATION GRADE	SEMI AUTOMATIC	SEMI AUTOMATIC	SEMI AUTOMATIC
MATERIAL	SS BODY	SS BODY	SS BODY
POWER SOURCE	ELECTRIC	ELECTRIC	ELECTRIC
MOTOR SPEED	2880	2880	2880
MOTOR CAPACITY	1.5 HP	2 HP	3 HP
MOTOR TYPE	SINGLE PHASE	SINGLE PHASE	SINGLE PHASE
MACHINE SIZE MM	305 X 710 X 380	305 X 760 X 380	305 X 810 X 380
MACHINE WEIGHT	35 KG	40 KG	45 KG
JAR	5 LTR	10 LTR	14 LTR WITH PIPE & VALVE
CUTTER	SS	SS	SS

FLOUR MIXING MACHINE



FLOUR MIXING MACHINE	5 KG SURYA MIXING	10 KG AGNI MIXING	15 KG PRUTHVI MIXING
MODEL	SM051	AM100	PM150
MIXING CAPACITY	5 KG	10 KG	15 KG
AUTOMATION GRADE	SEMI AUTOMATIC	SEMI AUTOMATIC	SEMI AUTOMATIC
MATERIAL	MS BODY	MS BODY	MS BODY
POWER SOURCE	ELECTRIC	ELECTRIC	ELECTRIC
MOTOR SPEED	1440	1440	1440
MOTOR CAPACITY	0.5 HP	1 HP	2 HP
MOTOR TYPE	SINGLE PHASE	SINGLE PHASE	SINGLE PHASE
MACHINE SIZE MM	765 X 635 X 355	1065 X 940 X 480	1090 X 940 X 535
MACHINE WEIGHT	55 KG	105 KG	110 KG
BOWL MATERIAL	SS	SS	SS
JALI COVER	SS	SS	SS
ROTAR TYPE	SS	SS	SS
TIME DURATION	5 TO 10 MINUTES	10 TO 12 MINUTES	12 TO 15 MINUTES



FLOUR MIXING MACHINE



GRAVY MACHINE



HEAVY DUTY MIXER GRINDER

AATOMIZE®

NEVER COMPROMISE



GRAVY MACHINE



PULVERIZER



MIXER GRINDER



OIL SQUEEZER



FLOUR MIXING

AATOMIZE MANUFACTURING PVT. LTD.

Plot No. 6/7, Captain Tractor Street,
Padvala Main Road, Shapar (Veraval),
Rajkot - 360024, Gujarat (India).
info@aatomize.com | www.aatomize.com
+91 87390 87390 / +91 70437 70431

AUTHORIZED DISTRIBUTOR



SCAN QR CODE
DOWNLOAD BROCHURE

