



**REJUVENATE YOUR SENSES WITH  
V-GUARD WATER HEATERS**





## 27 YEARS OF UNWAVERING TRUST

Since its establishment in 1977, V-Guard lived up to the reputation of making reliable products that were designed to work efficiently and last a lifetime. With a strong emphasis on product quality and customer value, V-Guard earned a reputation for designing and manufacturing products that are built to last. Embracing new frontiers in technology, we are one of the leading consumer electrical brands in India. With a quest for excellence, it will be our endeavour to understand human lives and their relationship with the tools and appliances that they use. Then, we create a seamless experience with thoughtfully engineered products in our quest to enrich consumer lives.

Harnessing the learnings, insights and experiences, V-Guard made waves in the water heater category with a firm belief in the principles of thoughtful engineering and intelligent design. Being in the water heater segment for 27 years, the very boundaries of what is possible has been pushed in recent years through our new product offerings. A fine combination of visual appeal and utility, V-Guard water heaters are energy-efficient, equipped with advanced coating solutions to protect against rust and also ensure that the water inside remains heated for a longer duration.

With an unwavering commitment to excellence, quality and innovation, we bring to you a range of modern water heaters with a sole purpose - empowering you to bring home a better tomorrow.

# RANGE AVAILABLE

## INSTANT SERIES



PEBBLE INSTA



IRIS



VINSTA



SPRINHOT



VALCO



MAHA

## TANKLESS SERIES



CONTINO

## STORAGE SERIES



IRIS DG & IRIS



IRIS TEZ



IRIS SMART



PEBBLE SMART



PEBBLE PRO



PEBBLE DG



PEBBLE MAX



EC DG SERIES



EC PRO



SIETA PLUS



SIETA PLUS



SIETA



ECH



ECH SLEEK



VALCO TEZ

STORAGE SERIES .....



GLADO



VALCO



VISTORA



SPRINHOT PLUS

GAS WATER HEATER .....



SAFEFLO PLUS/SAFEFLO PRIME

IMMERSION HEATER RODS .....



VIMH101



VIMH151

ROOM HEATERS .....



RH9F-1000



RH11F-1000



RH13F-1000



RH3HT 1000



RH3HT 2000



RH1000 CH



RH2HC-2100



RH2QT-1000




RH2QT-2000



RH 2000 FH 1250

# INSTANT SERIES

Enjoy an instant hot water shower anytime with V-Guard instant water heaters. Built with a host of safety features, they are available in multiple variants and designs. Equipped with special PUF insulation that minimizes heat loss and decreases power consumption, these are perfect for fulfilling all your instant hot water needs. Bring home the stylish and efficient instant water heaters and stop worrying about the fretting power consumption.





# PEBBLE INSTA

INSTANT SERIES





**COLOURS AVAILABLE**



White Metallic Grey



Electric Water Heater with SS tank for longer durability



5-year replacement warranty for the inner tank



Pink White



Violet White

Outer cover made of rust-proof ABS material ensuring durability.

Multiple colour panel options to suit bathroom interiors.

High grade SS tank with thicker anode rod for extra protection against scaling & corrosion.

Withstands up to 0.6 MPa water pressure making it well-suited for high-rise buildings.

Heating element with ISI mark for extra long life.

ISI marked Pebble Insta comes with a product warranty of 2 years, heating element warranty of 2 years and an inner tank warranty of 5 years.

CAPACITY	MODEL NAME	POWER IN WATTS	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
3 L	Pebble Insta	3000 W/4500 W	27	27.4	Vertical	0.6 MPa (6 kg/cm <sup>2</sup> )

# IRIS

INSTANT SERIES





Electric Water Heater with SS tank for longer durability



5-year replacement warranty for the inner tank

Outer cover made of rust-proof engineered polymer material for enhanced durability.

Withstands up to 0.6 MPa water pressure making it well-suited for high-rise buildings.

Inner tank made of 304 grade Jindal/Tata brand Stainless Steel for long life.

Available in attractive Ivory colour.

Heating element with ISI mark for extra long life.

ISI marked Iris comes with a product warranty of 2 years, heating element warranty of 2 years and an inner tank warranty of 5 years.

Equipped with state-of-the-art safety devices.

CAPACITY	MODEL NAME	POWER IN WATTS	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
3 L	Iris	3000 W/4500 W	16.9	34.1	Vertical	0.6 MPa (6 kg/cm <sup>2</sup> )

# VINSTA

INSTANT SERIES





Electric Water Heater  
with SS tank for  
longer durability



5-year replacement  
warranty for the inner tank

Rust-proof engineered polymer material ensures enhanced durability.

Durable 304L grade branded Stainless Steel inner tank for long life.

Heating element with ISI mark for extra long life.

Withstands up to 0.6 MPa water pressure making it well-suited for high-rise buildings.


Available in attractive White colour.

ISI marked instant Vinsta Water Heater comes with a product warranty of 2 years, heating element warranty of 2 years and an inner tank warranty of 5 years.

CAPACITY	MODEL NAME	POWER IN WATTS	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
1 L	Vinsta	3000 W & 4500 W	16.9	34.1	Vertical	0.6 MPa (6 kg/cm <sup>2</sup> )
3 L	Vinsta	3000 W & 4500 W	16.9	34.1	Vertical	0.6 MPa (6 kg/cm <sup>2</sup> )

# SPRINHOT

INSTANT SERIES





Electric Water Heater with rust-proof engineered polymer outer body for longer life



Sacrificial anode for added protection against corrosion



5-year replacement warranty for the inner tank

Outer cover made of rust-proof engineered polymer material ensures durability.

Withstands up to 0.6 MPa water pressure making it well-suited for high-rise buildings.

Automatic temperature regulation through thermostat safety devices.

Inner tank made of 304 grade Jindal/Tata brand Stainless Steel for long life.

Heating element with ISI mark for extra long life.

ISI marked Sprinhot series comes with a product warranty of 2 years, heating element warranty of 2 years and an inner tank warranty of 5 years.


CAPACITY	MODEL NAME	POWER IN WATTS	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
1 L	Sprinhot	3000 W/4500 W	15.6	27.5	Vertical	0.6 MPa (6 kg/cm <sup>2</sup> )
3 L	Sprinhot	3000 W/4500 W	21.1	31.1	Vertical	0.6 MPa (6 kg/cm <sup>2</sup> )

# VALCO

— INSTANT SERIES








Electric Water Heater with rust-proof engineered polymer outer body for longer life



5-year replacement warranty for the inner tank



Suitable for multistoried buildings and can withstand pressure up to 0.6 MPa (6 kg/cm<sup>2</sup>)

Outer cover made of rust-proof engineered polymer material ensures durability.

Inner tank made of 304 grade stainless steel for long life .

ISI marked product.

Heating element with ISI mark for extra long life.

Withstands up to 0.6 MPa water pressure making it well-suited for high-rise buildings.

ISI marked Valco instant water heater comes with a product warranty of 2 years and an inner tank warranty of 5 years.

CAPACITY	MODEL NAME	POWER IN WATTS	BODY LENGTH (IN CM)	BODY WIDTH (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
3 L	Valco	3000 W	20	18.5	33.5	Vertical	0.6 MPa (6 kg/cm <sup>2</sup> )


# MAHA

INSTANT SERIES





Electric Water Heater with rust-proof engineered polymer outer body for longer life



Suitable for multistoried buildings and can withstand pressure up to 0.6 MPa (6 kg/cm<sup>2</sup>)



5-year replacement warranty for the inner tank

Outer cover made of rust-proof engineered polymer material ensures durability.

Inner tank made of 304 grade stainless steel for long life.

ISI marked product

Suitable for multistoried buildings and can withstand pressure up to 0.6 MPa (6 kg/cm<sup>2</sup>).

Heating element with ISI mark for extra-long life

ISI marked Maha instant water heater comes with a product warranty of 2 years, and an inner tank warranty of 5 years.

CAPACITY	MODEL NAME	POWER IN WATTS	BODY LENGTH (IN CM)	BODY WIDTH (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
3 L	Maha	3000 W	18	18	36.5	Vertical	0.6 MPa (6 kg/cm <sup>2</sup> )

# CONTINO SERIES

TANKLESS WATER HEATER





Flow based water heater



Inbuilt shock safe module



3 digit 7 segment temperature display

Constant hot water output.

Two touch switches for adjusting the temperature; 30 -55°C.

Outer cover made with rust-proof ABS for long life.

Flow based water heater.

Inbuilt shock safe module.

Dual thermal protection with combistat.

Suitable for multistoried buildings and can withstand pressure up to 0.8 MPa (8 kg/cm<sup>2</sup>).

Contino series comes with a 2-year product warranty.

3 digit 7 segment temperature display.

MODEL NAME	POWER IN WATTS	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
Contino 5.5 kW	5500 W	24	34	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )
Contino 7 kW	7000 W	24	34	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )

# STORAGE SERIES

---

Enjoy a soothing hot water shower anytime with the V-Guard storage series. Aesthetically designed to complement your bathroom decor, they are equipped with amazing features such as faster heating, high storage capacity, lower power consumption, and a host of safety features to ensure enhanced performance. Welcome home the V-Guard range of storage water heaters and give yourself a hassle-free hot water bathing experience.





# IRIS SERIES

STORAGE SERIES








Electric Water Heater with rust-proof dual color ABS outer body ensuring long life



Sacrificial anode for added protection against corrosion



Nickel enriched glass-lined incoloy 800 heating element built to deliver and last even in tough conditions



Electric Water Heater with rust-proof dual color ABS outer body ensures durability.

Nickel enriched glass-lined incoloy 800 heating element built to deliver and last even in tough conditions.

5-star rating as per BEE standard.

Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings.

Adjustable capillary thermostat for temperature regulation.

Multifunctional safety valve for enhanced safety.


Iris series comes with a product warranty of 2 years, heating element warranty of 3 years and an inner tank warranty of 8 years.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
10 L	Iris 10	2000 W	5 Star	32.6	38.1	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )
15 L	Iris 15	2000 W	5 Star	32.6	49.6	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )
25 L	Iris 25	2000 W	5 Star	38.1	53.2	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )

# IRIS DG SERIES

STORAGE SERIES





LED display for real-time temperature indication



Electric Water Heater with rust-proof dual color ABS outer body ensuring long life



Sacrificial anode for added protection against corrosion



Nickel enriched glass-lined incoloy 800 heating element built to deliver and last even in tough conditions

Electric Water Heater with rust-proof dual color ABS outer body ensures durability.

5-star rating as per BEE standard.

LED display for real-time temperature indication.

Iris DG series comes with a product warranty of 2 years, heating element warranty of 4 years and an inner tank warranty of 8 years.

Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings.

Titanium infused vitreous enamel coating protects tank from hard water and corrosion.

Perfect water temperature every time with an advanced thermostat tested to last a lifetime.


Nickel enriched glass-lined incoloy 800 heating element built to deliver and last even in tough conditions.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
10 L	Iris DG 10	2000 W	5 Star	32.6	38.1	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )
15 L	Iris DG 15	2000 W	5 Star	32.6	49.6	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )
25 L	Iris DG 25	2000 W	5 Star	38.1	53.2	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )

# IRIS TEZ

STORAGE SERIES





PUF insulation to minimise heat loss and power consumption



Sacrificial anode for added protection against corrosion



Electric Water Heater with rust-proof dual colour ABS outer body for long life



8-year replacement warranty for the inner tank

Electric Water Heater with rust-proof dual colour ABS outer body for long life.

Nickel enriched glass-lined incoloy 800 heating element built to deliver and last even in tough conditions.

PUF insulation to minimise heat loss and power consumption.

5-star rating as per BEE standard.

Multifunctional safety valve ensures safety.

Inner tank made of high-quality steel with glass-lined Anti-Corrosion coating for long life.

Adjustment knob for setting the temperature conveniently.

Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings.


Iris Tez series comes with a product warranty of 2 years, heating element warranty of 4 years and an inner tank warranty of 8 years.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
15 L	Iris Tez 15	3000 W	5 Star	32.6	49.6	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )
25 L	Iris Tez 25	3000 W	5 Star	38.1	53.2	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )

# IRIS SMART SERIES

STORAGE SERIES





PUF insulation to minimise heat loss and power consumption




Sacrificial anode for added protection against corrosion



Electric Water Heater with rust-proof dual colour ABS outer body and inner tank with glass-lined Anti-Corrosion coating for long life



10-year replacement warranty for the inner tank



Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings

Operate your water heater from anywhere with IoT connectivity.

Energy limit alert can be set through the mobile app.

Heating schedule of water heater can be set on a daily/ weekly basis for up to one week & maximum of 8 different schedules are available on a particular day.

Perfect water temperature every time with an advanced thermostat tested to last a lifetime.

Nickel enriched glass-lined incoloy 800 heating element built to deliver and last even in tough conditions.

Self-diagnostic feature for safe and worry-free warm showers.

Iris Smart series comes with a product warranty of 2 years, heating element warranty of 4 years and an inner tank warranty of 10 years.

Operate water heater with just your voice using Alexa/ Google Home.

Energy consumption monitoring through the mobile app.

Child lock: Will disable the temperature setting from the water heater control panel.

Holiday mode: Water heating will be disabled from start to end as set in the mobile app.

Product sharing: Product controls can be shared with other Smart App users by the admin user.

5-star rating as per BEE standard.


CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
15 L	Iris Smart 15	2000 W	5 Star	32.6	49.6	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )
25 L	Iris Smart 25	2000 W	5 Star	38.1	53.2	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )

# PEBBLE SMART

SMART SERIES







Inner tank made of high-quality steel with glass-lined Anti-Corrosion coating for long life



10-year replacement warranty for the inner tank

Connect Pebble Smart water heater from any where in the world using digital controller with Wi-Fi connectivity.

Intelligent scheduler for creating custom schedules, providing ease of access, and saving energy.

Dynamic colored LED display indicates the operation of the water heater and temperature range.

Suitable for IOS/Android Smart Phones.

Operate water heater with just your voice using Alexa or Google.

Energy consumption monitoring through the mobile app.

Energy limit alert can be set through the mobile app.

High-quality steel inner tank with glass-lined AC (anti-corrosion) coating for long life.

Hard water suitable incoloy 800 heating element with glass lined coating for enhanced durability & quick heating.

Child Lock: Will disable the temperature setting from the Water heater control panel.

Heating Schedule of water heater can be set on a daily /weekly basis up to one week & maximum 8 different schedules are available on a particular day.

Holiday mode: Water Heating will be disabled from start to end as set in the mobile app.

Three Pre -set modes: Luke/Warm & Hot.

Product sharing: Product controls can be shared with other V-Guard Smart App users by the admin user.

Self diagnostics features for safe and worry-free warm showers.

Rust- proof ABS outer cover for greater durability.

Pebble Smart series comes with 3-year product warranty, 4-year heating element and 10-year warranty for inner tank.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
15 L	Pebble Smart 15	2000 W	5 Star	39.12	38.92	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )
25 L	Pebble Smart 25	2000 W	5 Star	46.12	46.93	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )

# PEBBLE DG SERIES

STORAGE SERIES







10-year replacement warranty for the inner tank



Outer cover made with rust-proof ABS for long life



Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings

Outer cover made with rust-proof ABS for long life.

LED display for real-time temperature indication.

Adjustment knob for setting the temperature conveniently.

5-star rated from BEE for its energy saving technology.

Tanks with cutting-edge anti-crack technology withstands high pressure and suits high-rise buildings.

Sacrificial anode for extended life span

Titanium infused vitreous enamel coating protects tank from hard water and corrosion.

Pebble DG series comes with 3 year product warranty, 4 years for heating element and 10 years warranty for inner tank.

Nickel enriched incoloy 800 heating element built to deliver and last even in tough conditions.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
15 L	Pebble DG 15	2000 W	5 Star	39.12	38.92	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )
25 L	Pebble DG 25	2000 W	5 Star	46.12	46.93	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )

# PEBBLE PRO SERIES

STORAGE SERIES






PUF insulation to minimise heat loss and power consumption



Outer cover made with rust-proof ABS body for long life



Suitable for multistoried buildings and can withstand pressure up to 0.8 MPa (8 kg/cm<sup>2</sup>)

Adjustment knob for setting the temperature conveniently.

High efficiency copper heating coil with corrosion resistant for extra long life.

Sacrificial anode for extended life span.

High-quality steel inner tank with glass-lined AC (Anti-Corrosion) coating for long life.

Outer cover made with rust-proof ABS body for long life.

5-star rated from BEE for its energy saving technology.

Pebble Pro series comes with a product warranty of 2 years, heating element warranty of 2 years and an inner tank warranty of 8 years.



PUF insulation to minimise heat loss and power consumption.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Pebble Pro 6	2000 W	5 Star	33.05	33.04	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )
10 L	Pebble Pro 10	2000 W	5 Star	36.03	36.29	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )
15 L	Pebble Pro 15	2000 W	5 Star	39.12	38.92	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )
25 L	Pebble Pro 25	2000 W	5 Star	46.12	46.93	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )

# PEBBLE MAX SERIES

STORAGE SERIES






High efficiency incoloy 800 heating coil with corrosion resistant for extra long life



Outer cover made with rust-proof ABS for long life



Suitable for multistoried buildings and can withstand pressure up to 0.8 MPa (8 kg/cm<sup>2</sup>)

Outer cover made with rust-proof ABS for long life.

PUF insulation to minimise heat loss and power consumption.

Adjustment knob for setting the temperature conveniently.

5-star rated from BEE for its energy saving technology.

High-quality steel inner tank with glass-lined AC (Anti-Corrosion) coating for long life.

Suitable for multistoried buildings and can withstand pressure up to 0.8 MPa (8 kg/cm<sup>2</sup>).

Sacrificial anode for extended life span.

Pebble Max series comes with a product warranty of 3 years, heating element warranty of 4 years and an inner tank warranty of 8 years.

High efficiency incoloy 800 heating coil with corrosion resistant for extra long life.


CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Pebble Max 6	2000 W	5 Star	33.05	33.04	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )
10 L	Pebble Max 10	2000 W	5 Star	36.03	36.29	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )
15 L	Pebble Max 15	2000 W	5 Star	39.12	38.924	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )
25 L	Pebble Max 25	2000 W	5 Star	46.12	46.93	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )

# SPRINHOT PLUS


STORAGE SERIES







Electric Water Heater with ABS outer body and SS tank with Anti-Corrosion coating for long life



Sacrificial anode for added protection against corrosion



PUF insulation to minimise heat loss and power consumption



5-year replacement warranty for inner tank

Outer cover made of rust-proof ABS material ensures durability.

Inner tank made of 304L grade Jindal/Tata brand Stainless Steel for long life.

5-star rating as per BEE standard.

Available in attractive Ivory colour.

ISI marked Sprinhot Plus series comes with a product warranty of 2 years, heating element warranty of 2 years and an inner tank warranty of 5 years.

PUF insulation to minimise heat loss and power consumption.

Sprinhot Plus with 15 & 25 litre capacities withstands up to 0.65 MPa (6.5 kg/cm<sup>2</sup>) water pressure making it well-suited for high-rise buildings. All other capacities can withstand up to 0.35 MPa (3.5 kg/cm<sup>2</sup>) water pressure.

Anti-Corrosion coating protects the inner tank from corrosion.


15 & 25 litre capacities comes with an adjustable capillary thermostat for temperature regulation.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Sprinhot Plus 6	3000 W	5 Star	25.5	36.4	Vertical	0.35 MPa (3.5 kg/cm <sup>2</sup> )
10 L	Sprinhot Plus 10	3000 W	5 Star	29.7	41.2	Vertical	0.35 MPa (3.5 kg/cm <sup>2</sup> )
15 L	Sprinhot Plus 15	2000 W	5 Star	32.1	44.7	Vertical/Floor	0.65 MPa (6.5 kg/cm <sup>2</sup> )
25 L	Sprinhot Plus 25	2000 W	5 Star	38.7	57.8	Vertical/Horizontal	0.65 MPa (6.5 kg/cm <sup>2</sup> )

# GLADO

STORAGE SERIES





PUF insulation to minimise heat loss and power consumption



Sacrificial anode for added protection against corrosion



Electric Water Heater with ABS outer body and inner tank made of 304L grade branded Stainless Steel for long life



5-year replacement warranty for inner tank

Electric Water Heater with rust-proof ABS outer body for long life.

Perfect water temperature everytime with an advanced thermostat tested to last a lifetime.

Withstands up to 0.6 MPa water pressure making it well-suited for high-rise buildings.

Glado series comes with a product warranty of 2 years, heating element warranty of 2 years and an inner tank warranty of 5 years.

High-grade SS tank with thicker anode rod for extra protection against scaling and corrosion.

PUF insulation to minimise heat loss and power consumption.

5-star rating as per BEE standard.


Advanced IGW technology for longer tank life and zero leakage.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Glado 6	3000 W	5 Star	29.3	31.6	Vertical	0.6 MPa (6 kg/cm <sup>2</sup> )
10 L	Glado 10	3000 W	5 Star	32.9	36.7	Vertical	0.6 MPa (6 kg/cm <sup>2</sup> )
15 L	Glado 15	2000 W	5 Star	32.9	47.2	Vertical	0.6 MPa (6 kg/cm <sup>2</sup> )
25 L	Glado 25	2000 W	5 Star	35.7	57.1	Vertical	0.6 MPa (6 kg/cm <sup>2</sup> )

# EC DG SERIES

STORAGE SERIES





Sacrificial anode for added protection against corrosion



PUF insulation to minimise heat loss and power consumption



8-year replacement warranty for inner tank

Seven segment LED display for real-time temperature indication.

High-quality steel inner tank with glass-lined AC (Anti-Corrosion) coating for long life.

Incoloy 800 heating element built to deliver and last even in tough conditions.

Outer cover made of high-quality pre-painted galvanized iron sheet & plastic end cover for long life.

Adjustment knob for setting the temperature conveniently.

Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings.

PUF insulation to minimise heat loss and power consumption.

Multifunctional safety valve for enhanced safety.


EC DG series comes with a product 2 years, heating element warranty of 3 years and an inner tank warranty of 8 years.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
10 L	EC DG 10	2000 W	5 Star	30.1	43.2	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )
15 L	EC DG 15	2000 W	5 Star	32.1	50.1	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )
25 L	EC DG 25	2000 W	5 Star	38.1	53.3	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )

# EC PRO

STORAGE SERIES






Sacrificial anode for added protection against corrosion



PUF insulation to minimise heat loss and power consumption



8-year replacement warranty for inner tank



High-quality steel inner tank with glass-lined AC (Anti-Corrosion) coating for long life.

Outer cover made of high-quality pre-painted galvanized iron sheet & plastic end cover for long life.

Adjustment knob for setting the temperature conveniently.

PUF insulation to minimise heat loss and power consumption.

5-star rated from BEE for its energy saving technology.

Multifunctional safety valve for enhanced safety.

EC Pro series comes with a product warranty of 2 years, heating element warranty of 2 years and an inner tank warranty of 8 years.

Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings.


CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
10 L	EC Pro 10	2000 W	5 Star	31.5	40.3	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )
15 L	EC Pro 15	2000 W	5 Star	31.5	50.4	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )
25 L	EC Pro 25	2000 W	5 Star	36	58	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )

# SIETA PLUS

STORAGE SERIES







PUF insulation to minimise heat loss and power consumption



Sacrificial anode for added protection against corrosion



8-year replacement warranty for inner tank

Outer cover made of rust-proof ABS & plastic end cover ensures durability.

Capillary thermostat for external temperature control.

Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings.

Electric water heater with rust-proof engineered polymer outer body for long life.

PUF insulation to minimise heat loss and power consumption.

5-star rated from BEE for its energy saving technology.

Sieta Plus series comes with a product warranty of 2 years, heating element warranty of 4 years and an inner tank warranty of 8 years.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Sieta Plus 6	2000 W	5 Star	28.5	34.5	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )
10 L	Sieta Plus 10	2000 W	5 Star	32.5	36.0	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )
15 L	Sieta Plus 15	2000 W	5 Star	32.5	46.0	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )
25 L	Sieta Plus 25	2000 W	5 Star	37.0	56.5	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )
35 L	Sieta Plus 35	2000 W	5 Star	37.0	66.5	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )

# SIETA PLUS

STORAGE SERIES






PUF insulation to minimise heat loss and power consumption



Sacrificial anode for added protection against corrosion



8-year replacement warranty for inner tank



High-quality steel inner tank with glass-lined AC (Anti-Corrosion) coating for long life.

Suitable for multistoried buildings and can withstand pressure up to 0.8 MPa (8 kg/cm<sup>2</sup>).

Electric Water Heater with rust-proof ABS outer body.

The 50-litre model has a 5-star rating from BEE for its energy saving technology.

Adjustment knob for setting the temperature conveniently.

Multifunctional safety valve.


PUF insulation to minimize heat loss and reduce power consumption.

Sieta Plus series comes with a product warranty of 2 years, heating element warranty of 4 years and an inner tank warranty of 8 years.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
50 L	Sieta Plus 50	3000 W	5 Star	45	72.5	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )
70 L	Sieta Plus 70	3000 W	3 Star	45	92	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )
100 L	Sieta Plus 100	3000 W	3 Star	45	117	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )

# VALCO TEZ

STORAGE SERIES






Sacrificial anode for added protection against corrosion



PUF insulation to minimise heat loss and power consumption



8-year replacement warranty for inner tank



High-quality steel inner tank with glass-lined AC (Anti-Corrosion) coating for long life.

Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings.

PUF insulation to minimise heat loss and power consumption.

5-star rated from BEE for its energy saving technology.

Outer cover made of high-quality pre-painted galvanized iron sheet & plastic end cover for long life.

Multifunctional safety valve ensures safety.

Adjustment knob for setting the temperature conveniently.


Valco Tez series comes with a product warranty of 2 years, heating element warranty of 2 years and an inner tank warranty of 8 years.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Valco Tez 6	3000 W	5 Star	30.1	33.6	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )
10 L	Valco Tez 10	3000 W	5 Star	30.1	43.2	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )
15 L	Valco Tez 15	3000 W	5 Star	32.1	50.1	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )
25 L	Valco Tez 25	3000 W	5 Star	38.1	53.3	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )

**VALCO**

STORAGE SERIES





PUF insulation to minimise heat loss and power consumption



Sacrificial anode for added protection against corrosion



Outer cover made of high-quality pre-painted galvanized iron sheet & plastic end cover for long life



8-year replacement warranty for inner tank

Outer cover made of high-quality pre-painted galvanized iron sheet & plastic end cover for long life.

Adjustment knob for setting the temperature conveniently.

Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings.

Valco series comes with a product warranty of 2 years, heating element warranty of 2 years and an inner tank warranty of 8 years.

Inner tank made of high-quality steel with glass-lined Anti-Corrosion coating.

PUF insulation to minimise heat loss and power consumption.

5-star rated from BEE for its energy saving technology.

Multifunctional safety valve ensures safety.


CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Valco 6	2000 W	5 Star	30.1	33.6	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )
10 L	Valco 10	2000 W	5 Star	30.1	43.2	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )
15 L	Valco 15	2000 W	5 Star	32.1	50.1	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )
25 L	Valco 25	2000 W	5 Star	38.1	53.3	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )

# SIETA

STORAGE SERIES







PUF insulation to minimise heat loss and power consumption



Sacrificial anode for added protection against corrosion



Outer cover made of high-quality pre-painted galvanized iron sheet & plastic end cover for long life



7-year replacement warranty for inner tank

Outer cover made of high-quality pre-painted galvanized iron sheet & plastic end cover for long life.

Adjustment knob for setting the temperature conveniently.

Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings.

Sieta series comes with a product warranty of 2 years, heating element warranty of 2 years and an inner tank warranty of 7 years.

Inner tank made of high-quality steel with glass-lined Anti-Corrosion coating.

PUF insulation to minimise heat loss and power consumption.

5-star rated from BEE for its energy saving technology.

Multifunctional safety valve ensures safety.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Sieta 6	2000 W	5 Star	30.1	33.6	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )
10 L	Sieta 10	2000 W	5 Star	30.1	43.2	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )
15 L	Sieta 15	2000 W	5 Star	32.1	50.1	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )
25 L	Sieta 25	2000 W	5 Star	38.1	53.3	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )

# VISTORA

STORAGE SERIES





PUF insulation to minimise heat loss and power consumption



Sacrificial anode for added protection against corrosion



Outer cover made of high-quality pre-painted galvanized iron sheet & plastic end cover for long life



7-year replacement warranty for inner tank

Adjustment knob for setting the temperature conveniently.

Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings.

Vistora series comes with a product warranty of 2 years, heating element warranty of 2 years and an inner tank warranty of 7 years.

Inner tank made of high-quality steel with glass-lined Anti-Corrosion coating ensures durability.

PUF insulation to minimise heat loss and power consumption.

5-star rated from BEE for its energy saving technology.



Multifunctional safety valve ensures safety.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Vistora 6	2000 W	5 Star	30.1	33.6	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )
10 L	Vistora 10	2000 W	5 Star	30.1	43.2	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )
15 L	Vistora 15	2000 W	5 Star	32.1	50.1	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )
25 L	Vistora 25	2000 W	5 Star	38.1	53.3	Vertical	0.8 MPa (8 kg/cm <sup>2</sup> )

**ECH**

STORAGE SERIES





Glass-lined Anti-Corrosion coating that helps fight against corrosion



Sacrificial anode for added protection against corrosion



PUF insulation to minimise heat loss and power consumption



8-year replacement warranty for inner tank

Outer cover made of high-quality pre-painted galvanized iron sheet & plastic end cover for long life.

Analogue temperature indicator displays temperature.

Incoloy 800 heating element built to deliver and last even in tough conditions.

Adjustment knob for setting the temperature conveniently.

PUF insulation to minimise heat loss and power consumption.

Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings.

3-star rated from BEE for its energy saving technology.

Inner tank made of high-quality steel with glass-lined Anti-Corrosion coating for long life.

Multifunctional safety valve ensures safety.



ECH series comes with a product warranty of 2 years, heating element warranty of 3 years and an inner tank warranty of 8 years.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
10 L	ECH 10	2000 W	3 Star	32.3	43.2	Horizontal	0.8 MPa (8 kg/cm <sup>2</sup> )
15 L	ECH 15	2000 W	3 Star	34.3	50.1	Horizontal	0.8 MPa (8 kg/cm <sup>2</sup> )
25 L	ECH 25	2000 W	3 Star	40.3	53.3	Horizontal	0.8 MPa (8 kg/cm <sup>2</sup> )

# ECH SLEEK

STORAGE SERIES





Glass-lined Anti-Corrosion coating that helps fight against corrosion



Sacrificial anode for added protection against corrosion



PUF insulation to minimise heat loss and power consumption



8-year replacement warranty for inner tank

Outer cover made of high-quality pre-painted galvanized iron sheet & plastic end cover for long life.

Adjustment knob for setting the temperature conveniently.

PUF insulation to minimise heat loss and power consumption.

Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings.

4-star rated from BEE for its energy saving technology.

Inner tank made of high-quality steel with glass-lined Anti-Corrosion coating for long life.

Multifunctional safety valve ensures safety.

ECH Sleek series comes with a product warranty of 2 years, heating element warranty of 3 years and an inner tank warranty of 8 years.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	BODY DIA (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
10 L	ECH Sleek 10- LHS & RHS	2000 W	4 Star	32	46.5	Horizontal	0.8 MPa (8 kg/cm <sup>2</sup> )
15 L	ECH Sleek 15- LHS & RHS	2000 W	4 Star	32	57.5	Horizontal	0.8 MPa (8 kg/cm <sup>2</sup> )
25 L	ECH Sleek 25- LHS & RHS	2000 W	4 Star	32	82	Horizontal	0.8 MPa (8 kg/cm <sup>2</sup> )

# GAS WATER HEATERS

Revitalize yourself in a warm and soothing shower with V-Guard gas water heaters. Designed to cater to all your hot water needs, they offer higher energy savings, long-lasting performance, and superior safety. These ultra-safe and energy-efficient gas water heaters make a perfect addition to your household.







# GAS WATER HEATER





High safety



Instant heating



Anti freeze protection



Ultra low pressure application



Suitable for multistoried building



Electronic cut off for no water flow

Suitable for ultra low pressure application.

Suitable for multistoried buildings.

Extra protection with double solenoid valve.

SS burner.

20 minutes gas flow cut-off timer.

Automated ignition system for instant heating.

PRV for water high pressure protection.

Overheat protection.

Summer/winter burner selection.

Copper heat exchanger.

CAPACITY	MODEL NAME	WATER PRESSURE	GAS PRESSURE	GAS TYPE	DRY BATTERY
5 L	Safeflo Plus	0.008-0.8 MPa	2942 Pa (2.942 kPa)	LPG	1.5V x 2 numbers
6 L	Safeflo Prime	0.008-0.8 MPa	2942 Pa (2.942 kPa)	LPG	1.5V x 2 numbers

# IMMERSION HEATER RODS

---

Switch to a world of unparalleled efficiency with the V-Guard range of immersion heater rods. Built with state-of-the-art features such as quick heating and water level indicators, they ensure utmost protection against shock. So, why wait any longer? Bring home the V-Guard range of immersion heater rods that perfectly blend with your bathroom and enjoy supreme convenience.





# VIMH 101/VIMH 151

IMMERSION HEATERS





High safety



Instant heating

Shock proof handle with epoxy coating.

BIS Approved

Copper tube element with long-lasting nickel plating for long element life.

MODEL NAME	RATED POWER	RATED VOLTAGE
VIMH 101	1000 W	230 V AC 50 Hz
VIMH 151	1500 W	230 V AC 50 Hz

# ROOM HEATERS

Tackle harsh winters and chilling cold with the elegant and efficient room heaters from V-Guard. Equipped with a host of excellent features, these heaters not only provide warmth but also enhance the beauty of your decor with their compact and elegant design. Bring home the V-Guard room heaters and enjoy the comfort.







# ROOM HEATERS



## RH9F-1000



Cord storage.

Castor wheels for easy mobility.

Overheat protection and tilt over switch for safety.

Thermostatic heat control.

Quick heating with PTC fan.

MODEL NAME	POWER IN WATTS	RATED VOLTAGE
RH9F-1000	2500 W	230 V AC 50 Hz

## RH11F-1000



Cord storage.

Overheat protection.

Castor wheels for easy mobility.

Tilt over switch for safety.

Thermostatic heat control.

Quick heating with PTC fan.

MODEL NAME	POWER IN WATTS	RATED VOLTAGE
RH11F-1000	2900 W	230 V AC 50 Hz

## RH13F-1000



Cord storage.

Tilt over switch for safety.

Overheat protection.

Quick heating with PTC fan.

Castor wheels for easy mobility.

MODEL NAME	POWER IN WATTS	RATED VOLTAGE
RH13F-1000	2900 W	230 V AC 50 Hz

## RH3HT 1000



New dual tone sleek design.

Wide angle oscillation.

Instant heating.

Automatic tip over protection.

MODEL NAME	POWER IN WATTS	RATED VOLTAGE
RH3HT1000	1200 W	230 V AC 50 Hz

## RH3HT 2000



Instant heating.

400/800/1200 watt heat settings.

Overheat protection.

Automatic tip over protection.

Wider angle oscillation.

MODEL NAME	POWER IN WATTS	RATED VOLTAGE
RH3HT 2000	1200 W	230 V AC 50 Hz

## RH1000 CH



Compact and elegant design.

Faster heating.

No noise.

MODEL NAME	POWER IN WATTS	RATED VOLTAGE
RH1000 CH	1000 W	230 V AC 50 Hz

## RH2HC-2100



Double protection against over heating.

Low noise performance.

Compact and elegant design.

Fan only mode.

Faster heating.

MODEL NAME	POWER IN WATTS	RATED VOLTAGE
RH2HC-2100	2000 W	230 V AC 50 Hz

## RH2QT-1000



Compact and elegant design.

No noise.

Faster heating.

Automatic tip over protection.

MODEL NAME	POWER IN WATTS	RATED VOLTAGE
RH2QT-1000	800 W	230 V AC 50 Hz

## RH2QT-2000



Compact and elegant design.

Automatic tip over protection.

Faster heating.

No noise.

MODEL NAME	POWER IN WATTS	RATED VOLTAGE
RH2QT-2000	800 W	230 V AC 50 Hz

## FAN HEATER RH 2000 FH 1250



Compact and elegant design.

Faster heating.

1000/2000 watt heat settings.

Overheat protection.

MODEL NAME	POWER IN WATTS	RATED VOLTAGE
RH 2000 FH 1250	2000 W	230 V AC 50 Hz

# COMPLETE WATER HEATING SOLUTIONS FROM **V-GUARD**



**WATER HEATER**



**SOLAR  
WATER HEATER**



**HEAT PUMP  
WATER HEATER**

**DOMESTIC HEAT PUMP  
WATER HEATER**

**COMMERCIAL HEAT PUMP  
WATER HEATER**





- \* All performance parameters are checked under standard test conditions at 230 V, 50 Hz Ac
- \* Colours and specifications are subject to change without prior notice
- \* Colours shown may not match the actual colours due to printing limitations

**V-Guard Industries Ltd.,**

Registered Office: 42/962, Vennala High School Road, Vennala, Kochi - 682 028, Kerala.  
Ph: 0484-2005000, 4335000 email: [customer-care@vguard.in](mailto:customer-care@vguard.in) | [www.vguard.in](http://www.vguard.in)



V-Guard Care  
0120-4850100  
1860 180 3000  
[customer-care@vguard.in](mailto:customer-care@vguard.in)  
© 9633503333

[www.vguard.in/home/customer-care](http://www.vguard.in/home/customer-care)  
CIN: L31200KL1996PLC010010

