# atlantic



## hindware smart appliances



# Innovations that turns showers into blissful escapes

Hindware Atlantic Water Heaters



Actual product colour/features/technology may vary model-wise. Requires internet connection, Google is a trademark of Google LLC. Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates.



# hintastica<sup>-</sup>

Hintastica Private Limited (HPL) is India's leading provider of Consumer Water & Electrical Heating solutions. It is a joint venture of Hindware Home Innovation Limited & Groupe Atlantic of France. Groupe Atlantic is a 2.7 billion Euro company with over 50 years in water heaters and heating solutions & Hindware Home Innovation Limited (HHIL) is the fastest-growing player in Consumer Appliances and the leader in the Building Product segment in India.

The Joint Venture company HPL, aims at creating a strong customer base by offering innovative products to Indian consumers as well as to neighbouring nations in the SAARC region. HPL leverages Groupe Atlantic's

proven prowess in manufacturing and R&D with HHIL's vast marketing and distribution capabilities to deliver to the consumer a range of high-quality products and accessories; all under the brand name 'Hindware Smart Appliances'. The company has set-up a state-of-the-art manufacturing plant in Telangana. The project is in line with the Government of India's 'Make in India' initiative and all components are sourced from within India. The plant with a production capacity of 6 lac units annually is built on a plot of 5.7 acres.

At HPL we aim to offer customer delight by delivering convenience, ease of usage with the best of technology and quality standards.



# 

EUROPE'S LEADING HEATING VENTILATION AND AIR CONDITIONING COMPANY

#### A RENOWNED FRENCH BRAND WORLDWIDE

Atlantic is a well-established and renowned French brand, an expert in all types of heating systems and home comfort appliances with a worldwide presence. Atlantic was founded in 1968, by Mr. Radat and Mr. Lamoure, in la Roche-sur-Yon, a city from the Vendee region, located on the West coast of France.

Premium design, constant innovation and cutting-edge technology are the guiding principles at Atlantic. The company has developed a complete range of modern and reliable equipment's such as water heaters, electric heaters, bathroom heaters, solar water heaters, heat pumps. Today, Atlantic is well established in France and over 70 countries across Western and Eastern Europe, Near and Middle East, Africa, South America and even Asia-Pacific, with an ongoing growth and deployment across the world.

Groupe Atlantic controls more than 60 percent of the French Domestic Hot Water (DHW) market, the biggest market for electrical domestic comfort products worldwide. The company has grown in size to employ 12,000 people and generates an annual turnover of 2.7 billion Euro today. A substantial amount of Groupe Atlantic's turnover is committed to the development of new products, which is a reflection of the organization's dedication to innovation, Research & Development.

With more than 2.8 million water heaters manufactured every year, Group Atlantic provides an extremely lagre



range of storage DHW tanks from 10L to 3000L capacity. The group has built a strong brand portfolio of thermal comfort solutions since its creation, including domestic and commercial water heaters, renewable energy heaters and water heaters, room and bathroom heaters. Worldwide, the Groupe owns 17 brands, 6 dedicated water heater manufacturing plants, 31 industrial sites, 4 commercial operations across 4 continents and many more.

This joint venture between Groupe Atlantic and Hindware Home Innovation Ltd., promises to offer state-of-the-art water heaters with the best of experience to Indian consumers.







### POWERED BY EXCLUSIVE O'PRO TECHNOLOGY

• The Exclusive O'Pro Technology provides additional protection to the tank and heating element against corrosion.

· With the use of an Ohmic resistor,

a small resistance is created of 390  $\Omega$  between the Magnesium anode and the Heating Element. As a result of the Ohmic resistance, the life of the water tank is increased by up to 50% and you get fresh, corrosion free hot water for your family, for a longer duration.

# STORAGE WATER HEATERS

#### Modern Masterpieces for the Progressive you

Enjoy a soothing hot water bath with our cutting-edge storage water heaters. Not only it's super convenient and easy to use but also it serves individual needs with tech-enabled features.

Available in multiple shapes and sizes to fit into your required spaces by enhancing the look of your washroom.

### Capacities: 10L - 50L



hindwate

## ONDEO EVO I-PRO Capacity: 10L/ 15L/ 25L





Requires internet connection. Google is a trademark of Google LLC. Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates. TANK Comprehensive \* 15L & 25L products have 2.5 kW heating elements vs 2 kW element in most competing models hence consumers get 25% faster heating.

1

YEARS

YEARS

WARRANTY

YEARS

### **ONDEO** EVO DIGITAL Capacity: 10L/ 15L/ 25L



Powered by



**Exclusive O'Pro Technology** Protects against corrosion for enhanced life



Faster heating

**Optimized Inlet Diffuser** 



Superior Safety Protects against electric shocks & auto cut-off when dry and overheated



**Titanium Core Shield** For hygienic fresh hot water



**Reinforced Insulation** Retains heat for longer hours

#### WARRANTY



\* 15L & 25L products have 2.5 kW heating elements vs 2 kW element in most competing models hence consumers get 25% faster heating.





## **ONDEO** EVO Capacity: 10L/ 15L/ 25L







Powered by



**Exclusive O'Pro Technology** Protects against corrosion for enhanced life

Protects against electric shocks & auto cut-off when dry and overheated



**Superior Safety** 

**Titanium Core Shield** For hygienic fresh hot water

5





**Reinforced Insulation** Retains heat for longer hours

#### WARRANTY



\* 15L & 25L products have 2.5 kW heating elements vs 2 kW element in most competing models hence consumers get 25% faster heating.

# ESPIRO PLUS Capacity: 10L/ 15L/ 25L



Durable, Corrosion Resistant Tank Build to withstand hard water conditions



**High Thermal Efficiency** Finest Incoloy element\*



**Robust Construction** Engineered to be rust-proof



Perfect for High-Rise Residences 8 Bar working pressure



**Superior Safety** Protects against electric shocks & auto cut-off when dry and overheated









ERYNE Capacity: 10L/ 15L/ 25L





Protects against corrosion for enhanced life **Optimized Inlet Diffuser** 

Faster heating

Exclusive O'Pro Technology



**Superior Safety** Protects against electric shocks & auto cut-off when dry and overheated



**Titanium Core Shield** For hygienic fresh hot water

**Reinforced Insulation** Retains heat for longer hours



\*\*Additional 2 years warranty applicable after registration at call center.





#### Storage Water Heaters

# ELICIO NEO NEW Capacity: 10L/ 15L/ 25L/ 35L/ 50L



Glass coat Pro+ Tank Enhances the life of the water heater



**Optimized Inlet Diffuser** Faster heating



**Reinforced Insulation** Retains heat for longer hours



Perfect for High-Rise Residences 8 Bar working pressure



**Superior Safety** Protects against electric shocks & auto cut-off when dry and overheated

Metal Body





# EZRO NEO Capacity: 10L/ 15L/ 25L/ 35L/ 50L





Glass coat Pro+ Tank Enhances the life of the water heater



**Optimized Inlet Diffuser** Faster heating



**Robust Construction** Engineered to be rust-proof



Perfect for High-Rise Residences 8 Bar working pressure

#### **Superior Safety**

Protects against electric shocks & auto cut-off  $\mathbf{\mathbf{\Theta}}$ when dry and overheated





Storage Water Heaters

**EVANO** Capacity: 15L/ 25L/ 50L





**Copper Heating Element** Efficient heat conduction

water heater



Engineered to be rust-proof

## WARRANTY



Available in both side LHS/RHS connection pipe orientation & Floor Standing unit.

### **CRISTALLO** SLIM Capacity: 10L/ 15L/ 25L







**Copper Heating Element** Efficient heat conduction



**Glassline Tank** 

Enhances the life of the

water heater



Perfect for High-Rise Residences 8 Bar working pressure

**Robust Construction** Engineered to be rust-proof



**Superior Safety** Protects against electric shocks & auto cut-off when dry and overheated



Available in both side LHS/RHS connection pipe orientation & Floor Standing unit.

# INSTANT WATER HEATERS

hindware

Get swift, instant hot water with aesthetically appealing designs, it's best suited for compact spaces like kitchen, laundry, bathrooms to enhance your experience. Just switch it on and enjoy a pleasing warmth whenever you want.

Capacity: 3L - 5.9L

# WHIZZ 5.5kw

#### Ready when you are...

For hot water in 5 seconds, whenever you need it. And however long you need it.





# STORM 5.5kw/7kw





### FLUENT Capacity: 3L/ 5.5L





Copper Heating Element Efficient heat conduction

Pressure Release Valve Protects against pressure build up



Perfect for High-Rise Residences 6.5 Bar working pressure



Guards against water overheating



**Stainless Steel Tank** Resistant to corrosion & wear



**Robust Construction** Engineered to be rust-proof



Only 3L is ISI Certified







**Copper Heating Element** Efficient heat conduction

















**Pressure Release Valve** 



Protects against pressure build up





Perfect for High-Rise Residences 6.5 Bar working pressure



Guards agains Guards against water overheating



Stainless Steel Tank Resistant to corrosion & wear



**Robust Construction** Engineered to be rust-proof



### COMPACTO PLUS Capacity: 3L/ 5.9L



Copper Heating Element Efficient heat conduction



Pressure Release Valve Protects against pressure build up

Perfect for High-Rise Residences



6.5 Bar working pressure

i-Thermostat



Guards against water overheating Stainless Steel Tank



Resistant to corrosion & wear



Robust Construction Engineered to be rust-proof





Only 3L is ISI Certified

Gas Water Heaters





Climate Based Optimization Adjust heat according to seasonal variations.





Suitable for all residences Working pressure 0.01 MPa to 0.80 MPa



Durable HiTech Design Rust free SS body with triple burner system



Superior Safety Flame failure protection, anti dry burn protection, overheat protection and child lock





# GAS WATER HEATERS







CHOOSING THE RIGHT WATER HEATER									
CAPACITY	USAGE	FAMILY SIZE							
1-3L	Kitchen/Wash Basin	2 Members							
5-5.9L	Kitchen/Wash Basin/Bucket	3 Members							
6L(Gas WH)	Kitchen/Bathroom /Bucket	4 Members							
6L to 10L	Bathroom/Bucket	3 Members							
15L to 25L	Bathroom/Shower /Bucket	4 Members							
35L-50L	Bathroom/Shower /BucketBath Tub	5 Members							
Save Water !									

At Hintastica Private Limited, we urge everyone to use water moderately and efficiently in order to conserve this precious natural resource and avoid water wastage.

Service Cent

Andaman and Nicobar Isla

# STRONG NATIONWIDE SERVICE NETWORK

Serving 5000+ cities, 12000+ Pin Codes Covered Growing service network day by day

Note: India map image shown is not to scale and only for graphical representation of Hindware service network availablity.

## **TECHNICAL SPECIFICATIONS**

	~	with the second	-	-	-	)			
Parameter	Ondeo Evo	o I-Pro/ Ondeo I	Evo Digital	Ondeo Evo			Espiro Plus		
Capacity (Litre)	10	15	25	10	15	25	10	15	25
Mounting	۷	۷	V	V	۷	۷	۷	Υ.	V
Voltage (V) & Frequency (Hz)				230\	/, 50Hz, 1 Phas	æ AC			
Power (Watts)	2000	2500	2500	2000	2500	2500	2000	2000	2000
Current (Ampere)	8.7	10.9	10.9	8.7	10.9	10.9	8.7	10.9	10.9
Pressure (MPa)	0.80	0.80	0.80	<mark>0.80</mark>	0.80	0.80	0.80	0.80	0.80
Standing Loss (KHW/24hrs)	0.36	0.42	0.51	0.36	0.42	0.51	0.36	0.42	0.51
Max Hot Water Output (°C)	<b>75</b> ±5	<b>75</b> ±5	<b>75</b> ± 5	<b>75</b> ±5	75±5	75±5	75±5	<b>75</b> ±5	<b>75</b> ±5
Net Weight (Kg)	7.4	8.5	12.1	7.4	8.5	12.1	6.3	7.35	9.23
Dimension WxDxH (mm)	367x316x396	367x359x396	446x410x473	367x316x396	367x359x396	446x410x473	360x380x390	375x395x415	445x425x480
Class of Appliance	Class I	Class I	Class I	Class I	Class I	Class I	Class I	Class	Class I
Ingress Protection	IP24	IP24	IP24	IP24	IP24	IP 24	IPX4	IPX4	IPX4



Г



1 [



Parameter			Elicio Neo			Ezro Neo					
Capacity (Litre)	10	15	25	35	50	10	15	25	35	50	
Mounting	۷	۷	٧	۷	٧	۷	٧	V	۷	V	
Voltage (V) & Frequency (Hz)	230V, 50Hz, 1 Phase AC										
Power (Watts)	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	
Current (Ampere)	8.7	8.7	8.7	8.7	8.7	8.7	8.7	8.7	8.7	8.7	
Pressure (MPa)	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	
Standing Loss (KHW/24hrs)	0.36	0.42	0.51	0.64	0.74	0.36	0.42	0.51	0.64	0.74	
Max Hot Water Output (°C)	<b>75</b> ± 5	<b>75</b> ±5	75±5	75±5	75 ± 5	75±5	<b>75</b> ± 5	<b>75</b> ± 5	<b>75</b> ±5	<b>75</b> ± 5	
Net Weight (Kg)	8.1	9.6	11.1	14.7	16.7	8.1	9.6	11.1	14.7	16.7	
Dimension WxDxH (mm)	326x346x413	326x346x517	370x393x564	370x393x711	471x493x632	335x340x410	335x340x515	379x388x561	479x479x800	580x580x725	
Class of Appliance	Class I	Class I	(Jass I	Class I	Class I	Class I	Class I	Class I	Class I	Class I	
Ingress Protection	IP24	IP 24	IP24	IP 24	IP24	IP24	IP24	IP24	IP24	IP24	

## **TECHNICAL SPECIFICATIONS**

	1	١		- (		) –		-• *	) – 1
Parameter		Eryne			Cristallo Slim	1		Evano	
Capacity (Litre)	10	15	25	10	15	25	15	25	50
Mounting	٧	۷	٧	Н	Н	Н	Н	Н	Н
Voltage (V) & Frequency (Hz)				230\	, 50Hz, 1 Phas	e AC			
Power (Watts)	2000	2000	2000	2000	2000	2000	2000	2000	2000
Current (Ampere)	8.7	8.7	8.7	8.7	8.7	8.7	8.7	8.7	8.7
Pressure (MPa)	0.80	0.80	0.80	0.80	0.80	0.80	0.50	0.80	0.80
Standing Loss (KHW/24hrs)	0.36	0.42	0.51	0.43	0.50	0.60	0.50	0.61	0.81
Max Hot Water Output (°C)	<b>75</b> ±5	<b>75</b> ±5	75±5	75±5	<b>75</b> ± 5				
Net Weight (Kg)	8,0	9,8	12,8	7.2	8.5	12.5	9.5	10.2	18.5
Dimension WxDxH (mm)	320x335x465	321x340x595	414x420x564	455x350x330	535x340x325	900x340x325	430x335x355	545x380x400	780x400x465
Class of Appliance	Class I	Class I	Class I	Class	ClassI	Class I	dass I	Class	Class I
Ingress Protection	IP24	IP24	IP24	IPX2	IPX2	IPX2	IPX2	IPX2	IPX2

	57	-				
Parameter	Flu	ent	Cyro	Compacto Plus		
Capacity (Litre)	3	5	5	3	5.9	
Mounting	۷	٧	٧	۷	V	
Voltage (V) & Frequency (Hz)		22	0-240V, 50Hz,	AC		
Power (Watts)	3000	3000	3000	3000	3000	
Current (Ampere)	13	13	13	13	13	
Pressure (MPa)	0.65	0.65	0.65	0.65	0.65	
Standing Loss (KHW/24hrs)	NA	NA	NA	NA	NA	
Max Hot Water Output (°C)	<b>75</b> ±5	75±5	<b>75</b> ± 5	<b>75</b> ±5	<b>75</b> ± 5	
Net Weight (Kg)	2.37	3.7	3.7	2.37	3.25	
Dimension WxDxH (mm)	190x190x350	235x225x435	235x225x435	190x190x350	225x235x440	

Class I

IPX1

Class I

IPX1

Class I

IPX1

Class I

IPX1

Class of Appliance

Ingress Protection

Class1

IPX1



### **Water Heaters**

Technology Partner, Groupe Atlantic France, Europe's leading brand in water heating solutions.

> World-class Water Heaters, Proudly Indian, Made for You.

> > hindware

hindware

6 1

hindware

ndvan



evano

HINTASTICA PRIVATE LIMITED : #301-302, 3rd Floor, BPTP Park Centra, Sector-30, Gurugram-122001, Haryana, India.

. ©o

Disclaimer: Due to continuous technological upgradation Hintastica Private Limited reserves every right to change the specifications/brief description/pictorial representation, without prior notice. \*As per tests conducted by Intertek.