

Top & Side Mount Fiber Glass Bobbin Wound Sand Filter



Features:-

- ✂ The fiberglass winding design enables the filter to be durable, deforming-proof and corrosion resistant.
- ✂ A unique and advanced design ensures fast draining and stabilizes water flow.
- ✂ The 6-position multi-port valve with a user friendly handle easily provides you a maximum flow at low pressure drop.
- ✂ The Sand filter comes with a precise pressure gauge.
- ✂ It is easy to install and to maintain.
- ✂ The Outlet turbidity is less than 2FTU.
- ✂ Working pressure is 2.5 Kg cm²/36 psi.
- ✂ UV resistance surface allows the filter to work under direct sunlight.

Cartridge Filters

Features:-



- ✂ Single locking knob securely fastens head to filter tank, eliminating bolts.
- ✂ Attractive, durable filter head can be rotated to conveniently position pressure gauge and manual air relief.
- ✂ Injection-moulded filter tank for dependable, corrosion-free performance.
- ✂ Elevated, filtered water collector and debris sump prevents accidental by-pass of heavy debris to pool or spa when cartridge is removed for cleaning.
- ✂ Working pressure is 2.5 kgf/cm square/36 psi.
- ✂ Outer cover made of reinforced plastic & cartridge element is made of working polyester material.
- ✂ Suitable for inground pools, Public Pools, Water Amusement Parks, Sea Water and Fresh water breed aquatics.
- ✂ Cartridge element can be reused after cleaning.

Halbert Wall-Mounted : Integrative Pool Filter

Features:-



Halbert brings the world's most advanced swimming pool filtration system - Halbert Integrative Pipe Less Filter. The Filter integrates the multiple functions of filtration, Disinfection Vacuum cleaning, Illumination and Whirlpool Massage. The filter eliminates the requirement of balancing tank, buried pipes, plumbing and pump room. The Halbert Pipe less Filter can fit any existing water body, swimming pool or pond easily.

The enclosure is made up of high quality Lucrite Acrylic which is known for its properties of acid and ageing resistance.

The filter body is tough and strong. The filter is easy to clean and install.



Swimming Pool Pumps

1.

Application:-

Jet pumps for bath tubs, spa pools, Swimming pools, message stations and cleaning systems.

Features:

- ✂ Wet ends made of high reinforced engineering thermal plastic with compact structure and corrosive-resistance.
- ✂ 1.5 inch Inlet and Outlet.
- ✂ High efficient structure design for diffusor-and impelier to get higher performance.
- ✂ No contact between motor shaft and liquid.
- ✂ Motor / Pump shaft has no contact with the water.

Motor:-

2-pole induction motor single-phase: 220-240/50Hz single-phase with thermal protector.
1.Capacitor inset 2. Insulation class F 3. Protection IPX5 4. Continuous duty



Application:-

Jet pumps for bath tubs, spa pools, Swimming pools, message stations and cleaning systems.

Features:

- ✂ Motor / Pump shaft has no contact with the water.
- ✂ Total electrical separation.
- ✂ 2.2L pre filter.
- ✂ 2" Inlet and Outlet.
- ✂ Motor / Pump shaft has no contact with the water.

Motor:-

2-pole induction motor single-phase: 220-240/50Hz single-phase with thermal protector T.I.
1.Capacitor inset 2. Insulation class F 3. Protection IPX5 4. Continuous duty



2.



HSTP Counter System

Single-stage centrifungal pumps with complete drainage device. Inbuilt counterflow system.

This jet streams is ready for easy installation. It is possible to regulate tl jet strength adjustable. The nozzle, suction and pneumatic switch are positioned in the front cover panel of the equipment complete counter-flow system includes.

Counterflow nozzle 40mm(regulation water-air)
Front wall lead-through
Pump
Electroneumtic switch with safety element
PVC fitting



Pool Base Fitting



HAG 01



HAS 02



HAF 03



HAE 04



HAF 05



HAS 05



HAMD 06



HACD 07



HAST 08



HAWM 09


CODE	NAME	DESCRIPTION	COLOUR	FLOW RATE
HAG 01	Wall Return/ Floor Inlet Grill Type	Floor inlets Made in White ABS, These are UV resisted and are appreciated for longer service life. Connection 50mm / 63mm	White	9M ³ /hr
HAS 02	Floor Inlet Side Flow	Floor inlets side flow system Made in White ABS, These are UV resisted and are appreciated for longer service life. Connection 50mm / 63mm	White	9M ³ /hr
HAF 03	Adjustable Flower Inlet	Adjustable Floor inlets Made in White ABS, with multiple flow UV protected appreciated for long life. Connection 50mm / 63mm	White	12M ³ /hr
HAE 04	Eye Ball Nozzle	Eye Ball Nozzle inlets Made in White ABS, with multiple flow UV protected appreciated for long life. Connection 50mm / 63mm	White	4.2M ³ /hr
HAF 05	Eye Ball Diffuser Nozzle	Eye Ball Diffuser Nozzle inlets Made in White ABS, with multiple flow UV protected appreciated for long life. Connection 50mm / 63mm	White	4.5M ³ /hr
HAS 05	Single Hole Jet	Single hole jet in ABS Material Connection 50mm	White	3.5 M ³ /hr
HAMD 06	Squire Main Drain	Squire Main Drian 300mm / 300mm	White	850L / Min
HACD 07	Circular Main Drain	Circular ABS Main Drain for Concrete Pool w/170mm in Diameter & 2" int.tr	White	63mm
HAST 08	Standard Skimmer	Standard Wall Skimmer for Concrete Pool ABS	White	50mm
HAWM 09	Standard Skimmer	Wide Mouth Skimmer for Concrete Pool ABS Material	White	50mm



Pool Cleaning Equipments



CODE	DESCRIPTION	Standard Packing	Weight (KG)	Volume (m)
HC-001	Standard Curved Poly Bristle Wall Brush - 18"	1	-	-
HC-002	Poly Bristle Wall Brush - 10"	1	-	-
HC-003	Deluxe Stainless Steel Algae Brush 18"	1	-	-
HC-004	Hi-grade Stainless Steel Algae Brush - 10"	1	-	-
HC-005	Poly Bristle Wall Brush with Aluminium back handle - 18"	1	-	-
HC-006	Stainless Steel Algae Brush with Aluminium back 18"	1	-	-
HC-007	Deluxe Liner VAC head with bumper cost iron weight	1	-	-
HC-008	Deluxe Large VAC head cast iron weight	1	-	-
HC-009	Deluxe Large VAC head cast iron weight with side brush	1	-	-
HC-010	Vaccum head with 4 wheels, alu body - 14"	1	-	-
HC-011	Vaccum head with 4 wheels, alu body - 18"	1	-	-
HC-012	Suction head with 4 wheels in stainless steel (Available in different Sizes)	1	-	-



Pool Cleaning Equipments



HC-013



HC-014



HC-015



HC-016



HC-017



HC-018



HC-019



HC-020



HC-021



HC-022



HC-023



HC-024

CODE	DESCRIPTION	Standard Packing	Weight (KG)	Volume (m)
HC-013	Flexible vaccum head for in ground pools with 12 wheels	1	-	-
HC-014	Flexible vaccum head for in ground pools with 8 wheels	1	-	-
HC-015	Vaccum brush with swivel	1	-	-
HC-016	Triangular Liner VAC head with swivel	1	-	-
HC-017	Deluxe Triangular transparent VAC head	1	-	-
HC-018	Flexible vaccum head with side brush for in ground pool	1	-	-
HC-019	Economy deep bag skimmer	1	-	-
HC-020	Heavy Duty plastic leaf skimmer with blue wearing mesh	1	-	-
HC-021	Aluminium frame deep rake with blue anodized handle	1	-	-
HC-022	Economy deep bag skimmer with aluminium handle	1	-	-
HC-023	Aluminium leaf skimmer with blue anodized handle	1	-	-
HC-024	Basic PH and CL test kit	1	-	-



Pool Cleaning Equipments



HVH-15/30



HVE-15



HHR-15



HTP-4.8/7.2

CODE	NAME	DESCRIPTION	Standard Packing	Weight (Kg)	Volume (m³)
HVH-15	Extruded PE Vacuum Hose	Extruded PE Vacuum Hose-15mtr - 1	1	-	-
HVH-30		Extruded PE Vacuum Hose-30mtr - 1½			
HVE-15	Premium Grade/EVA Spiral Wound Vacuum Hose	EVA Spiral Vacuum Hose-15mtr - 1½	1	-	-
HHR-15	Hose Reel with Vacuum Hose	Extruded PE Vacuum Hose-15mtr - 1½ Mounted on Hose	1	-	-
HTP-4.8	Aluminium Telescopic Pole	4.8m Ribbed Pole/Telescopic Pole-0.8mm Thickness/Blue/Silver	1	-	-
HTP-7.2		Ribbed Pole/Telescopic Pole 7.2m			

Under Water Light



HUL 100P



HUWL 100P



HULR 18P



HLED 10R/20R



HSM 10/20

CODE	PRODUCT NAME	VOLTS/WALTS	LIGHT
HUL/HUWL 100P	Under Water Light (Halogen)	12V/100W	Wall Mount Light (Concrete Pool)
HULR18P	Under Water Light RGB (Automatic Color Changing)	12V/18W	Wall Mount Light (Concrete Pool)
HLED 10R/20R	SS Under Water Light RGB (Automatic Color Changing)	12V/10W/20W	Wall Mount Light (Concrete Pool)
HSM 10/20	SS Under Water Light Warm/Cool White & Blue Color	12V/10W/20W	Wall Mount Light (Concrete Pool)



Jaccuzi Bath Fitting



HSJ 030



HAWTB 031



HAWTB 032




HAB 100/150
HAB 200/300



HHDVA 100/150
HHDVA 200/300

CODE	DESCRIPTION	COLOUR	MATERIAL
HSJ 030	Standard Jet (Smooth Face)	White	ABS
HAWTB 031	Air and water Tee Body	White	ABS
HAWTB 032	Air and water Tee Body SS Face Cover	White	ABS
CODE	DESCRIPTION	AVAILABLE	MATERIAL
HAB 100/150/200/300	Plastic Air Blower	1HP/1.5HP/2HP/3HP	ABS
HHDVA 100/150/200/300	Heavy Duty Vortex Air Blower	1HP/1.5HP/2HP/3HP1	Aluminium



HMHABI 025



HNHJ 026



HAC 027



HPAC 028



HPB 029

CODE	PRODUCT NAME	SIZE	COLOUR	MATERIAL
HMHABI 025	Multi Hole Air Bubble Jet	20mm	White	ABS
HNHJ 026	Nine Hole Jet	27mm	White	ABS
HAC 027	SS Air Controller	-	White	ABS
HPAC 028	Air Controller	42mm-50mm	White/Chrome	ABS
HPB 029	Push / Air Button	35mm-50mm	White/Chrome	ABS


Swimming Pool Overflow Grating



CODE	DESCRIPTION	COLOUR	MATERIAL
HA 300	Over Flow Grating Single pin 300mm X 24mm	White/Optional	CP+UV
HA 255	Over Flow Grating Single pin 255mm X 24mm	White/Optional	CP+UV
HA 350	Over Flow Grating Three Pin 350mm X 24mm	White/Optional	CP+UV
HA 400	Over Flow Grating Three Pin 400mm X 24mm	White/Optional	CP+UV




HL Series Ladders



Halbert Pool Ladders are made with high quality grade SS 304, stainless steel 38/42mm tube for reliability and durability complete with anchoring fixtures.

CODE	Trades	A	B	C	D	E	F	G	H
HL-215	2	520	710	250	1400	230	510	760	750
HL-315	3	520	710	250	1650	230	510	760	750
HL-415	4	520	710	250	1900	230	510	760	750
HL-515	5	520	710	250	2150	230	510	760	750

HF Series Ladders



Halbert Pool Ladders are made with high quality grade SS 304, stainless steel 38/42mm tube for reliability and durability complete with anchoring fixtures.


CODE	Trades	A	B	C	D	E	F	G	H
HL-215	2	140	710	250	1400	230	510	590	370
HL-315	3	140	710	250	1650	230	510	590	370
HL-415	4	140	710	250	1900	230	510	590	370
HL-515	5	140	710	250	2150	230	510	590	370

Chemicals TCCA - 90



TCCA - 90
Trichloroisocyanuric Acid
TCCA - 90 is available in Granular, Tablets, Powder form.
Packing -25kgs, 50kgs.





Life Saving Equipments & Pool Furniture



Swimming Tube



Life Jacket



Pool Laungers



Garden Umberalla



Oxygen Cylinder



Folding Stratcher



Life Buoy



Safety Hook

Competition Equipments




Diving Board with Single Step



Diving Board with U Frame



Lifeguard Chair



Diving Board with Fulcrum



400mm Starting Block



750mm Starting Block



Lane Separators