



SIBERIAN REFRIGERATION LLP

Complete Cooling Solution



www.siberianref.in
www.siberianrefrigeration.com



Ageing-Vat

Product Details:

Voltage	220 -440 V
Machine Size	715x560x1380 mm
Operation Mode	Automatic
Output	100-1000 litres per hour
Phase	Single And Three Phase



Air charner

Product Details:

Voltage	220 -440 V
Cylinder Capacity	Customize
Operation Mode	Manual
Phase	Single And Three Phase



Continious- Freezer

Product Details:

Voltage	220 -440 V
Machine Size	715x560x1380 mm
Operation Mode	Automatic
Output	100-1000 litres per hour
Phase	Single And Three Phase



Hardener

Product Details:

Voltage	220 -440 V
Machine Size	Customize
Cooling Temperature	-35°C
Operation Mode	Automatic
Phase	Single And Three Phase





Glass Door Chest Freezer

Product Details:

Voltage	220 V
Operation Mode	Automatic
Cooling Temperature	-20° Celsius
Phase	Single Phase



Hard top Deep Freezer

Product Details:

Voltage	220 - 440 V
Operation Mode	Automatic
Output	100-1000 litres per hour
Cooling Temperature	-20° Celsius
Phase	Single & three Phase



Ice Cream Candy Plant

Product Details:

Voltage	220 - 440 V
Operation Mode	Automatic
Capacity	Customize
Cooling Temperature	-40 Degree Celsius
Phase	Single & Three Phase



Bulk Milk Cooler

Product Details:

Voltage	220 - 440 V
Operation Mode	Automatic
Capacity	200 - 5000 LT
Cooling Temperature	+4 Degree Celsius
Phase	Single & Three Phase



FOW

Product Details:

Voltage	220 -440 V
Machine Size	Customize
Cooling Temperature	-30° to -40° C
Phase	Single And Three Phase



Pushcart



Product Details:

Voltage	220 V
Machine Size	Customize
Capacity	120 LT
Cart Designs	Freezer with Glycol
Phase	Single Phase

Refrigerated Vehicle

Product Details:

Compressor	Vehicle Engine Drive with Electric Stand by unit
Containers Size	Customize



SIBERIAN REFRIGERATION LLP

 PARDANKUNI , P.O - COAL COMPLEX
DANKUNI , WEST BENGAL , INDIA -712310

 +91 8481970744

 ashish@siberianref.in / info@siberianref.in / sales@siberianref.in

 www.siberianref.in / www.siberianrefrigeration.com